

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NAKASHIBETSU AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

NUMBER OF FORWARD SCATTER: RWY08

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<300	<600	<1000	<600	<1000	<1500
00	-	1	3	4	9	6	12	14
01	1	1	2	5	8	6	10	14
02	1	1	1	3	6	4	9	12
03	1	1	1	3	7	4	9	14
04	-	1	1	1	6	3	10	14
05	-	1	1	2	8	5	10	14
06	-	-	1	3	6	4	9	14
07	-	-	-	-	6	3	10	12
08	-	-	-	-	5	2	8	12
09	-	-	-	2	5	2	8	10
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	0	1	2	7	4	10	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NAKASHIBETSU AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

NUMBER OF FORWARD SCATTER: RWY08

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<300	<600	<1000	<600	<1000	<1500
00	-	-	1	6	8	8	13	15
01	-	1	4	5	9	8	12	15
02	-	-	2	4	6	7	10	15
03	-	-	1	4	8	6	13	14
04	-	1	1	4	8	8	11	13
05	-	-	-	3	10	7	11	14
06	-	-	-	3	8	6	11	13
07	-	-	1	1	7	6	10	15
08	-	-	1	2	6	7	13	14
09	-	-	1	4	7	7	11	17
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	0	1	3	8	7	11	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NAKASHIBETSU AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

NUMBER OF FORWARD SCATTER: RWY08

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<300	<600	<1000	<600	<1000	<1500
00	1	1	5	10	17	10	18	23
01	0)	0)	1)	7)	15)	9	17	21
02	0)	0)	2)	8)	14)	10	15	19
03	-	1	3	6	12	7	14	14
04	-	-	1	6	10	7	11	15
05	-	-	1	5	10	6	11	16
06	-	-	1	4	14	6	15	17
07	-	-	-	3	12	6	16	19
08	-	-	1	7	13	10	18	21
09	1	1	2	6	12	7	15	22
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0)	0)	2)	6)	13)	8	15	19

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NAKASHIBETSU AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

NUMBER OF FORWARD SCATTER: RWY08

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<300	<600	<1000	<600	<1000	<1500
00	-	-	3	13	17	14	18	21
01	-	-	3	12	17	12	17	19
02	-	-	1	8	15	8	17	17
03	-	-	1	6	15	6	15	16
04	-	-	1	5	13	5	14	16
05	-	1	1	7	12	7	13	16
06	-	-	1	5	13	7	14	17
07	-	1	2	7	14	7	15	19
08	-	1	3	12	17	13	18	21
09	-	1	6	13	17	13	19	23
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	0	2	9	15	9	16	19

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NAKASHIBETSU AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

NUMBER OF FORWARD SCATTER: RWY08

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<300	<600	<1000	<600	<1000	<1500
00	-	-	1	16	26	16	26	34
01	-	-	2	10	22	10	22	28
02	-	-	1	9	17	9	17	25
03	-	-	1	7	14	7	14	19
04	-	-	-	6	13	6	13	19
05	-	-	1	6	14	6	14	18
06	-	-	1	7	14	7	14	16
07	-	-	1	8	14	8	14	16
08	-	-	1	8	14	8	14	17
09	-	-	3	10	15	10	15	19
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	-	1	9	16	9	16	21

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NAKASHIBETSU AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

NUMBER OF FORWARD SCATTER: RWY08

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<300	<600	<1000	<600	<1000	<1500
00	-	1	7	31	44	32	45	52
01	0)	1)	5)	22)	36)	22	36	45
02	0)	0)	3)	18)	30)	18	29	41
03	0)	1)	1)	16)	23)	15	23	34
04	-	-	-	11	22	11	22	30
05	-	-	1	13	23	13	23	31
06	-	-	1	15	23	15	23	31
07	-	-	4	19	27	19	27	37
08	-	-	4	19	30	19	30	36
09	-	1	7	22	32	23	33	37
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0)	0)	3)	19)	29)	19	29	38

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NAKASHIBETSU AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

NUMBER OF FORWARD SCATTER: RWY08

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<300	<600	<1000	<600	<1000	<1500
00	-	-	5	26	41	26	42	52
01	-	-	4	17	30	17	30	47
02	-	1	5	15	25	15	25	37
03	-	-	2	14	20	14	21	34
04	-	-	1	14	19	14	19	28
05	-	-	3	12	18	12	18	26
06	-	-	2	12	20	13	21	26
07	-	-	5	14	21	14	21	29
08	-	-	5	15	25	15	26	37
09	-	2	8	20	32	21	32	43
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	0	4	16	25	16	25	36

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NAKASHIBETSU AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

NUMBER OF FORWARD SCATTER: RWY08

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<300	<600	<1000	<600	<1000	<1500
00	-	-	6	28	40	28	42	53
01	-	1	5	20	35	21	36	46
02	-	-	2	14	28	14	28	40
03	-	-	3	12	23	12	25	34
04	-	-	3	12	20	12	20	34
05	-	-	4	11	21	10	22	30
06	-	-	3	12	19	12	19	29
07	-	-	4	13	21	13	22	31
08	-	1	6	20	26	20	26	37
09	-	-	5	22	30	22	31	39
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	0	4	16	26	16	27	37

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NAKASHIBETSU AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

NUMBER OF FORWARD SCATTER: RWY08

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<300	<600	<1000	<600	<1000	<1500
00	-	1	3	12	20	12	20	29
01	-	1	3	8	19	9	19	23
02	0)	1)	3)	10)	17)	9	17	21
03	-	-	3	9	17	9	17	22
04	-	-	1	8	14	9	14	18
05	-	-	2	7	15	7	15	20
06	-	-	2	7	13	7	14	18
07	-	-	3	9	13	9	13	18
08	-	-	2	10	13	11	14	22
09	-	-	3	13	17	13	18	23
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0)	0)	3)	9)	16)	9	16	22

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NAKASHIBETSU AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

NUMBER OF FORWARD SCATTER: RWY08

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<300	<600	<1000	<600	<1000	<1500
00	-	-	-	2	5	2	5	8
01	-	-	-	1	4	1	4	7
02	-	-	-	1	5	1	5	6
03	-	-	-	-	4	-	4	7
04	-	-	-	-	4	-	4	6
05	-	-	-	-	4	-	5	6
06	-	-	-	-	6	-	6	8
07	-	-	-	1	6	1	6	8
08	-	-	-	1	6	1	6	10
09	-	-	1	2	7	2	7	10
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	-	0	1	5	1	5	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NAKASHIBETSU AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

NUMBER OF FORWARD SCATTER: RWY08

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<300	<600	<1000	<600	<1000	<1500
00	-	-	1	4	10	5	11	14
01	0)	0)	0)	3)	7)	3	8	13
02	0)	0)	0)	2)	7)	3	11	14
03	-	-	-	1	5	3	9	11
04	-	-	-	2	7	2	7	11
05	-	-	-	1	7	2	9	9
06	0)	0)	0)	1)	6)	1	7	9
07	-	-	-	1	5	1	6	11
08	-	-	-	3	9	3	11	13
09	-	-	-	4	8	4	9	13
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0)	0)	0)	2)	7)	3	9	12

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NAKASHIBETSU AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

NUMBER OF FORWARD SCATTER: RWY08

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<300	<600	<1000	<600	<1000	<1500
00	1	1	1	3	7	5	9	14
01	1)	1)	1)	4)	9)	5	10	13
02	1)	1)	1)	3)	8)	4	10	12
03	-	-	1	3	6	3	8	13
04	-	-	1	4	8	4	10	17
05	-	-	-	5	8	5	10	17
06	-	-	1	4	8	5	10	15
07	-	-	1	4	9	5	10	15
08	1	1	1	5	8	5	11	15
09	1	1	1	6	10	6	12	15
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0)	0)	1)	4)	8)	5	10	15

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: NAKASHIBETSU AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

NUMBER OF FORWARD SCATTER: RWY08

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	<400	<550	<800	<1000	<1400	<1500	<3200	<5000
	<100	<200	<300	<600	<1000	<600	<1000	<1500
00	0	0	3	13	21	14	22	28
01	0)	0)	3)	10)	18)	10	18	24
02	0)	0)	2)	8)	15)	9	16	22
03	0)	0)	1)	7)	13)	7	14	19
04	-	0	1	6	12	7	13	19
05	-	0	1	6	12	7	13	18
06	0)	0)	1)	6)	12)	7	14	18
07	-	0	2	7	13	7	14	19
08	0	0	2	8	15	10	16	21
09	0	0	3	10	16	11	18	23
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0)	0)	2)	8)	15)	9	16	21

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NAKASHIBETSU AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1000	<1500	<1600	<2400	<3200	<5000
00	1	1	4	5	6	9	12	14
01	3	3	3	5	6	8	9	13
02	1	1	2	3	3	8	9	12
03	1	1	3	4	4	6	8	13
04	1	1	2	3	4	6	10	14
05	1	1	3	4	6	7	10	12
06	-	-	3	3	5	7	8	12
07	-	-	1	3	5	6	9	11
08	-	-	1	2	4	5	7	11
09	-	-	-	1	2	4	5	9
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	1	1	2	3	4	7	9	12

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NAKASHIBETSU AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1000	<1500	<1600	<2400	<3200	<5000
00	-	1	3	5	6	8	11	13
01	-	2	4	6	6	9	11	14
02	-	2	3	7	7	8	9	13
03	-	1	4	5	6	8	11	13
04	-	1	2	6	7	8	9	11
05	-	1	3	6	6	6	7	12
06	-	1	1	4	6	7	9	12
07	-	-	1	6	6	9	9	13
08	-	-	1	6	6	8	11	13
09	-	-	1	6	7	10	10	15
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	1	2	6	6	8	10	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NAKASHIBETSU AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES
(IN METERS) AT SPECIFIED TIMES

TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1000	<1500	<1600	<2400	<3200	<5000
00	2	2	5	6	7	10	12	15
01	-	1	5	6	7	10	12	14
02	-	1	4	5	6	8	9	11
03	1	1	3	4	5	7	9	10
04	1	1	2	3	4	6	6	11
05	-	1	3	5	5	6	8	12
06	-	1	4	5	6	6	10	12
07	-	1	3	5	5	7	12	14
08	-	1	3	6	6	9	14	18
09	1	1	1	5	5	11	15	19
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	1	1	3	5	6	8	11	14

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NAKASHIBETSU AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1000	<1500	<1600	<2400	<3200	<5000
00	-	2	3	6	6	9	11	15
01	-	1	1	3	4	5	8	12
02	-	-	-	1	1	2	5	11
03	-	-	-	1	1	1	5	10
04	-	-	-	-	-	1	5	9
05	-	-	1	1	1	3	5	7
06	-	-	2	3	3	5	6	10
07	1	1	1	3	5	7	9	11
08	1	1	3	5	7	9	11	12
09	1	2	3	5	6	7	11	15
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	1	1	3	3	5	8	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NAKASHIBETSU AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES
(IN METERS) AT SPECIFIED TIMES

TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1000	<1500	<1600	<2400	<3200	<5000
00	-	1	1	1	1	1	4	12
01	-	-	-	1	1	1	2	8
02	-	-	1	1	1	1	2	6
03	-	-	-	-	-	1	3	8
04	-	-	-	-	1	1	2	6
05	-	-	-	-	1	1	2	5
06	-	-	-	-	1	1	2	6
07	-	-	-	1	1	2	3	4
08	-	1	1	1	1	3	5	6
09	-	1	2	3	3	4	5	8
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	0	0	1	1	1	3	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NAKASHIBETSU AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1000	<1500	<1600	<2400	<3200	<5000
00	-	1	2	3	5	9	15	21
01	-	-	-	-	1	3	10	15
02	-	-	-	1	1	3	10	15
03	-	-	-	-	1	4	7	11
04	-	-	-	-	-	2	5	10
05	-	-	-	-	1	4	8	11
06	-	-	-	-	1	5	8	10
07	-	-	-	1	1	5	9	13
08	-	1	1	3	4	6	9	13
09	1	1	3	5	6	8	12	18
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	0	1	1	2	5	9	14

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NAKASHIBETSU AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1000	<1500	<1600	<2400	<3200	<5000
00	-	1	3	3	5	7	10	17
01	-	1	1	2	3	5	10	13
02	-	1	1	1	4	6	10	15
03	-	1	1	1	2	3	6	14
04	-	-	-	1	2	3	5	10
05	-	-	-	-	2	3	6	11
06	-	-	1	3	3	5	8	11
07	-	-	1	1	1	5	8	10
08	-	-	3	3	5	7	10	15
09	-	1	2	6	7	11	14	16
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	0	1	2	3	5	9	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NAKASHIBETSU AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1000	<1500	<1600	<2400	<3200	<5000
00	-	1	1	2	2	7	12	21
01	-	-	1	2	3	7	12	17
02	-	-	-	-	-	3	8	16
03	-	-	-	1	2	5	10	14
04	-	-	-	-	1	4	8	14
05	-	-	-	-	1	3	8	12
06	-	-	-	1	1	5	6	15
07	-	-	-	1	1	5	9	14
08	-	-	-	1	5	8	13	16
09	-	1	1	3	5	10	16	25
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	0	0	1	2	6	10	16

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NAKASHIBETSU AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1000	<1500	<1600	<2400	<3200	<5000
00	-	-	1	1	1	4	6	10
01	-	-	1	1	1	3	5	9
02	-	-	1	1	1	4	7	10
03	-	-	-	-	1	3	6	11
04	-	-	-	1	1	3	7	11
05	-	-	-	-	1	3	6	12
06	-	1	1	1	1	3	6	9
07	1	1	1	1	1	3	5	11
08	1	1	1	1	1	5	8	14
09	1	1	1	1	1	5	9	14
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	0	1	1	1	4	7	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NAKASHIBETSU AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1000	<1500	<1600	<2400	<3200	<5000
00	-	-	-	-	-	1	3	4
01	-	-	-	-	-	1	2	4
02	-	-	-	-	-	1	1	3
03	-	-	-	-	-	1	1	3
04	-	-	-	-	-	1	1	4
05	-	-	-	-	-	1	1	4
06	-	-	-	-	-	1	2	5
07	-	-	-	-	-	1	2	6
08	-	-	-	-	-	-	2	6
09	-	-	-	-	1	1	2	5
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	-	-	-	0	1	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NAKASHIBETSU AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1000	<1500	<1600	<2400	<3200	<5000
00	-	-	1	3	3	4	7	10
01	-	-	-	1	2	3	4	9
02	-	-	1	1	1	3	7	10
03	-	-	1	1	1	4	5	6
04	-	-	-	1	2	2	3	5
05	-	-	1	1	1	3	3	5
06	-	-	1	1	1	2	3	5
07	-	-	-	-	1	3	4	7
08	-	-	-	1	1	3	6	9
09	-	-	-	2	2	3	3	9
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	-	0	1	2	3	4	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NAKASHIBETSU AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1000	<1500	<1600	<2400	<3200	<5000
00	1	1	1	3	3	3	6	10
01	1	1	1	3	3	4	6	11
02	1	1	1	2	3	4	5	10
03	1	1	1	1	2	4	5	9
04	1	1	1	1	3	4	8	15
05	1	1	2	3	3	6	8	13
06	1	1	1	3	3	5	8	10
07	1	1	1	3	4	6	6	10
08	1	1	2	3	5	5	6	11
09	-	1	2	3	4	5	6	10
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	1	1	1	2	3	5	6	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B

AERODROME: NAKASHIBETSU AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<600	<1000	<1500	<1600	<2400	<3200	<5000
00	0	1	2	3	4	6	9	13
01	0	1	1	2	3	5	7	12
02	0	0	1	2	2	4	7	11
03	0	0	1	2	2	4	6	10
04	0	0	1	1	2	3	6	10
05	0	0	1	2	2	4	6	10
06	0	0	1	2	2	4	6	10
07	0	0	1	2	3	5	7	10
08	0	0	1	3	4	6	8	12
09	0	1	1	3	4	7	9	14
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	0	1	2	3	5	7	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NAKASHIBETSU AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	1	1	3	7	8
01	-	1	1	1	3	6	8
02	-	-	1	1	1	5	8
03	-	-	-	-	1	5	8
04	-	-	-	-	-	5	6
05	-	-	-	1	1	5	7
06	-	-	-	-	1	4	7
07	-	-	-	-	-	5	9
08	-	-	-	-	-	5	6
09	-	-	-	1	2	5	6
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	0	0	1	5	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NAKASHIBETSU AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	1	2	4	6	8
01	-	-	1	3	3	6	7
02	-	-	1	1	1	3	6
03	-	-	-	1	1	4	6
04	-	-	-	1	3	5	6
05	-	-	-	1	1	4	6
06	-	-	-	1	2	5	6
07	-	-	1	1	1	4	6
08	-	-	1	1	1	6	7
09	-	-	1	2	4	7	9
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	-	0	1	2	5	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NAKASHIBETSU AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	2	5	6	14	18
01	-	-	1	5	5	12	15
02	-	-	1	4	6	11	14
03	-	-	1	4	5	10	11
04	-	-	-	3	5	8	12
05	-	-	-	2	3	8	11
06	-	-	-	2	3	10	11
07	-	-	-	2	3	10	12
08	-	-	-	3	6	12	14
09	-	-	1	5	6	12	14
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	-	1	3	5	11	13

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NAKASHIBETSU AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	2	9	11	15	18
01	-	-	2	6	11	15	17
02	-	-	1	5	8	15	16
03	-	-	1	5	6	15	15
04	-	-	1	4	5	13	15
05	-	1	1	5	7	12	15
06	-	-	1	3	5	13	15
07	-	1	1	4	5	13	18
08	-	-	1	7	10	15	17
09	-	-	3	8	10	15	18
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	1	6	8	14	16

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NAKASHIBETSU AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	1	10	15	26	33
01	-	-	2	7	10	22	28
02	-	-	1	6	9	17	24
03	-	-	1	6	7	14	19
04	-	-	-	4	6	13	19
05	-	-	1	3	6	14	18
06	-	-	1	5	7	14	16
07	-	-	1	5	8	14	16
08	-	-	1	5	8	14	16
09	-	-	3	7	9	14	17
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	-	1	6	8	16	21

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NAKASHIBETSU AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	1	7	21	30	43	49
01	-	1	5	15	22	36	45
02	-	-	3	13	18	29	41
03	-	1	1	11	15	23	33
04	-	-	-	8	11	22	30
05	-	-	1	10	13	23	31
06	-	-	1	11	15	23	31
07	-	-	4	15	19	27	37
08	-	-	4	15	18	29	35
09	-	1	7	19	21	30	35
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	3	14	18	28	37

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NAKASHIBETSU AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	5	19	23	39	49
01	-	-	3	12	15	29	46
02	-	1	4	10	15	25	37
03	-	-	1	12	13	19	33
04	-	-	1	13	14	19	28
05	-	-	3	12	12	18	26
06	-	-	2	11	12	20	26
07	-	-	5	12	13	20	28
08	-	-	5	13	14	23	34
09	-	1	7	17	19	30	41
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	3	13	15	24	35

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NAKASHIBETSU AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	6	19	28	39	50
01	-	1	5	14	20	35	45
02	-	-	2	10	14	28	38
03	-	-	3	8	12	23	34
04	-	-	3	8	12	20	32
05	-	-	3	10	10	20	30
06	-	-	3	8	12	19	28
07	-	-	4	10	13	21	30
08	-	1	6	14	20	26	37
09	-	-	5	19	21	28	35
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	4	12	16	26	36

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NAKASHIBETSU AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	1	3	9	12	20	28
01	-	1	3	5	8	19	23
02	-	1	3	5	9	17	21
03	-	-	3	7	9	17	21
04	-	-	1	4	8	13	17
05	-	-	2	6	7	15	20
06	-	-	2	6	6	13	17
07	-	-	1	7	7	11	16
08	-	-	1	7	9	12	20
09	-	-	3	9	12	17	21
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	2	6	9	15	20

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NAKASHIBETSU AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	-	1	2	5	7
01	-	-	-	1	1	4	6
02	-	-	-	-	1	5	5
03	-	-	-	-	-	3	6
04	-	-	-	-	-	3	6
05	-	-	-	-	-	4	6
06	-	-	-	-	-	6	7
07	-	-	-	1	1	6	7
08	-	-	-	1	1	6	10
09	-	-	1	1	2	7	9
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	-	0	0	1	5	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NAKASHIBETSU AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	-	1	3	4	10	12
01	-	-	-	2	3	7	11
02	-	-	-	1	2	7	11
03	-	-	-	1	1	5	9
04	-	-	-	2	2	7	10
05	-	-	-	1	1	7	8
06	-	-	-	1	1	6	7
07	-	-	-	1	1	5	9
08	-	-	-	1	3	9	12
09	-	-	-	2	3	7	10
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	-	0	2	2	7	10

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NAKASHIBETSU AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE
LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES
AT SPECIFIED TIMES

TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	1	1	3	3	6	9
01	-	1	1	3	4	8	12
02	-	1	1	3	3	8	10
03	-	-	-	2	3	6	10
04	-	-	-	2	3	7	11
05	-	-	-	3	5	7	13
06	-	-	-	2	3	6	10
07	-	-	1	2	4	8	12
08	-	1	1	3	4	8	12
09	-	1	1	3	5	10	13
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	1	3	4	7	11

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C

AERODROME: NAKASHIBETSU AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<300	<500	<600	<1000	<1500
00	-	0	2	9	12	19	24
01	-	0	2	6	9	17	22
02	-	0	1	5	7	14	19
03	-	0	1	5	6	12	17
04	-	-	0	4	6	11	16
05	-	0	1	5	6	11	16
06	-	-	1	4	6	11	15
07	-	0	1	5	6	12	17
08	-	0	2	6	8	14	18
09	-	0	3	8	10	15	19
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	1	6	7	14	18

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NAKASHIBETSU AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	14	1	0	-	-	-	-	-	-	-	-	14
[35-36-01]	2	1	1	0	0	0	-	-	-	-	-	4
[02-03-04]	2	2	1	0	0	-	-	-	-	-	-	6
[05-06-07]	1	1	0	0	0	-	-	-	-	-	-	2
[08-09-10]	1	0	0	0	-	-	-	-	-	-	-	2
[11-12-13]	1	0	-	-	-	-	-	-	-	-	-	1
[14-15-16]	1	0	0	-	-	-	-	-	-	-	-	2
[17-18-19]	2	1	0	0	-	-	-	-	-	-	-	2
[20-21-22]	3	1	0	-	-	-	-	-	-	-	-	5
[23-24-25]	10	7	1	0	0	-	-	-	-	-	-	19
[26-27-28]	13	5	1	0	-	-	-	-	-	-	-	20
[29-30-31]	5	5	2	0	0	0	-	-	-	-	-	13
[32-33-34]	3	4	2	0	0	0	-	-	-	-	-	10
TOTAL	58	29	10	2	1	0	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NAKASHIBETSU AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												2
VARIABLE	13	1	0	-	-	-	-	-	-	-	-	14
[35-36-01]	2	2	1	0	0	-	-	-	-	-	-	5
[02-03-04]	5	5	2	0	0	-	-	-	-	-	-	12
[05-06-07]	1	2	0	0	-	-	-	-	-	-	-	4
[08-09-10]	2	1	0	0	-	-	-	-	-	-	-	3
[11-12-13]	1	0	0	0	-	-	-	-	-	-	-	1
[14-15-16]	1	1	0	-	-	-	-	-	-	-	-	2
[17-18-19]	2	1	0	-	-	-	-	-	-	-	-	2
[20-21-22]	3	2	0	0	-	-	-	-	-	-	-	6
[23-24-25]	9	9	2	0	-	-	-	-	-	-	-	20
[26-27-28]	8	4	1	0	0	-	-	-	-	-	-	13
[29-30-31]	3	3	2	0	0	0	0	-	-	-	-	9
[32-33-34]	2	2	2	2	0	-	-	-	-	-	-	8
TOTAL	52	32	10	4	1	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NAKASHIBETSU AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												2)
VARIABLE	10)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[35-36-01]	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[02-03-04]	5)	5)	2)	0)	0)	0)	0)	0)	0)	0)	0)	13)
[05-06-07]	3)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[08-09-10]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[11-12-13]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[14-15-16]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[17-18-19]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	3)	3)	1)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[23-24-25]	7)	10)	3)	1)	0)	0)	0)	0)	0)	0)	0)	21)
[26-27-28]	6)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[29-30-31]	2)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[32-33-34]	2)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	6)
TOTAL	46)	36)	12)	3)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NAKASHIBETSU AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1)
VARIABLE	11)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[35-36-01]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[02-03-04]	6)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[05-06-07]	4)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[08-09-10]	1)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[11-12-13]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[14-15-16]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[17-18-19]	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[20-21-22]	4)	5)	1)	1)	0)	0)	0)	0)	0)	0)	0)	11)
[23-24-25]	6)	9)	3)	1)	0)	0)	0)	0)	0)	0)	0)	19)
[26-27-28]	4)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[29-30-31]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[32-33-34]	1)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	6)
TOTAL	45)	36)	13)	4)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NAKASHIBETSU AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	11	0	-	-	-	-	-	-	-	-	-	11
[35-36-01]	1	1	1	0	-	-	-	-	-	-	-	3
[02-03-04]	5	7	2	0	-	-	-	-	-	-	-	13
[05-06-07]	5	8	3	-	-	-	-	-	-	-	-	16
[08-09-10]	2	2	0	0	-	-	-	-	-	-	-	5
[11-12-13]	1	1	0	-	-	-	-	-	-	-	-	2
[14-15-16]	2	1	0	0	-	-	-	-	-	-	-	3
[17-18-19]	2	2	1	0	-	-	-	-	-	-	-	5
[20-21-22]	3	4	2	1	0	0	-	-	-	-	-	10
[23-24-25]	4	9	4	1	0	-	-	-	-	-	-	18
[26-27-28]	2	2	1	0	0	-	-	-	-	-	-	6
[29-30-31]	1	1	1	0	0	-	-	-	-	-	-	4
[32-33-34]	1	1	1	0	0	-	-	-	-	-	-	3
TOTAL	41	40	15	3	0	0	-	-	-	-	-	

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

[illegible]

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NAKASHIBETSU AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1)
VARIABLE	12)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[35-36-01]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[02-03-04]	7)	6)	1)	0)	0)	0)	0)	0)	0)	0)	0)	13)
[05-06-07]	8)	10)	1)	0)	0)	0)	0)	0)	0)	0)	0)	19)
[08-09-10]	4)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[11-12-13]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[14-15-16]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[17-18-19]	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[20-21-22]	6)	6)	1)	0)	0)	0)	0)	0)	0)	0)	0)	14)
[23-24-25]	7)	8)	1)	0)	0)	0)	0)	0)	0)	0)	0)	16)
[26-27-28]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[29-30-31]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[32-33-34]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
TOTAL	56)	36)	6)	1)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NAKASHIBETSU AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												2)
VARIABLE	15)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	15)
[35-36-01]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[02-03-04]	8)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[05-06-07]	6)	6)	1)	0)	0)	0)	0)	0)	0)	0)	0)	13)
[08-09-10]	3)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[11-12-13]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[14-15-16]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[17-18-19]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[20-21-22]	5)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[23-24-25]	9)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	16)
[26-27-28]	6)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[29-30-31]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[32-33-34]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
TOTAL	62)	30)	6)	1)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NAKASHIBETSU AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												1)
VARIABLE	12)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[35-36-01]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[02-03-04]	3)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[05-06-07]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[08-09-10]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[11-12-13]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[14-15-16]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[17-18-19]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	4)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[23-24-25]	11)	9)	3)	1)	0)	0)	0)	0)	0)	0)	0)	24)
[26-27-28]	10)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	15)
[29-30-31]	3)	4)	2)	1)	0)	0)	0)	0)	0)	0)	0)	9)
[32-33-34]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
TOTAL	52)	33)	10)	2)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NAKASHIBETSU AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												2
VARIABLE	14	0	-	-	-	-	-	-	-	-	-	14
[35-36-01]	3	2	0	0	0	-	-	-	-	-	-	5
[02-03-04]	5	4	1	0	-	-	-	-	-	-	-	10
[05-06-07]	2	2	1	1	-	-	-	-	-	-	-	5
[08-09-10]	1	0	0	0	0	-	-	-	-	-	-	2
[11-12-13]	1	1	0	-	-	-	-	-	-	-	-	1
[14-15-16]	1	1	0	0	0	0	-	-	-	-	-	3
[17-18-19]	2	1	0	0	0	-	-	-	-	-	-	3
[20-21-22]	4	3	1	0	0	0	0	-	-	-	-	8
[23-24-25]	8	7	2	1	0	0	0	-	-	-	-	18
[26-27-28]	9	5	1	0	-	-	-	-	-	-	-	14
[29-30-31]	4	4	1	0	0	-	-	-	-	-	-	9
[32-33-34]	3	2	1	0	-	-	-	-	-	-	-	6
TOTAL	55	32	9	2	1	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NAKASHIBETSU AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1
VARIABLE	11	0	-	-	-	-	-	-	-	-	-	11
[35-36-01]	2	3	1	0	-	-	-	-	-	-	-	7
[02-03-04]	3	4	1	0	-	-	-	-	-	-	-	8
[05-06-07]	1	1	0	0	0	0	-	-	-	-	-	2
[08-09-10]	1	0	0	0	0	-	-	-	-	-	-	1
[11-12-13]	0	0	0	0	-	-	-	-	-	-	-	1
[14-15-16]	1	0	0	0	0	-	-	-	-	-	-	1
[17-18-19]	1	1	0	0	-	-	-	-	-	-	-	2
[20-21-22]	4	3	0	0	-	-	-	-	-	-	-	8
[23-24-25]	11	9	3	1	0	-	-	-	-	-	-	23
[26-27-28]	10	6	2	1	0	0	0	-	-	-	-	18
[29-30-31]	3	5	2	0	-	-	-	-	-	-	-	10
[32-33-34]	2	2	1	0	-	-	-	-	-	-	-	5
TOTAL	50	34	11	3	0	0	0	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: NAKASHIBETSU AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												1)
VARIABLE	12)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	13)
[35-36-01]	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[02-03-04]	5)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[05-06-07]	5)	5)	1)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[08-09-10]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[11-12-13]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[14-15-16]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[17-18-19]	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[20-21-22]	4)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[23-24-25]	7)	8)	2)	1)	0)	0)	0)	0)	0)	0)	0)	19)
[26-27-28]	6)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[29-30-31]	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[32-33-34]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
TOTAL	52)	35)	9)	2)	0)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: NAKASHIBETSU AIRPORT MONTH: JAN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	3	21	39	32	5	-	-	-	-	-	-	-
01	-	5	45	46	5	-	-	-	-	-	-	-
02	-	1	34	56	10	-	-	-	-	-	-	-
03	-	-	31	55	14	-	-	-	-	-	-	-
04	-	-	30	57	13	-	-	-	-	-	-	-
05	-	-	29	58	13	-	-	-	-	-	-	-
06	-	1	39	48	11	-	-	-	-	-	-	-
07	-	6	50	38	6	-	-	-	-	-	-	-
08	3	19	42	34	3	-	-	-	-	-	-	-
09	6	29	32	30	2	-	-	-	-	-	-	-
10	14	28	27	28	3	-	-	-	-	-	-	-
11	17	29	27	25	2	-	-	-	-	-	-	-
12	21	26	25	25	3	-	-	-	-	-	-	-
13	26	23	24	25	3	-	-	-	-	-	-	-
14	25	26	19	27	2	-	-	-	-	-	-	-
15	27	25	21	26	2	-	-	-	-	-	-	-
16	26	25	23	23	3	-	-	-	-	-	-	-
17	29	28	19	23	1	-	-	-	-	-	-	-
18	32	23	23	20	2	-	-	-	-	-	-	-
19	28	28	21	21	2	-	-	-	-	-	-	-
20	25	28	24	21	1	-	-	-	-	-	-	-
21	26	25	25	22	2	-	-	-	-	-	-	-
22	28	25	25	21	2	-	-	-	-	-	-	-
23	15	26	34	21	3	-	-	-	-	-	-	-
MEAN	15	19	29	33	5	-	-	-	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: NAKASHIBETSU AIRPORT MONTH: FEB
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	17	39	37	6	1	-	-	-	-	-	-
01	-	3	37	50	10	-	-	-	-	-	-	-
02	-	-	34	53	13	-	-	-	-	-	-	-
03	-	-	27	56	16	-	-	-	-	-	-	-
04	-	-	25	54	20	1	-	-	-	-	-	-
05	-	-	23	58	19	1	-	-	-	-	-	-
06	-	-	25	58	15	1	-	-	-	-	-	-
07	-	1	34	51	13	-	-	-	-	-	-	-
08	-	9	42	39	10	-	-	-	-	-	-	-
09	1	18	39	35	7	-	-	-	-	-	-	-
10	7	21	32	34	6	-	-	-	-	-	-	-
11	10	21	34	30	5	-	-	-	-	-	-	-
12	13	26	28	30	4	-	-	-	-	-	-	-
13	15	30	26	26	3	-	-	-	-	-	-	-
14	13	28	28	28	3	-	-	-	-	-	-	-
15	15	27	26	27	4	-	-	-	-	-	-	-
16	20	24	27	26	2	-	-	-	-	-	-	-
17	19	30	24	25	3	-	-	-	-	-	-	-
18	22	23	30	24	2	-	-	-	-	-	-	-
19	27	18	30	23	3	-	-	-	-	-	-	-
20	27	23	23	24	3	-	-	-	-	-	-	-
21	30	23	22	22	4	-	-	-	-	-	-	-
22	28	21	25	23	4	-	-	-	-	-	-	-
23	11	25	32	27	5	-	-	-	-	-	-	-
MEAN	11	16	30	36	7	0	-	-	-	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NAKASHIBETSU AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	1	12	52	34	3	-	-	-	-	-	-
01	-	-	6	48	41	6	-	-	-	-	-	-
02	-	-	2	39	51	8	-	-	-	-	-	-
03	-	-	2	35	52	11	-	-	-	-	-	-
04	-	-	1	34	53	12	-	-	-	-	-	-
05	-	-	1	34	52	13	-	-	-	-	-	-
06	-	-	2	39	47	12	-	-	-	-	-	-
07	-	-	3	43	45	9	-	-	-	-	-	-
08	-	-	6	51	36	6	-	-	-	-	-	-
09	-	1	10	55	31	3	-	-	-	-	-	-
10	0)	2)	18)	52)	27)	1)	0)	0)	0)	0)	0)	0)
11	0)	3)	23)	54)	21)	0)	0)	0)	0)	0)	0)	0)
12	1)	3)	25)	50)	21)	0)	0)	0)	0)	0)	0)	0)
13	1	9	23	46	21	-	-	-	-	-	-	-
14	2	6	28	47	16	-	1	-	-	-	-	-
15	3	10	25	46	16	-	1	-	-	-	-	-
16	3	12	25	49	12	-	1	-	-	-	-	-
17	4	14	26	45	12	-	-	-	-	-	-	-
18	5	14	29	43	10	1	-	-	-	-	-	-
19	3	14	30	43	10	1	-	-	-	-	-	-
20	3	15	29	42	10	1	-	-	-	-	-	-
21	6	15	27	41	11	1	-	-	-	-	-	-
22	1	11	24	49	14	1	-	-	-	-	-	-
23	1	3	19	55	23	1	-	-	-	-	-	-
MEAN	1)	5)	17)	45)	28)	4)	0)	0)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NAKASHIBETSU AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	5	53	25	13	3	1	-	-	-
01	-	-	-	5	45	28	13	5	3	-	-	-
02	-	-	-	4	41	31	13	7	3	-	-	-
03	-	-	-	3	39	33	13	7	3	1	-	-
04	-	-	-	4	39	31	15	7	4	1	-	-
05	-	-	-	3	40	30	17	7	3	-	-	-
06	-	-	-	3	41	31	17	4	3	-	-	-
07	-	-	-	5	45	31	15	3	1	-	-	-
08	-	-	-	5	54	25	13	2	-	-	-	-
09	-	-	1	8	63	22	5	1	-	-	-	-
10	0)	0)	0)	15)	63)	18)	3)	1)	0)	0)	0)	0)
11	0)	0)	1)	21)	62)	13)	2)	0)	0)	0)	0)	0)
12	0)	0)	2)	27)	58)	11)	1)	0)	0)	0)	0)	0)
13	-	-	2	32	52	13	1	-	-	-	-	-
14	-	-	4	33	50	11	1	-	-	-	-	-
15	-	-	3	36	49	11	1	-	-	-	-	-
16	-	1	3	38	48	8	1	-	-	-	-	-
17	-	1	5	41	44	8	1	-	-	-	-	-
18	-	1	4	40	45	9	1	-	-	-	-	-
19	1	-	6	41	45	7	1	-	-	-	-	-
20	-	1	5	35	49	9	1	-	-	-	-	-
21	-	1	3	27	55	11	3	-	-	-	-	-
22	-	-	1	17	57	21	5	-	-	-	-	-
23	-	-	-	12	57	20	9	3	-	-	-	-
MEAN	0)	0)	2)	19)	50)	19)	7)	2)	1)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NAKASHIBETSU AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	8	33	32	22	3	1	-	-
01	-	-	-	-	5	30	33	23	7	2	-	-
02	-	-	-	-	5	23	30	26	14	2	-	-
03	-	-	-	-	5	22	32	26	13	2	1	-
04	-	-	-	-	4	20	32	29	12	3	1	-
05	-	-	-	-	6	22	30	26	12	3	1	-
06	-	-	-	-	6	25	32	26	8	1	1	-
07	-	-	-	-	7	30	34	19	8	1	-	-
08	-	-	-	-	9	32	37	18	4	-	-	-
09	-	-	-	-	15	38	34	13	-	-	-	-
10	0)	0)	0)	0)	21)	47)	27)	6)	0)	0)	0)	0)
11	0)	0)	0)	0)	26)	47)	24)	3)	0)	0)	0)	0)
12	0)	0)	0)	0)	31)	45)	21)	3)	0)	0)	0)	0)
13	0)	0)	0)	1)	37)	43)	18)	1)	0)	0)	0)	0)
14	0)	0)	0)	2)	38)	43)	16)	1)	0)	0)	0)	0)
15	0)	0)	0)	3)	37)	45)	14)	1)	0)	0)	0)	0)
16	0)	0)	0)	3)	40)	46)	11)	0)	0)	0)	0)	0)
17	0)	0)	0)	5)	40)	43)	12)	1)	0)	0)	0)	0)
18	0)	0)	0)	3)	45)	41)	11)	0)	0)	0)	0)	0)
19	0)	0)	0)	6)	44)	39)	10)	0)	0)	0)	0)	0)
20	0)	0)	0)	3)	40)	45)	13)	0)	0)	0)	0)	0)
21	0)	0)	0)	0)	27)	53)	19)	1)	0)	0)	0)	0)
22	0)	0)	0)	0)	19)	40)	35)	5)	1)	0)	0)	0)
23	0)	0)	0)	0)	14)	33)	40)	11)	2)	0)	0)	0)
MEAN	0)	0)	0)	1)	22)	37)	25)	11)	4)	1)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NAKASHIBETSU AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	18	46	27	9	-	-	-
01	-	-	-	-	-	16	35	34	13	1	-	-
02	-	-	-	-	-	13	34	34	14	5	-	-
03	-	-	-	-	-	10	33	34	17	6	-	-
04	-	-	-	-	-	8	35	35	16	6	1	-
05	-	-	-	-	-	13	35	30	16	7	-	-
06	-	-	-	-	-	12	37	31	14	6	-	-
07	-	-	-	-	-	17	35	29	17	2	-	-
08	-	-	-	-	-	19	40	30	11	-	-	-
09	-	-	-	-	-	25	43	27	5	-	-	-
10	0)	0)	0)	0)	1)	33)	48)	18)	1)	0)	0)	0)
11	0)	0)	0)	0)	1)	42)	45)	12)	0)	0)	0)	0)
12	0)	0)	0)	0)	1)	47)	44)	8)	0)	0)	0)	0)
13	0)	0)	0)	0)	3)	52)	40)	5)	0)	0)	0)	0)
14	0)	0)	0)	0)	5)	50)	41)	5)	0)	0)	0)	0)
15	0)	0)	0)	0)	6)	50)	38)	5)	0)	0)	0)	0)
16	-	-	-	1	5	52	39	3	1	-	-	-
17	-	-	-	1	6	51	38	4	-	-	-	-
18	-	-	-	1	5	52	38	4	-	-	-	-
19	-	-	-	1	5	52	37	4	-	-	-	-
20	-	-	-	-	5	51	39	5	-	-	-	-
21	-	-	-	-	1	43	50	6	-	-	-	-
22	-	-	-	-	1	34	48	17	-	-	-	-
23	-	-	-	-	-	27	45	25	3	-	-	-
MEAN	0)	0)	0)	0)	2)	33)	40)	18)	6)	1)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NAKASHIBETSU AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	15	51	26	7	-	-
01	-	-	-	-	-	-	10	48	29	12	-	-
02	-	-	-	-	-	-	9	41	36	12	2	-
03	-	-	-	-	-	-	6	40	38	14	1	-
04	-	-	-	-	-	-	6	37	40	14	3	-
05	-	-	-	-	-	-	8	37	38	16	1	-
06	-	-	-	-	-	-	8	45	35	12	-	-
07	-	-	-	-	-	-	12	48	34	6	-	-
08	-	-	-	-	-	-	19	50	30	1	-	-
09	-	-	-	-	-	-	26	52	20	1	-	-
10	-	-	-	-	-	1	39	48	13	-	-	-
11	-	-	-	-	-	3	43	46	8	-	-	-
12	-	-	-	-	-	4	45	47	5	-	-	-
13	-	-	-	-	-	4	47	45	5	-	-	-
14	-	-	-	-	-	3	49	43	5	-	-	-
15	-	-	-	-	-	5	48	42	5	-	-	-
16	0)	0)	0)	0)	0)	5)	53)	41)	2)	0)	0)	0)
17	0)	0)	0)	0)	0)	5)	55)	38)	2)	0)	0)	0)
18	0)	0)	0)	0)	0)	6)	56)	36)	2)	0)	0)	0)
19	0)	0)	0)	0)	0)	6)	56)	35)	2)	0)	0)	0)
20	0)	0)	0)	0)	0)	3)	56)	38)	2)	0)	0)	0)
21	-	-	-	-	-	1	50	45	4	-	-	-
22	-	-	-	-	-	1	39	47	12	-	-	-
23	-	-	-	-	-	1	26	50	20	3	-	-
MEAN	0)	0)	0)	0)	0)	2)	33)	44)	17)	4)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NAKASHIBETSU AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	5	48	41	6	-	-
01	-	-	-	-	-	-	3	41	45	12	1	-
02	-	-	-	-	-	-	1	34	48	16	1	-
03	-	-	-	-	-	-	1	32	47	20	1	-
04	-	-	-	-	-	-	1	30	48	19	1	-
05	-	-	-	-	-	-	1	34	47	17	1	-
06	-	-	-	-	-	-	1	39	46	14	1	-
07	-	-	-	-	-	-	1	42	50	6	-	-
08	-	-	-	-	-	-	2	51	43	5	-	-
09	-	-	-	-	-	-	8	57	34	1	-	-
10	0)	0)	0)	0)	0)	0)	13)	58)	29)	0)	0)	0)
11	0)	0)	0)	0)	0)	0)	16)	59)	25)	0)	0)	0)
12	0)	0)	0)	0)	0)	1)	18)	57)	24)	0)	0)	0)
13	0)	0)	0)	0)	0)	3)	18)	57)	22)	0)	0)	0)
14	0)	0)	0)	0)	0)	5)	17)	58)	20)	0)	0)	0)
15	0)	0)	0)	0)	0)	6)	18)	57)	19)	0)	0)	0)
16	0)	0)	0)	0)	1)	5)	21)	55)	18)	0)	0)	0)
17	0)	0)	0)	0)	1)	5)	23)	55)	16)	0)	0)	0)
18	0)	0)	0)	0)	1)	5)	24)	55)	16)	0)	0)	0)
19	0)	0)	0)	0)	1)	6)	23)	55)	15)	0)	0)	0)
20	0)	0)	0)	0)	0)	7)	23)	54)	16)	0)	0)	0)
21	0)	0)	0)	0)	0)	1)	23)	56)	19)	0)	0)	0)
22	0)	0)	0)	0)	0)	0)	14)	58)	28)	0)	0)	0)
23	0)	0)	0)	0)	0)	0)	6)	57)	34)	3)	0)	0)
MEAN	0)	0)	0)	0)	0)	2)	12)	50)	31)	5)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NAKASHIBETSU AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	13	63	22	1	-	-
01	-	-	-	-	-	-	10	59	27	3	-	-
02	-	-	-	-	-	-	8	57	27	9	-	-
03	-	-	-	-	-	-	6	57	27	10	-	-
04	-	-	-	-	-	-	8	54	27	11	-	-
05	-	-	-	-	-	-	12	55	27	7	-	-
06	-	-	-	-	-	-	15	54	25	6	-	-
07	-	-	-	-	-	-	23	55	19	4	-	-
08	-	-	-	-	-	1	32	51	16	1	-	-
09	-	-	-	-	-	3	43	44	10	-	-	-
10	0)	0)	0)	0)	0)	5)	47)	40)	8)	0)	0)	0)
11	-	-	-	-	1	5	49	38	7	-	-	-
12	-	-	-	-	1	9	48	37	5	-	-	-
13	-	-	-	-	1	13	47	33	5	-	-	-
14	-	-	-	-	1	16	45	33	5	-	-	-
15	-	-	-	-	3	18	40	33	6	-	-	-
16	0)	0)	0)	0)	4)	19)	40)	31)	7)	0)	0)	0)
17	0)	0)	0)	0)	3)	21)	41)	29)	5)	0)	0)	0)
18	0)	0)	0)	0)	4)	21)	41)	28)	5)	0)	0)	0)
19	0)	0)	0)	0)	6)	17)	44)	28)	5)	0)	0)	0)
20	0)	0)	0)	0)	5)	17)	46)	27)	5)	0)	0)	0)
21	-	-	-	-	3	15	42	33	6	-	-	-
22	-	-	-	-	-	3	46	43	8	-	-	-
23	-	-	-	-	-	-	23	63	13	-	-	-
MEAN	0)	0)	0)	0)	1)	8)	32)	44)	13)	2)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NAKASHIBETSU AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	5	25	49	19	3	-	-	-
01	-	-	-	-	4	21	45	26	4	-	-	-
02	-	-	-	-	3	17	45	31	5	-	-	-
03	-	-	-	-	2	18	42	32	6	-	-	-
04	-	-	-	-	1	20	41	34	5	-	-	-
05	-	-	-	-	2	17	46	29	5	-	-	-
06	-	-	-	-	3	20	47	26	3	-	-	-
07	-	-	-	-	5	32	46	17	-	-	-	-
08	-	-	-	-	12	41	43	5	-	-	-	-
09	-	-	-	-	17	45	35	3	-	-	-	-
10	0)	0)	0)	3)	22)	43)	29)	3)	0)	0)	0)	0)
11	0)	0)	0)	5)	27)	41)	25)	3)	0)	0)	0)	0)
12	0)	0)	0)	7)	25)	42)	24)	2)	0)	0)	0)	0)
13	0)	0)	1)	7)	29)	37)	25)	1)	0)	0)	0)	0)
14	0)	0)	0)	7)	31)	39)	21)	2)	0)	0)	0)	0)
15	0)	0)	1)	9)	29)	40)	19)	2)	0)	0)	0)	0)
16	0)	0)	1)	7)	29)	39)	22)	2)	0)	0)	0)	0)
17	0)	0)	1)	9)	34)	30)	24)	3)	0)	0)	0)	0)
18	0)	0)	1)	8)	35)	36)	16)	3)	0)	0)	0)	0)
19	0)	0)	1)	11)	31)	39)	15)	4)	0)	0)	0)	0)
20	0)	0)	1)	13)	31)	36)	15)	4)	0)	0)	0)	0)
21	0)	0)	1)	13)	30)	35)	17)	4)	0)	0)	0)	0)
22	-	-	-	2	25	40	27	6	1	-	-	-
23	-	-	-	1	9	37	39	13	1	-	-	-
MEAN	0)	0)	0)	4)	18)	33)	32)	12)	1)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NAKASHIBETSU AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	1	14	39	33	14	-	-	-	-	-
01	-	-	1	7	39	36	17	1	-	-	-	-
02	-	-	1	7	33	37	21	1	-	-	-	-
03	-	-	-	5	35	37	21	1	-	-	-	-
04	-	-	-	5	35	37	21	1	-	-	-	-
05	-	-	-	5	38	34	21	1	-	-	-	-
06	-	-	1	7	44	31	17	1	-	-	-	-
07	-	-	1	12	50	29	8	-	-	-	-	-
08	-	-	1	18	49	31	1	-	-	-	-	-
09	-	1	7	17	46	27	1	-	-	-	-	-
10	0)	1)	7)	28)	41)	21)	2)	0)	0)	0)	0)	0)
11	-	1	11	29	38	19	2	-	-	-	-	-
12	-	1	13	29	38	18	2	-	-	-	-	-
13	-	1	12	31	37	17	3	-	-	-	-	-
14	-	1	10	35	35	19	1	1	-	-	-	-
15	-	1	11	33	36	17	1	1	-	-	-	-
16	0)	2)	7)	34)	36)	17)	3)	0)	0)	0)	0)	0)
17	-	2	10	35	32	18	3	-	-	-	-	-
18	-	2	10	37	30	17	3	1	-	-	-	-
19	-	2	13	35	29	17	2	1	-	-	-	-
20	1	1	13	36	30	17	3	-	-	-	-	-
21	-	2	13	33	34	13	5	-	-	-	-	-
22	1	1	10	30	39	14	5	-	-	-	-	-
23	-	1	2	23	42	27	6	-	-	-	-	-
MEAN	0)	1)	6)	23)	38)	24)	8)	0)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NAKASHIBETSU AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	5	19	43	30	3	-	-	-	-	-	-
01	-	2	14	46	32	6	-	-	-	-	-	-
02	-	1	8	45	40	6	-	-	-	-	-	-
03	-	-	6	44	43	8	-	-	-	-	-	-
04	-	-	6	41	45	8	-	-	-	-	-	-
05	-	-	5	43	45	6	-	-	-	-	-	-
06	-	1	8	48	38	5	-	-	-	-	-	-
07	-	3	14	59	21	4	-	-	-	-	-	-
08	2	4	20	51	20	3	-	-	-	-	-	-
09	3	7	23	46	18	3	-	-	-	-	-	-
10	3)	6)	26)	45)	16)	3)	0)	0)	0)	0)	0)	0)
11	3	10	30	37	16	3	-	-	-	-	-	-
12	2	13	33	34	16	2	1	-	-	-	-	-
13	2	11	34	35	15	2	1	-	-	-	-	-
14	1	14	35	34	14	3	-	-	-	-	-	-
15	3	16	30	35	14	2	-	-	-	-	-	-
16	3	15	32	32	15	3	-	-	-	-	-	-
17	5	17	25	35	15	3	-	-	-	-	-	-
18	5	17	31	31	15	1	-	-	-	-	-	-
19	5	16	30	34	13	2	-	-	-	-	-	-
20	3	18	31	35	12	1	-	-	-	-	-	-
21	4	19	30	34	12	1	-	-	-	-	-	-
22	5	15	33	30	16	1	-	-	-	-	-	-
23	3	8	31	35	20	3	-	-	-	-	-	-
MEAN	2)	9)	23)	40)	23)	3)	0)	0)	0)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: NAKASHIBETSU AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	0	4	9	15	15	12	16	19	9	1	-	-
01	-	1	8	17	15	12	14	20	11	3	0	-
02	-	0	6	17	16	11	14	19	12	4	0	-
03	-	-	5	16	17	12	13	19	13	4	0	-
04	-	-	5	16	17	11	13	19	13	5	0	-
05	-	-	5	17	18	11	14	18	12	4	0	-
06	-	0	6	17	17	11	14	19	11	3	0	-
07	-	1	8	17	16	13	15	18	11	2	-	-
08	0	3	9	16	16	13	16	17	9	1	-	-
09	1	5	9	16	17	14	16	17	6	0	-	-
10	2)	5)	9)	17)	16)	14)	17)	15)	4)	0)	0)	0)
11	2)	5)	11)	17)	17)	14)	17)	13)	3)	0)	0)	0)
12	3)	6)	11)	17)	17)	15)	17)	13)	3)	0)	0)	0)
13	4)	6)	10)	17)	17)	15)	17)	12)	3)	0)	0)	0)
14	3)	6)	10)	18)	16)	16)	16)	12)	3)	0)	0)	0)
15	4)	7)	10)	18)	16)	16)	15)	12)	2)	0)	0)	0)
16	4)	7)	10)	18)	16)	16)	16)	11)	2)	0)	0)	0)
17	5)	8)	9)	18)	16)	15)	16)	11)	2)	0)	0)	0)
18	5)	7)	11)	17)	16)	16)	16)	11)	2)	0)	0)	0)
19	5)	7)	11)	18)	16)	16)	16)	11)	2)	0)	0)	0)
20	5)	7)	11)	17)	15)	16)	16)	11)	2)	0)	0)	0)
21	5)	7)	10)	16)	15)	15)	17)	12)	2)	0)	0)	0)
22	5)	6)	10)	14)	15)	13)	18)	15)	4)	0)	0)	0)
23	2)	5)	10)	14)	14)	12)	16)	19)	6)	0)	0)	0)
MEAN	2)	4)	9)	17)	16)	14)	16)	15)	6)	1)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NAKASHIBETSU AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	-8.0	-7.0	-2.4	3.4	9.2	12.3	16.9	18.6	15.8	9.1	2.6	-3.5	5.6
Daily maximum air temperature(°C)	-2.3	-1.8	2.3	9.0	16.0	17.8	22.1	23.3	20.8	15.0	7.6	1.3	11.0
Daily minimum air temperature(°C)	-15.7	-15.0	-8.8	-2.3	3.2	7.9	13.0	14.9	10.7	2.3	-3.6	-10.1	-0.3
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)					103.9	122.9	128.6	277.5	172.7	159.0			
Snow fall(cm)	75	79	71	18	×	-	-	-	-	×	20	52	×
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	971.3	975.5	960.8	956.5	974.8	982.0	985.2	984.5	981.4	963.8	976.6	951.7	951.7
Daily maximum air temperature(°C)	4.0	7.0	13.7	26.3	31.7	30.8	32.8	33.2	29.4	24.2	19.5	10.2	33.2
Daily minimum air temperature(°C)	-25.8	-24.8	-22.4	-16.7	-3.4	-2.0	4.7	3.6	1.2	-8.8	-17.4	-24.9	-25.8
Daily precipitation(mm)					76.0	88.5	70.0	136.0	143.0	89.5			
Daily max.one-hour precipitation(mm)					9.0	20.5	24.5	45.5	29.5	16.5			
Daily max.ten-minute precipitation(mm)					2.5*	5.5	7.5*	19.5	8.0	5.0*			
Daily totals of snowfall(cm)	41	40	50	7 *	0 *	-	-	-	-	2	20	29	50
Daily maximum of snow cover(cm)	69 *	76	135	64	0 *	-	-	-	-	1	15 *	45	135
Daily maximum wind speed(kt)	37	36	36	35	31	25	20	37	21 *	36 *	42	32	42
with wind direction(36DIR.)	32	30	32	34	35	33	23	17	7 *	2	21	13	21
Daily maximum peak gust(kt)	55	56	55	52	42	39	29	51	34	51	54	49	56
with wind direction(36DIR.)	32	32	34	31	21	34	23	18	30	1	23	25	32

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NAKASHIBETSU AIRPORT PERIOD OF RECORD: 2012-2016

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	31.0	28.4	30.2	24.0	5.0	0.8	-	-	-	10.2	23.8	30.0	183.4
25.0°C	-	-	-	-	-	-	-	-	-	-	-	-	-
Daily mean air temperature < 0.0°C	30.8	27.6	23.2	3.0	-	-	-	-	-	0.2	8.2	25.8	118.8
25.0°C	-	-	-	-	-	-	-	-	-	-	-	-	-
Daily maximum air temperature < 0.0°C	23.8	19.6	7.2	-	-	-	-	-	-	-	1.0	10.4	62.0
25.0°C	-	-	-	0.8	1.8	3.0	7.4	9.8	4.2	-	-	-	27.0
30.0°C	-	-	-	-	0.4	0.2	1.8	1.4	-	-	-	-	3.8
Daily precipitation 0.0mm					15.6	16.4	20.0	20.6	19.2	15.6			
1.0mm					9.6	9.2	8.2	14.4	12.0	8.0			
5.0mm					5.2	5.0	4.8	8.2	6.2	5.0			
10.0mm					3.2	3.0	3.2	6.4	3.8	3.4			
30.0mm					0.6	1.2	1.8	3.2	1.0	1.8			
50.0mm					0.4	0.6	0.8	1.4	0.6	1.4			
70.0mm					0.2	0.4	0.2	1.0	0.6	0.6			
100.0mm					-	-	-	0.4	0.6	-			

AERODROME: NAKASHIBETSU AIRPORT PERIOD OF RECORD: 2012-2016
LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

PERIOD OF RECORD: 2012-2016

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

[illegible]

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NAKASHIBETSU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

AIR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	1003.2	1005.0	1004.3	1004.1	1002.3	1003.1	1002.0	1002.6	1007.3	1006.2	1006.5	1002.7	1004.1
01	1003.1	1004.9	1003.9	1003.9	1002.1	1003.1	1001.8	1002.5	1007.1	1005.9	1006.3	1002.5	1003.9
02	1002.5	1004.5	1003.5	1003.5	1001.8	1002.9	1001.6	1002.2	1006.7	1005.5	1005.7	1001.8	1003.5
03	1002.0	1003.9	1003.0	1003.1	1001.5	1002.6	1001.4	1002.0	1006.4	1005.0	1005.1	1001.2	1003.1
04	1001.7	1003.5	1002.4	1002.9	1001.4	1002.4	1001.1	1001.8	1006.0	1004.6	1004.9	1000.8	1002.8
05	1001.9	1003.5	1002.3	1002.7	1001.2	1002.3	1001.0	1001.6	1005.8	1004.7	1005.0	1000.8	1002.7
06	1002.2	1003.7	1002.4	1002.7	1001.2	1002.2	1001.1	1001.7	1005.9	1004.9	1005.4	1001.2	1002.9
07	1002.5	1003.9	1002.6	1002.9	1001.4	1002.3	1001.1	1001.9	1006.1	1005.2	1005.7	1001.5	1003.1
08	1002.8	1004.2	1002.9	1003.1	1001.6	1002.4	1001.2	1002.0	1006.3	1005.5	1006.0	1001.8	1003.3
09	1003.1	1004.7	1003.3	1003.4	1002.0	1002.8	1001.6	1002.3	1006.6	1006.0	1006.2	1002.0	1003.6
10	1003.2	1004.8	1003.5	1003.9	1002.4	1003.0	1001.8	1002.6	1006.9	1006.1	1006.5	1001.9	1003.9
11	1003.2	1004.9	1003.8	1004.2	1002.8	1003.5	1002.2	1003.0	1007.1	1006.2	1006.4	1002.0	1004.1
12	1003.3	1004.9	1004.0	1004.2	1002.9	1003.7	1002.3	1003.0	1007.0	1006.3	1006.5	1002.0	1004.2
13	1003.2	1004.8	1004.0	1004.0	1002.8	1003.6	1002.2	1002.9	1007.0	1006.2	1006.3	1001.9	1004.1
14	1003.1	1004.7	1003.9	1004.0	1002.7	1003.4	1002.1	1002.9	1006.9	1006.0	1006.2	1001.8	1004.0
15	1002.9	1004.6	1003.9	1003.9	1002.5	1003.2	1001.8	1002.7	1006.7	1005.9	1006.0	1001.6	1003.8
16	1002.7	1004.5	1004.1	1003.6	1002.4	1002.8	1001.7	1002.3	1006.6	1005.8	1005.9	1001.8	1003.7
17	1002.8	1004.4	1003.9	1003.5	1002.3	1002.7	1001.5	1002.1	1006.5	1005.6	1006.0	1001.9	1003.6
18	1002.6	1004.3	1003.8	1003.4	1002.2	1002.7	1001.5	1002.1	1006.6	1005.6	1005.9	1001.8	1003.5
19	1002.5	1004.4	1003.9	1003.5	1002.3	1002.8	1001.7	1002.2	1006.7	1005.7	1005.9	1001.7	1003.6
20	1002.5	1004.5	1004.0	1003.7	1002.5	1003.0	1001.9	1002.4	1006.8	1005.9	1006.0	1001.8	1003.7
21	1002.7	1004.6	1004.2	1004.0	1002.6	1003.1	1002.0	1002.5	1007.1	1006.0	1006.1	1002.1	1003.9
22	1002.9	1004.9	1004.3	1004.1	1002.6	1003.2	1002.0	1002.6	1007.2	1006.2	1006.4	1002.3	1004.1
23	1003.2	1005.2	1004.4	1004.1	1002.5	1003.2	1002.0	1002.6	1007.3	1006.4	1006.7	1002.6	1004.2
MEAN	1002.8	1004.5	1003.6	1003.6	1002.2	1002.9	1001.7	1002.3	1006.7	1005.7	1006.0	1001.8	1003.6

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NAKASHIBETSU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

AIR TEMPERATURE() AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	-7.0	-5.8	-1.1	5.2	11.5	13.8	18.5	19.9	17.9	11.9	4.5	-2.5	7.2
01	-5.0	-4.2	-0.2	6.3	12.7	14.8	19.5	20.8	18.7	12.7	5.5	-1.2	8.4
02	-3.9	-3.3	0.5	7.0	13.6	15.6	20.2	21.4	19.2	13.4	6.1	-0.4	9.1
03	-3.4	-2.9	1.0	7.3	14.0	16.1	20.6	21.8	19.5	13.7	6.3	0.1	9.5
04	-3.3	-2.6	1.1	7.4	14.1	16.4	20.9	21.9	19.5	13.7	6.4	0.2	9.6
05	-3.4	-2.7	1.2	7.1	13.8	16.1	20.5	21.8	19.1	13.4	6.2	0.0	9.4
06	-4.0	-3.0	0.9	6.6	13.2	15.7	19.9	21.4	18.7	12.7	5.4	-0.6	8.9
07	-5.2	-3.7	0.4	5.8	12.3	15.0	19.2	20.7	17.8	11.5	4.0	-1.9	8.0
08	-6.7	-5.1	-0.5	4.9	11.2	14.1	18.2	19.9	16.7	9.7	3.0	-3.1	6.9
09	-7.8	-6.2	-1.3	3.8	9.7	13.0	17.1	18.8	15.7	8.6	2.1	-3.6	5.8
10	-8.7	-7.1	-2.1	2.9	8.3	11.8	16.1	18.1	15.0	7.8	1.6	-4.0	5.0
11	-9.2	-7.7	-2.6	2.1	7.6	10.9	15.5	17.5	14.5	7.3	1.1	-4.5	4.4
12	-9.5	-8.2	-3.3	1.8	7.1	10.3	15.1	17.2	14.2	7.0	1.0	-4.7	4.0
13	-9.7	-8.6	-3.7	1.3	6.7	10.1	14.9	17.0	13.9	6.6	0.9	-4.8	3.7
14	-10.0	-8.7	-4.0	1.1	6.3	9.9	14.7	16.8	13.6	6.4	0.6	-4.9	3.5
15	-10.3	-9.0	-4.3	1.0	6.0	9.8	14.7	16.6	13.3	6.3	0.6	-5.2	3.3
16	-10.5	-9.4	-4.7	0.6	5.7	9.6	14.3	16.6	13.2	6.3	0.9	-5.2	3.1
17	-10.8	-9.7	-5.1	0.3	5.6	9.5	14.2	16.4	13.1	6.1	0.9	-5.3	2.9
18	-10.9	-9.7	-5.3	0.3	5.4	9.4	14.1	16.3	13.0	5.9	0.6	-5.5	2.8
19	-10.7	-9.8	-5.3	0.2	5.2	9.3	14.1	16.1	12.9	5.8	0.2	-5.5	2.7
20	-10.7	-10.3	-5.5	0.2	5.9	9.8	14.4	16.2	12.8	5.7	0.2	-5.6	2.8
21	-10.6	-10.5	-5.5	1.3	7.3	10.7	15.1	17.1	13.6	5.8	0.1	-5.6	3.2
22	-10.7	-10.3	-4.4	2.8	8.8	11.7	16.0	18.1	15.4	7.9	0.8	-5.5	4.2
23	-9.3	-8.4	-2.5	4.2	10.1	12.7	17.3	19.0	16.9	10.4	2.9	-4.2	5.7
MEAN	-8.0	-7.0	-2.3	3.4	9.3	12.3	16.9	18.7	15.8	9.0	2.6	-3.5	5.6

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NAKASHIBETSU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

VAPOR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	2.9	3.0	4.1	6.0	9.8	13.5	18.7	20.7	16.9	10.2	6.6	4.0	9.7
01	3.0	3.1	4.2	6.0	9.8	13.7	19.0	21.0	16.9	9.9	6.5	4.1	9.8
02	3.0	3.2	4.2	5.9	9.9	13.8	19.2	21.3	16.8	9.6	6.5	4.1	9.8
03	3.0	3.1	4.2	5.9	9.9	14.0	19.3	21.4	16.8	9.5	6.4	4.1	9.8
04	3.1	3.1	4.2	6.0	9.8	14.0	19.4	21.4	16.9	9.4	6.4	4.2	9.8
05	3.1	3.2	4.3	6.0	9.9	14.0	19.3	21.4	17.0	9.6	6.3	4.2	9.9
06	3.1	3.2	4.3	6.1	9.7	13.8	19.1	21.3	17.1	9.7	6.3	4.2	9.8
07	3.0	3.2	4.4	6.2	9.6	13.7	18.7	21.2	17.0	9.6	6.3	4.1	9.7
08	2.9	3.2	4.5	6.2	9.5	13.3	18.3	20.8	16.9	9.6	6.2	4.1	9.6
09	2.8	3.1	4.4	6.2	9.4	13.0	17.9	20.4	16.7	9.6	6.2	4.1	9.5
10	2.8	3.0	4.4	6.2	9.2	12.6	17.5	20.0	16.4	9.5	6.1	4.0	9.3
11	2.7	3.0	4.3	6.1	9.2	12.4	17.2	19.7	16.1	9.4	6.0	3.9	9.2
12	2.7	2.9	4.2	6.1	9.1	12.2	16.9	19.4	15.9	9.2	6.0	3.8	9.0
13	2.7	2.9	4.2	6.0	9.0	12.1	16.8	19.1	15.7	9.2	6.0	3.8	8.9
14	2.6	2.9	4.1	6.0	8.9	12.0	16.7	19.0	15.5	9.1	6.0	3.7	8.9
15	2.6	2.9	4.0	6.0	8.8	12.0	16.6	18.8	15.2	9.0	6.0	3.7	8.8
16	2.5	2.8	3.9	5.8	8.7	11.8	16.3	18.8	15.2	9.1	6.1	3.7	8.7
17	2.5	2.8	3.8	5.7	8.6	11.7	16.2	18.7	15.1	9.0	6.0	3.7	8.7
18	2.4	2.7	3.8	5.6	8.6	11.6	16.1	18.6	15.0	8.9	5.9	3.6	8.6
19	2.5	2.7	3.8	5.6	8.5	11.6	16.1	18.4	14.9	8.9	5.8	3.6	8.5
20	2.5	2.7	3.7	5.6	8.8	11.9	16.4	18.5	14.8	8.9	5.8	3.6	8.6
21	2.5	2.7	3.7	5.9	9.3	12.3	16.9	19.3	15.4	8.9	5.8	3.6	8.9
22	2.5	2.7	3.9	6.0	9.5	12.8	17.5	20.0	16.5	9.8	6.0	3.7	9.2
23	2.6	2.9	4.1	6.1	9.7	13.1	18.2	20.3	16.9	10.3	6.5	3.9	9.6
MEAN	2.8	2.9	4.1	6.0	9.3	12.8	17.7	20.0	16.2	9.4	6.2	3.9	9.3

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NAKASHIBETSU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	74	72	72	69	73	85	88	89	81	70	75	75	77
01	68	66	68	65	68	82	84	86	78	65	69	69	73
02	63	63	64	62	65	79	81	83	75	61	67	66	69
03	61	61	62	61	64	77	80	81	74	60	66	64	68
04	60	60	62	60	63	76	79	82	74	59	65	65	67
05	62	61	64	62	64	77	80	82	76	61	65	65	68
06	64	62	65	64	66	78	82	84	78	65	68	68	70
07	69	66	69	69	68	81	84	86	82	70	74	74	74
08	74	72	74	72	72	83	87	89	87	78	78	78	79
09	78	77	78	77	78	86	90	93	92	82	83	80	83
10	79	78	81	82	83	91	95	95	95	86	84	81	86
11	81	80	82	84	86	94	96	97	96	88	86	82	88
12	81	82	84	86	88	95	97	97	96	89	86	82	89
13	82	83	85	88	90	96	98	97	96	90	87	82	90
14	82	83	85	88	91	97	98	98	97	90	88	81	90
15	82	84	85	88	92	97	98	98	97	90	88	82	90
16	82	85	85	88	92	97	98	98	97	91	87	83	90
17	82	85	86	88	93	97	99	98	97	91	87	82	91
18	82	84	86	87	93	97	99	98	97	92	87	82	91
19	82	85	86	88	93	97	99	98	97	92	87	82	91
20	82	85	86	87	92	97	98	99	97	91	88	83	91
21	83	85	86	85	89	94	97	98	97	92	88	83	90
22	82	84	82	80	84	92	95	95	93	88	87	83	87
23	81	80	77	74	78	88	92	91	87	79	82	81	82
MEAN	76	76	77	77	80	89	91	92	89	80	80	77	82

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NAKASHIBETSU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	24	24	24	23	23	23 *	22	6	22	23	23	24	23
01	23	24	24	23	23	23	23	5 *	21	23	22	24	23
02	24 *	23	23	24	23	5	6	6	23	23	23	23	23
03	23	23	23	5	6	5	7	5	20	23	24	23	23
04	23 *	24 *	23	6	7	6 *	7	4	6 *	22 *	23	23	23
05	31	23	24 *	5 *	6	5	5	5	21	22	24	22 *	5
06	27	24	23	4	4	5	6	6	6 *	21	22	24	4
07	31	3	6 *	4	6	6	5	6	6	23	4	25	5
08	27	4	4	4	5	5	7	5	5	25 *	26 *	25	4
09	28	2	4	4	6	6	6	5	2	28	25 *	25	4
10	26	28 *	3)	4)	6	6)	6	4)	3	26)	26 *	26	25)
11	26	26	4)	23)	4	5)	4	5)	24 *	27)	26	25 *	26)
12	26	25	26)	23)	4	5)	24	22)	24	25)	24	26	24)
13	26	25	3	24	24 *	24)	4 *	22)	25	24)	25	24	25)
14	26 *	25 *	25	25 *	25	4)	6	23)	24	24)	26	25	25)
15	26	25 *	24	22	25	24)	24	24)	25	24)	27	26	24)
16	26	25	25	24 *	24	23	21)	24	26)	25)	27	25	25)
17	25	25 *	24	26	25	23	24)	23	24)	26)	25	26	25)
18	26 *	25	24	25	25	24	4)	23	25)	24)	24	25	25)
19	25	25	26	25	25	4	4)	24	24)	25)	25	24	25)
20	26	25	24	26	24	4	4)	24	24)	25)	25	25	25)
21	26	25	25	24	4	4	5	24	24	25)	26	24	24)
22	25	25	24	22 *	24	5	6	23	24 *	24	25	25 *	24
23	24	24	24	23	23	4	23	5	22	23	24	24	23
ALL	26	25	24)	24)	4	5)	5)	5)	24)	23)	24	24	24)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NAKASHIBETSU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

WIND SPEED(kt) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	6.0	6.6	7.3	7.8	7.5	6.3	5.1	6.0	5.9	7.4	6.2	6.9	6.6
01	6.8	7.2	8.1	8.3	8.0	6.6	5.5	6.0	6.3	8.3	7.2	7.1	7.1
02	7.4	7.9	8.5	8.5	8.8	6.8	6.2	6.5	6.6	9.2	7.7	7.5	7.6
03	7.9	8.3	8.7	9.1	9.4	7.0	6.4	7.0	7.0	9.4	8.2	8.3	8.0
04	7.6	8.6	8.8	9.2	9.5	7.2	7.0	7.4	7.3	8.9	8.0	8.2	8.1
05	7.1	8.2	8.4	9.4	10.0	7.8	7.1	7.5	7.3	8.8	7.9	8.1	8.1
06	6.3	7.8	8.4	9.0	9.7	7.8	7.2	7.0	7.2	8.2	6.8	7.2	7.7
07	5.3	7.0	7.8	8.0	9.4	7.4	7.0	6.9	6.2	7.1	5.4	6.0	7.0
08	4.6	5.8	6.9	7.4	8.5	7.1	6.5	6.1	5.3	5.5	5.0	5.5	6.2
09	4.9	5.1	5.9	6.3	7.4	6.5	5.5	5.3	4.7	4.8	4.6	5.4	5.5
10	4.8	5.3	5.4	5.6	6.4	5.7	4.7	5.1	4.2	4.6	4.7	5.4	5.2
11	4.7	5.2	5.1	5.3	5.8	5.2	4.3	4.9	4.0	4.5	4.6	5.6	4.9
12	5.2	5.1	5.2	5.5	5.6	4.9	4.3	4.6	4.0	4.8	4.9	5.7	5.0
13	5.1	5.0	5.3	5.5	5.3	4.9	3.9	4.5	4.0	4.7	5.0	5.7	4.9
14	5.2	5.5	5.3	6.0	5.3	4.7	3.8	4.6	3.9	4.9	4.9	6.0	5.0
15	5.3	5.3	5.5	5.8	5.2	4.8	3.8	4.6	3.7	4.7	5.0	5.8	5.0
16	5.3	5.3	5.6	5.2	5.5	4.8	3.9	4.5	3.9	4.7	5.2	5.5	5.0
17	5.0	5.2	5.6	5.5	5.6	4.5	3.8	4.3	4.0	4.5	5.5	5.6	4.9
18	5.2	5.2	5.7	5.8	5.2	4.7	3.8	4.4	3.9	4.9	5.1	5.7	5.0
19	5.2	5.3	5.2	5.5	5.3	4.9	3.5	4.3	3.9	5.2	5.2	5.8	4.9
20	5.4	5.9	5.5	5.6	5.3	4.9	3.7	4.2	3.9	5.1	5.4	5.7	5.1
21	5.4	5.5	5.6	5.6	5.8	4.9	4.1	4.3	4.0	5.1	5.3	5.6	5.1
22	5.3	5.5	5.8	6.1	6.3	5.4	4.6	5.0	4.1	5.2	5.4	5.8	5.4
23	5.3	5.5	6.5	7.2	7.0	5.9	4.9	5.6	4.9	6.2	5.4	6.2	5.9
MEAN	5.7	6.1	6.5	6.8	7.0	5.8	5.0	5.5	5.0	6.1	5.8	6.3	6.0

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NAKASHIBETSU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	-6.4	-1.2	-13.6	-7.8	-2.2	-16.0	-5.6	-0.6	-13.4	0.6	5.0	-4.8
02	-6.6	-1.2	-13.7	-7.8	-2.3	-16.0	-5.4	-0.4	-13.0	0.8	5.1	-4.5
03	-6.7	-1.3	-13.9	-7.7	-2.3	-15.9	-5.1	-0.3	-12.6	0.9	5.3	-4.3
04	-6.9	-1.4	-14.1	-7.7	-2.2	-15.9	-4.9	-0.1	-12.2	1.1	5.4	-4.1
05	-7.1	-1.5	-14.3	-7.6	-2.2	-15.8	-4.6	0.1	-11.9	1.3	5.6	-3.9
06	-7.3	-1.7	-14.6	-7.6	-2.2	-15.7	-4.4	0.3	-11.5	1.5	5.8	-3.7
07	-7.6	-1.9	-15.0	-7.5	-2.2	-15.6	-4.1	0.5	-11.2	1.6	6.0	-3.5
08	-7.9	-2.1	-15.3	-7.4	-2.1	-15.5	-3.9	0.7	-10.9	1.8	6.1	-3.3
09	-8.1	-2.3	-15.6	-7.3	-2.1	-15.3	-3.6	0.9	-10.6	1.9	6.3	-3.2
10	-8.4	-2.5	-15.9	-7.1	-2.0	-15.1	-3.4	1.2	-10.3	2.0	6.5	-3.1
11	-8.6	-2.7	-16.2	-7.0	-1.9	-14.9	-3.2	1.4	-10.1	2.2	6.8	-2.9
12	-8.8	-2.9	-16.4	-6.9	-1.9	-14.7	-3.0	1.6	-9.8	2.3	7.0	-2.8
13	-8.9	-3.0	-16.6	-6.8	-1.8	-14.5	-2.8	1.8	-9.6	2.5	7.2	-2.7
14	-9.0	-3.1	-16.7	-6.7	-1.8	-14.3	-2.6	2.0	-9.4	2.6	7.5	-2.5
15	-9.0	-3.1	-16.7	-6.6	-1.7	-14.2	-2.4	2.2	-9.1	2.8	7.8	-2.4
16	-8.9	-3.1	-16.6	-6.5	-1.6	-14.1	-2.3	2.4	-8.9	3.0	8.2	-2.3
17	-8.8	-3.0	-16.5	-6.5	-1.6	-14.0	-2.1	2.5	-8.7	3.2	8.6	-2.2
18	-8.6	-2.9	-16.3	-6.5	-1.5	-14.0	-2.0	2.7	-8.4	3.5	9.1	-2.0
19	-8.4	-2.8	-16.2	-6.4	-1.5	-14.0	-1.8	2.8	-8.2	3.8	9.7	-1.9
20	-8.3	-2.7	-16.0	-6.4	-1.4	-14.1	-1.7	2.9	-8.0	4.2	10.2	-1.7
21	-8.1	-2.5	-15.9	-6.5	-1.3	-14.2	-1.6	3.1	-7.8	4.6	10.8	-1.5
22	-7.9	-2.4	-15.8	-6.5	-1.3	-14.3	-1.4	3.2	-7.6	5.0	11.5	-1.3
23	-7.8	-2.3	-15.7	-6.4	-1.2	-14.3	-1.3	3.4	-7.3	5.4	12.0	-1.0
24	-7.7	-2.2	-15.7	-6.4	-1.1	-14.3	-1.1	3.5	-7.1	5.7	12.6	-0.7
25	-7.7	-2.2	-15.7	-6.3	-1.0	-14.2	-0.9	3.7	-6.8	6.1	13.0	-0.4
26	-7.7	-2.1	-15.8	-6.2	-0.9	-14.1	-0.7	3.9	-6.5	6.4	13.4	-0.1
27	-7.7	-2.1	-15.9	-6.0	-0.8	-13.9	-0.5	4.1	-6.2	6.7	13.7	0.2
28	-7.7	-2.1	-15.9	-5.9	-0.7	-13.7	-0.3	4.3	-5.9	6.9	13.9	0.5
29	-7.7	-2.2	-16.0	-5.7	-0.6	-13.5	-0.1	4.5	-5.7	7.1	14.1	0.8
30	-7.8	-2.2	-16.0				0.1	4.7	-5.4	7.3	14.2	1.1
31	-7.8	-2.2	-16.0				0.4	4.8	-5.1			

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NAKASHIBETSU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	7.5	14.3	1.3	11.8	18.7	6.0	14.9	20.3	10.5	18.9	23.9	15.0
02	7.6	14.3	1.5	11.9	18.6	6.1	15.1	20.6	10.7	19.0	23.9	15.1
03	7.6	14.4	1.7	11.9	18.6	6.2	15.3	20.9	10.9	19.0	23.9	15.1
04	7.7	14.4	1.8	11.9	18.5	6.3	15.5	21.1	11.0	19.0	23.8	15.2
05	7.8	14.4	1.9	12.0	18.4	6.4	15.6	21.3	11.2	19.0	23.7	15.3
06	7.8	14.5	1.9	12.0	18.2	6.6	15.8	21.5	11.3	18.9	23.5	15.3
07	7.9	14.5	2.0	12.0	18.0	6.7	16.0	21.7	11.5	18.9	23.4	15.4
08	7.9	14.5	2.0	12.1	17.9	6.9	16.1	21.9	11.6	18.8	23.2	15.5
09	7.9	14.6	2.0	12.1	17.7	7.1	16.2	22.1	11.7	18.8	23.1	15.6
10	8.0	14.7	2.1	12.1	17.5	7.3	16.4	22.3	11.9	18.8	23.0	15.7
11	8.0	14.7	2.1	12.1	17.3	7.5	16.5	22.4	12.1	18.8	23.0	15.8
12	8.1	14.8	2.1	12.1	17.1	7.7	16.6	22.5	12.2	18.8	23.0	15.9
13	8.2	14.9	2.2	12.1	17.0	7.9	16.7	22.5	12.4	18.9	23.1	15.9
14	8.3	15.1	2.3	12.1	16.8	8.0	16.7	22.5	12.5	18.9	23.2	16.0
15	8.4	15.3	2.4	12.0	16.7	8.2	16.8	22.4	12.6	19.0	23.3	16.0
16	8.6	15.5	2.5	12.0	16.6	8.3	16.8	22.3	12.8	19.0	23.3	16.0
17	8.8	15.7	2.6	12.0	16.6	8.4	16.8	22.2	12.9	19.1	23.4	16.0
18	9.0	16.0	2.8	12.0	16.6	8.5	16.8	22.1	13.1	19.1	23.5	15.9
19	9.2	16.3	3.0	12.1	16.6	8.5	16.9	22.0	13.2	19.0	23.5	15.7
20	9.5	16.6	3.2	12.1	16.8	8.6	16.9	21.9	13.4	19.0	23.5	15.6
21	9.7	16.9	3.4	12.3	16.9	8.6	17.0	21.8	13.5	18.9	23.4	15.3
22	10.0	17.2	3.7	12.4	17.2	8.7	17.1	21.9	13.7	18.7	23.4	15.1
23	10.2	17.5	4.0	12.6	17.5	8.8	17.3	22.0	13.9	18.6	23.3	14.8
24	10.5	17.8	4.3	12.8	17.8	8.9	17.5	22.1	14.1	18.4	23.1	14.5
25	10.7	18.0	4.6	13.1	18.2	9.1	17.7	22.3	14.3	18.2	23.0	14.2
26	10.9	18.2	4.8	13.4	18.6	9.3	17.9	22.6	14.4	18.1	22.9	13.9
27	11.1	18.4	5.1	13.7	19.0	9.5	18.1	22.8	14.6	17.9	22.8	13.7
28	11.3	18.5	5.3	14.0	19.4	9.7	18.3	23.1	14.7	17.8	22.7	13.5
29	11.5	18.6	5.5	14.3	19.7	10.0	18.5	23.4	14.8	17.7	22.5	13.4
30	11.6	18.7	5.7	14.6	20.1	10.2	18.7	23.6	14.9	17.6	22.4	13.3
31	11.7	18.7	5.9				18.8	23.8	15.0	17.6	22.3	13.2

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: NAKASHIBETSU AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 43° 34.7'N, LONGITUDE: 144° 57.6'E, ELEVATION ABOVE MSL: 214 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	17.5	22.2	13.2	12.7	18.3	6.6	5.7	11.4	-0.9	-0.8	4.1	-7.2
02	17.5	22.1	13.1	12.5	18.1	6.3	5.5	11.2	-1.0	-1.0	4.0	-7.4
03	17.4	22.0	13.1	12.2	17.9	6.0	5.4	11.0	-1.1	-1.2	3.9	-7.6
04	17.4	21.9	13.1	12.0	17.7	5.7	5.2	10.7	-1.2	-1.4	3.7	-7.8
05	17.3	21.8	13.0	11.7	17.5	5.4	5.0	10.5	-1.2	-1.6	3.5	-8.0
06	17.3	21.7	12.9	11.4	17.3	5.0	4.9	10.2	-1.3	-1.8	3.3	-8.2
07	17.2	21.6	12.9	11.1	17.1	4.7	4.7	9.9	-1.4	-1.9	3.1	-8.4
08	17.1	21.6	12.7	10.9	16.8	4.3	4.5	9.7	-1.5	-2.1	2.9	-8.6
09	17.0	21.5	12.6	10.6	16.6	4.0	4.3	9.4	-1.6	-2.3	2.6	-8.8
10	16.9	21.5	12.4	10.3	16.4	3.6	4.2	9.2	-1.8	-2.5	2.4	-9.0
11	16.8	21.4	12.2	10.1	16.2	3.3	4.0	9.0	-1.9	-2.6	2.2	-9.1
12	16.6	21.4	11.9	9.8	16.0	3.0	3.8	8.7	-2.1	-2.7	2.0	-9.1
13	16.5	21.3	11.7	9.6	15.8	2.7	3.6	8.5	-2.4	-2.8	1.8	-9.2
14	16.3	21.3	11.4	9.3	15.5	2.4	3.4	8.3	-2.6	-2.9	1.6	-9.3
15	16.2	21.2	11.1	9.1	15.3	2.2	3.1	8.0	-2.9	-3.0	1.4	-9.4
16	16.0	21.1	10.7	8.8	15.1	1.9	2.8	7.7	-3.2	-3.2	1.2	-9.5
17	15.8	21.0	10.4	8.5	14.8	1.6	2.5	7.5	-3.6	-3.3	1.0	-9.7
18	15.5	20.9	10.0	8.3	14.5	1.4	2.2	7.1	-3.9	-3.5	0.9	-9.8
19	15.3	20.8	9.7	8.0	14.2	1.2	1.9	6.8	-4.3	-3.7	0.7	-10.1
20	15.1	20.6	9.4	7.8	14.0	0.9	1.5	6.5	-4.6	-4.0	0.4	-10.4
21	14.9	20.4	9.1	7.6	13.7	0.8	1.1	6.1	-5.0	-4.2	0.2	-10.7
22	14.7	20.2	8.8	7.4	13.4	0.6	0.8	5.8	-5.3	-4.5	0.0	-11.1
23	14.4	20.0	8.5	7.2	13.1	0.4	0.5	5.5	-5.6	-4.8	-0.2	-11.4
24	14.2	19.8	8.2	7.0	12.9	0.2	0.3	5.2	-5.8	-5.1	-0.4	-11.8
25	14.0	19.5	8.0	6.8	12.7	0.1	0.1	4.9	-6.1	-5.4	-0.6	-12.1
26	13.8	19.3	7.8	6.7	12.5	-0.1	-0.1	4.7	-6.3	-5.6	-0.7	-12.4
27	13.6	19.1	7.6	6.5	12.3	-0.2	-0.3	4.5	-6.5	-5.8	-0.9	-12.7
28	13.4	18.9	7.4	6.3	12.1	-0.4	-0.5	4.4	-6.7	-5.9	-0.9	-12.9
29	13.2	18.7	7.2	6.2	11.9	-0.5	-0.6	4.3	-6.8	-6.1	-1.0	-13.1
30	13.0	18.5	6.9	6.0	11.8	-0.6	-0.7	4.2	-7.0	-6.2	-1.1	-13.3
31				5.9	11.6	-0.8				-6.3	-1.1	-13.4