

# 火山観測 Summary of Observations on Volcanoes

常時観測 平成21年(2009年)8月

Constant Observation in August,2009

## (1)雌阿寒岳

震動観測(Seismic Observation)


Observation Point: MEAB

火山性地震回数(Number of volcanic earthquakes)

	月計 total	最大(起日) max (date)
Observation Point: MEAB		
火山性地震回数(Number of volcanic earthquakes)	163	16 (1)
火山性微動回数(Number of volcanic tremors)	0	0
微動継続時間(Duration of volcanic tremors) (min.)	-	-

Note: MEAB (N43°22.8' E143°58.7' H680m)

Meakandake: August,2009



## 遠望観測(Visual Observation)

	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	1 (abbr.)
噴煙の高さ(Height of plumes) (m)	100 (1,31)


Note: Plumes were from the Pommachineshiri Summit Crater(Location T),

the Nakamachineshiri Crater(U), the Akanuma Crater(M) and/or

Pommachineshiri NW Fumaroles(N).

Note: Uncolored:Plume color was White(W).

Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other.



## (2)十勝岳

震動観測(Seismic Observation)

Observation Point: TOKH

	月計 total	最大(起日) max (date)
Observation Point: TOKH		
火山性地震回数(Number of volcanic earthquakes)	17	5 (15)
火山性微動回数(Number of volcanic tremors)	0	0
微動継続時間(Duration of volcanic tremors) (min.)	-	-

Note: TOKH (N43°26.0' E142°40.2' H1,355m)

	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	1 (abbr.)
噴煙の高さ(Height of plumes) (m)	200 (31)



	W
他の火山現象(Other volcanic phenomena)	-

Note: Plumes were from the Taisho Crater(Location X),  
the 62 crater Area(P,Q,Y), the Furikozawa Fumaroles (F) and/or the Kyufun Crater (Z).

Note: Uncolored:Plume color was White(W).

Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other.

Tokachidake: August,2009



## (3)樽前山

震動観測(Seismic Observation)

Observation Point: TARC

	月計 total	最大(起日) max (date)
Observation Point: TARC		
火山性地震回数(Number of volcanic earthquakes)	249	20 (17)
火山性微動回数(Number of volcanic tremors)	0	0
微動継続時間(Duration of volcanic tremors) (min.)	-	-

Note: TARC (N42°42.2' E141°22.6' H638m)

	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	1 (abbr.)
噴煙の高さ(Height of plumes) (m)	80 (6)




	W
他の火山現象(Other volcanic phenomena)	-

Note: Plumes were from the Summit Area(Location A, B and/or E).

Note: Uncolored:Plume color was White(W).

Colored:Plume color was Light white(LW),  
Grayish white(GW), Gray(G) and other.

Tarumaesan: August,2009



(4)有珠山

震動観測(Seismic Observation)

Observation Point: USUA

	月計 total	最大(起日) max (date)
火山性地震回数(Number of volcanic earthquakes)	27	5 (14)
火山性微動回数(Number of volcanic tremors)	0	0
微動継続時間(Duration of volcanic tremors) (min.)	-	-

Note: USUA (N42°31.7' E140°50.2' H246m)

遠望観測(Visual Observation)

	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	1 (abbr.)
噴煙の高さ(Height of plumes) (m)	100 (31)


噴煙の色(Color of plumes)

W

他の火山現象(Other volcanic phenomena)

Note: Plumes were from the Summit Area of Usuzan(Location P), Mt.showa-shinzan(Z), Nishi-yama vent group(N) and Konpira-yama vent group(K). Note: Uncolored:Plume color was White(W). Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other.

Usuzan: August,2009



(5)北海道駒ヶ岳

震動観測(Seismic Observation)

Observation Point: KOMA

	月計 total	最大(起日) max (date)
火山性地震回数(Number of volcanic earthquakes)	0	0
火山性微動回数(Number of volcanic tremors)	0	0
微動継続時間(Duration of volcanic tremors) (min.)	-	-

Note: KOMA (N42°03.2' E140°38.3' H265m)

遠望観測(Visual Observation)

	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	-
噴煙の高さ(Height of plumes) (m)	-

噴煙の色(Color of plumes)


-

他の火山現象(Other volcanic phenomena)

Note: Plumes were from the Showa-4 Crater(Location D1) and/or the 96 South Crater(D2). Note: Uncolored:Plume color was White(W).

Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other.

Hokkaido-Komagatake: August,2009



(6)吾妻山

震動観測(Seismic Observation)

Observation Point: AZUA

	月計 total	最大(起日) max (date)
火山性地震回数(Number of volcanic earthquakes)	5	1 (abbr.)
火山性微動回数(Number of volcanic tremors)	0	0
微動継続時間(Duration of volcanic tremors) (min.)	-	-

Note: AZUA (N37°43.3' E140°16.5' H1,295m)

遠望観測(Visual Observation)

	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	1 (abbr.)
噴煙の高さ(Height of plumes) (m)	100 (abbr.)

噴煙の色(Color of plumes)


W

他の火山現象(Other volcanic phenomena)

Note: Plumes were from the Oana Crater Note: Uncolored:Plume color was White(W).

Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other.

Azumayama: August,2009



### (7) 安達太良山

震動観測(Seismic Observation)

Observation Point: ADTB

	月計 total	最大(起日) max (date)
火山性地震回数(Number of volcanic earthquakes)	0	0
火山性微動回数(Number of volcanic tremors)	0	0
微動継続時間(Duration of volcanic tremors) (min.)	-	-

Note: ADTB(N37° 38.1' E140° 18.2' H1,320m)

遠望観測(Visual Observation)

	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	-
噴煙の高さ(Height of plumes) (m)	-

遠望観測(Visual Observation)



	最大(起日) max (date)
噴煙の色(Color of plumes)	-
他の火山現象(Other volcanic phenomena)	-

Note: Plumes were from the Numanodaira - SW area.

Note: Uncolored:Plume color was White(W).

Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other.

### Adatarayama: August,2009



### (8) 磐梯山

震動観測(Seismic Observation)

Observation Point: BNDA

	月計 total	最大(起日) max (date)
火山性地震回数(Number of volcanic earthquakes)	13	4 (4)
火山性微動回数(Number of volcanic tremors)	0	0
微動継続時間(Duration of volcanic tremors) (min.)	-	-

Note: BNDA(N37° 35.0' E140° 04.8' H1000m)

遠望観測(Visual Observation)

	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	-
噴煙の高さ(Height of plumes) (m)	-

遠望観測(Visual Observation)



	最大(起日) max (date)
噴煙の色(Color of plumes)	-
他の火山現象(Other volcanic phenomena)	-

Note: Plumes were from the Fumarolic area in Crater wall.

Note: Uncolored:Plume color was White(W).

Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other.

### Bandaisan: August,2009



### (9) 那須岳

震動観測(Seismic Observation)

Observation Point: NSUA

	月計 total	最大(起日) max (date)
火山性地震回数(Number of volcanic earthquakes)	4	1 (abbr.)
火山性微動回数(Number of volcanic tremors)	0	0
微動継続時間(Duration of volcanic tremors) (min.)	-	-

Note: NSUA (N37 06.2' E139 59.6' H1,083m)

遠望観測(Visual Observation)

	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	1 (abbr.)
噴煙の高さ(Height of plumes) (m)	200 (27)

遠望観測(Visual Observation)



	W
他の火山現象(Other volcanic phenomena)	-

Note: Plumes were from the west flank of Mt. Nasudake.

Note: Uncolored:Plume color was White(W).

Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other.

### Nasudake: August,2009



### (10) 草津白根山

震動観測(Seismic Observation)

Observation Point: KSHA

	月計 total	最大(起日) max (date)
火山性地震回数(Number of volcanic earthquakes)	13	2 (6,17.28)
火山性微動回数(Number of volcanic tremors)	0	0
微動継続時間(Duration of volcanic tremors) (min.)	-	-

Note: KSHA (N36° 38.9' E138° 32.7' H1,933m)

遠望観測(Visual Observation)

	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	-
噴煙の高さ(Height of plumes) (m)	-

遠望観測(Visual Observation)



	-
他の火山現象(Other volcanic phenomena)	-

Note: Plumes were from the Yugama Crater and Fumaroles at northern side of Yugama Crater

Note: Uncolored:Plume color was White(W).

Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other.

### Kusatsu-Shiranesan: August,2009



### (11)浅間山

#### 震動観測(Seismic Observation)

Observation Point: ASMB

	月計 total	最大(起日) max (date)
火山性地震回数(Number of volcanic earthquakes)	2401	127 (14)
火山性微動回数(Number of volcanic tremors)	8	2 (15,30)
微動継続時間(Duration of volcanic tremors) (min.)	25	11 (30)

Note: ASMB (N36° 23.4' E138° 31.1' H1,864m)

#### 遠望観測(Visual Observation)

	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	2 (abbr.)
噴煙の高さ(Height of plumes) (m)	300 (abbr.)





噴煙の色(Color of plumes)	W
他の火山現象(Other volcanic phenomena)	-

Note: Plumes were from the Karayama Crater(Location A).

Note: Uncolored:Plume color was White(W).

Colored:Plume color was Light white(LW), Grayish white(GW),  
Gray(G) and other.

### Asamayama: August,2009



### (12)御嶽山

#### 震動観測(Seismic Observation)

Observation Point: ONTA

	月計 total	最大(起日) max (date)
火山性地震回数(Number of volcanic earthquakes)	3	1 (4.5,18)
火山性微動回数(Number of volcanic tremors)	0	0
微動継続時間(Duration of volcanic tremors) (min.)	-	-

Note: ONTA (N35° 52.6' E137° 29.7' H2,228m)

	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	1 (abbr.)
噴煙の高さ(Height of plumes) (m)	50 (abbr.)




噴煙の色(Color of plumes)	W
他の火山現象(Other volcanic phenomena)	-

Note: Plumes were from the Otaki summit Crater (A) and/or S6

Note: Uncolored:Plume color was White(W).

Colored:Plume color was Light white(LW), Grayish white(GW),  
Gray(G) and other.

### Ontakesan: August,2009



### (13)伊豆東部火山群

#### 震動観測(Seismic Observation)

Observation Point: ITBA,Kamata2

	月計 total	最大(起日) max (date)
火山性地震回数(Number of volcanic earthquakes)	39	11 (5)
火山性微動回数(Number of volcanic tremors)	0	0
微動継続時間(Duration of volcanic tremors) (min.)	-	-



Note: ITBA (N35° 00.5' E139° 05.9' H12m)

Kamata2(N34° 55.71' E139° 03.65' H175m)

	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	-
噴煙の高さ(Height of plumes) (m)	-

噴煙の色(Color of plumes)	-
他の火山現象(Other volcanic phenomena)	-

### Izu-Tobu Volcano Group: August,2009



#### (14)伊豆大島

震動観測(Seismic Observation)

Observation Point: OSMA

	月計 total	最大(起日) max (date)
火山性地震回数(Number of volcanic earthquakes)	118	32 (14)
火山性微動回数(Number of volcanic tremors)	0	0
微動継続時間(Duration of volcanic tremors) (min.)	-	-

Note: OSMA (N34°44.2' E139°23.2' H553m)

遠望観測(Visual Observation)

	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	1 (abbr.)
噴煙の高さ(Height of plumes) (m)	30 (abbr.)

噴煙の色(Color of plumes)

他の火山現象(Other volcanic phenomena)


Note: Plumes were from the Miharayama Summit Crater(Location A),  
the Fumaroles at western side of Miharashinzan(A1),  
the Fumaroles near Kengamine(A2),  
the Fumaroles at eastern side of Miharashinzan(A3)

Note: Uncolored:Plume color was White(W).

Colored:Plume color was Light white(LW), Grayish white(GW),  
Gray(G) and other.


#### Izu-Oshima: August,2009

/day Number of Volcanic Earthquakes at the point OSMA Total 118




Maximum Plume Height

Uncolored



Ground Tilt at the point OSMBT

(Point OSMBT : N 5km from the summit)



#### (15)三宅島

震動観測(Seismic Observation)

Observation Point: MKJA

	月計 total	最大(起日) max (date)
火山性地震回数(Number of volcanic earthquakes)	6057	278 (13)
火山性微動回数(Number of volcanic tremors)	0	0
微動継続時間(Duration of volcanic tremors) (min.)	-	-

Note: MKJA (N34°05.9' E139°32.0' H527m)

遠望観測(Visual Observation)

	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	2 (abbr.)
噴煙の高さ(Height of plumes) (m)	400 (20)

噴煙の色(Color of plumes)

他の火山現象(Other volcanic phenomena)


Note: Plumes were from the Summit Crater.

Note: Uncolored:Plume color was White(W).

Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other.


#### Miyakejima: August,2009

/day Number of Volcanic Earthquakes at the point MKJA Total 6057



Maximum Plume Height

Uncolored



(16)九重山

震動観測(Seismic Observation)

Observation Point: KJUA

	月計 total	最大(起日) max (date)
火山性地震回数(Number of volcanic earthquakes)	10	2 (2,28,29)
火山性微動回数(Number of volcanic tremors)	0	0
微動継続時間(Duration of volcanic tremors) (min.)	-	-

Note: KJUA (N33°06.2' E131°13.7' H1,280m)

遠望観測(Visual Observation)

	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	1 (abbr.)
噴煙の高さ(Height of plumes) (m)	300 (7,18)

噴煙の色(Color of plumes)

W

他の火山現象(Other volcanic phenomena)



-

Note: Plumes were from the east and/or north-east flank of Mt. Hosho  
(Location A,B,C or D).

Note: Uncolored:Plume color was White(W).

Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other.

Kujusan: August,2009



(17)阿蘇山



震動観測(Seismic Observation)

Observation Point: ASOA

	月計 total	最大(起日) max (date)
火山性地震回数(Number of volcanic earthquakes)	21	4 (5,7)
孤立型火山性微動回数 (Number of isolated volcanic tremors)	4308	159 (18,23)

Note: ASOA (N32°53.1' E131°04.7' H1,163m)

Asosan: August,2009



遠望観測(Visual Observation)

	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	1 (abbr.)
噴煙の高さ(Height of plumes) (m)	400 (4,6,14)

噴煙の色(Color of plumes)

W

他の火山現象(Other volcanic phenomena)

-

Note: Plumes were from the Crater No.1 of Mt. Nakadake.




Note: Uncolored:Plume color was White(W).

Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other.

現地観測(Field Observation)

	最高(起日) max (date)
最高(起日) max (date)	60 (31)
最低(起日) min (date)	55 (11)
火口内の湯だまりの表面温度 (Surface temperature on the water pool in the crater) ( )	60 (31)
火口壁の表面温度 (Surface temperature on the crater wall) ( )	348 (25)
火口内の湯だまりの表面温度 (Surface temperature on the water pool in the crater) ( )	55 (11)
火口壁の表面温度 (Surface temperature on the crater wall) ( )	289 (11)

Observation Point:the Crater No.1 of Mt. Nakadake



### (18)雲仙岳

震動観測(Seismic Observation)

Observation Point: UNZA

	月計 total	最大(起日) max (date)
火山性地震回数(Number of volcanic earthquakes)	3	1 (15,18,19)
火山性微動回数(Number of volcanic tremors)	0	0
微動継続時間(Duration of volcanic tremors) (min)	-	-

Note: UNZA (N32°44.1' E130°16.1' H769m)

遠望観測(Visual Observation)

	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	-
噴煙の高さ(Height of plumes) (m)	-

噴煙の色(Color of plumes)




他の火山現象(Other volcanic phenomena)

Note: Plumes were from the 10th Lava Dome(Location A10) and/or the 11th Lava Dome (A11).

Note: Uncolored:Plume color was White(W).

Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other.

### Unzendake: August,2009



### (19)霧島山

新燃岳 (Shinmoedake)

震動観測(Seismic Observation)

Observation Point: KIRA

	月計 total	最大(起日) max (date)
火山性地震回数(Number of volcanic earthquakes)	10	2 (3,17)
火山性微動回数(Number of volcanic tremors)	0	0
微動継続時間(Duration of volcanic tremors) (min)	-	-

Note: KIRA (N31°54.0' E130°52.3' H1,035m)

遠望観測(Visual Observation)

	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	1 (abbr.)
噴煙の高さ(Height of plumes) (m)	100 (abbr.)

噴煙の色(Color of plumes)

他の火山現象(Other volcanic phenomena)

Note: Plumes were from the Shinmoedake Crater

Note: Uncolored:Plume color was White(W).

Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other.

御鉢(Ohachi)

震動観測(Seismic Observation)

Observation Point: KTCM

	月計 total	最大(起日) max (date)
火山性地震回数(Number of volcanic earthquakes)	2	2 (17)
火山性微動回数(Number of volcanic tremors)	0	0
微動継続時間(Duration of volcanic tremors) (min)	-	-

Note: KTCM (N31°53.2' E130°55.2' H1,549m)

遠望観測(Visual Observation)

	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	-
噴煙の高さ(Height of plumes) (m)	-

噴煙の色(Color of plumes)





他の火山現象(Other volcanic phenomena)

Note: Plumes were from the Ohachi Crater

Note: Uncolored:Plume color was White(W).

Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other.

### Kirishimayama: August,2009



(20) 桜島

震動観測(Seismic Observation)

Observation Point: SKRB

	月計 total	最大(起日) max (date)
火山性地震回数(Number of volcanic earthquakes)	559	53 (15)
火山性微動回数(Number of volcanic tremors)	1029	62 (25)
微動継続時間(Duration of volcanic tremors) (min)	3839	266 (20)

Note: SKRB (N31°35.6' E130°38.4' H455m)

遠望観測(Visual Observation)

	月計 total	最大(起日) max (date)
爆発回数(Number of explosive eruptions)	53	4 (abbr.)
降灰量(Amount of ash fall) (g / m <sup>2</sup> )	152	54 (8.9)

A,B火口 (A,B crater)

	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	2 (abbr.)
噴煙の高さ(Height of plumes) (m)	600 (2)

昭和火口 (Showa crater)

	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	4 (3)
噴煙の高さ(Height of plumes) (m)	2200 (3)

噴煙の色(Color of plumes)

	W,LW,GW
他の火山現象(Other volcanic phenomena)	GI,As,Bm,Af,Pf

Note: Plumes were from Mt. Minamidake A Crater(A), B Crater(B)

and Showa Crater(S)

Note: Uncolored:Plume color was White(W).





Colored:Plume color was Light white(LW), Grayish white(GW),

Gray(G) and other.

爆発時の遠望観測(Visual observation of explosion)


Date	Time	Col	Q	H(*100m)	Dir	Loc	Remarks
0801	2249	X	X	X	S	Bm(5合目),AS 1.8(O), 9.0(D)	
0802	2006	X	3	15	T	S	Bm(5合目),AS 7.4(O), 38.6(D)
0803	0536	GW	4	22	T	S	Bm(5合目),AS 4.8(O), 30.8(D)
0804	2125	GW	3	14	SW	S	Bm(4合目),AS 12.1(O), 40.4(D)
0806	0952	GW	3	15	NW	S	Bm(5合目),AS 10.8(D), 9.2(A),PF(200m)
0807	1947	X	3	8	NW	S	Bm(7合目),AS 15.8(D), 6.0(A)
0808	0502	X	3	10	W	S	Bm(7合目),AS 17.3(D), 7.5(A)
0808	0548	GW	3	12	W	S	Bm(7合目),AS 7.3(O), 29.9(D)
0808	1630	GW	3	8	W	S	Bm(6合目),AS 12.4(D), 3.9(A)
0809	0103	X	X	X	X	S	AS 16.5(D), 4.5(A)
0810	1705	GW	3	10	E	S	AS 23.2(D), 3.7(E)
0811	1208	GW	3	15	NE	S	Bm(5合目),AS 9.1(D), 2.1(A)
0812	0617	GW	X	X	X	S	AS 10.1(D), 1.6(E)
0812	2117	X	X	X	X	S	AS 24.2(D), 3.1(E)
0813	0334	X	X	X	X	S	Bm(5合目),AS 17.6(D), 1.6(E)
0815	1308	GW	3	12	E	S	AS 1.0(O), 11.7(D)
0816	1655	GW	3	>10	T	S	Bm(7合目),AS 2.2(O), 18.0(D)
0817	0136	X	3	14	T	S	Bm(5合目),AS 7.7(O), 41.9(D)
0817	0609	GW	3	17	N	S	Bm(5合目),AS 5.8(O), 30.6(D)
0819	0425	X	X	X	X	S	Bm(6合目),AS 2.6(O), 12.4(D)
0820	1019	GW	3	10	T	S	Bm(7合目),AS 4.9(O), 21.3(D)
0820	1904	GW	3	12	T	S	Bm(7合目),AS 32.5(D), 10.8(A)
0821	0018	X	3	10	T	S	Bm(6合目),AS 10.1(O), 41.7(D)
0821	0534	GW	3	12	N	S	Bm(6合目),AS 3.8(O), 22.9(D)
0821	1546	GW	3	12	T	S	AS 7.8(O), 47.8(D)
0821	1602	GW	3	12	T	S	AS 8.5(O), 44.6(D)
0822	0110	X	3	12	T	S	Bm(5合目),AS 7.8(O), 41.4(D)
0822	0315	X	3	12	T	S	Bm(5合目),AS 6.1(O), 46.6(D)
0822	0816	GW	3	10	E	S	AS 7.0(O), 48.2(D)
0822	1519	GW	3	10	E	S	Bm(6合目),AS 6.6(O), 61.9(D)
0823	0115	X	3	14	SE	S	Bm(5合目),AS 7.7(O), 49.2(D)
0823	2156	X	3	10	E	S	Bm(5合目),AS 1.9(O), 13.6(D)
0823	2237	X	3	10	E	S	Bm(6合目),AS 2.5(O), 17.8(D)

Sakurajima: August,2009



Ground Tilt at the point SKRFu

(Point SKRFu : NE 3km from the summit)



Date	Time	Col	Q	H(*100m)	Dir	Loc	Remarks
0824	1002	GW	3	10	SE	S	Bm(7合目),AS 6.7(O), 34.7(D)
0824	1008	GW	3	12	SE	S	Bm(7合目),AS 2.1(O), 10.9(D)
0824	1911	X	3	>7	SE	S	Bm(6合目),AS 3.0(O), 15.9(D)
0824	2341	X	3	10	T	S	Bm(7合目),AS 2.6(O), 15.9(D)
0825	0202	X	3	10	S	S	Bm(5合目),AS 5.6(O), 23.7(D)
0825	2255	X	3	10	T	S	Bm(6合目),AS 2.1(O), 10.2(D)
0826	1020	GW	X	>3	T	S	Bm(6合目),AS 3.0(O), 16.7(D)
0827	0259	X	3	8	N	S	Bm(4合目),AS 8.4(O), 49.1(D)
0827	1946	X	3	10	T	S	Bm(6合目),AS 9.7(O), 31.6(D)
0827	1955	X	2	8	NE	S	Bm(6合目),AS 6.4(O), 23.0(D)
0828	0636	GW	2	8	NE	S	Bm(7合目),AS 6.1(O), 47.2(D)
0828	0651	GW	2	9	NE	S	Bm(7合目),AS 4.3(O), 28.8(D)
0828	2051	X	3	12	NE	S	Bm(4合目),AS 9.4(O), 48.8(D)
0828	2350	X	3	13	NE	S	Bm(5合目),AS 6.0(O), 47.6(D)
0829	0034	X	3	14	NE	S	Bm(6合目),AS 3.3(O), 24.5(D)
0829	0417	X	3	14	E	S	Bm(6合目),AS 3.1(O), 28.8(D)
0830	0453	X	X	X	X	S	Bm(6合目),AS 3.4(O), 23.5(D)
0830	0524	X	X	X	X	S	AS 5.1(O), 30.9(D)
0830	0545	X	X	X	X	S	AS 3.1(O), 17.3(D)
0831	0422	X	X	X	X	S	AS 5.2(O), 33.9(D)

## 臨時観測 平成21年(2009年)8月 Extra Observation in August,2009


### (1)俱多楽

札幌火山監視・情報センターによる火山機動観測  
Mobile observation by the Sapporo VOIC  
Date: Since 15 Jul.,2004

震動観測(Seismic Observation)	月計 total	最大(起日) max (date)
Observation Point: KNBC		
火山性地震回数(Number of volcanic earthquakes)	0	0
火山性微動回数(Number of volcanic tremors)	0	0
微動継続時間(Duration of volcanic tremors) (min.)	-	-

Note:KNBC (N42°30.1' E141°7.4' H570m)

### Kuttara: August,2009




### (2)恵山

札幌火山監視・情報センターによる火山機動観測  
Mobile observation by the Sapporo VOIC  
Date: Since 24 Jul.,2005

震動観測(Seismic Observation)	月計 total	最大(起日) max (date)
Observation Point: ESDK		
火山性地震回数(Number of volcanic earthquakes)	16	4 (5)
火山性微動回数(Number of volcanic tremors)	0	0
微動継続時間(Duration of volcanic tremors) (min.)	-	-

Note: ESDK (N41°48.7' E141°9.7' H369m)

### Esan: August,2009



### (3)岩手山

仙台火山監視・情報センターによる火山機動観測  
Mobile observation by the Sendai VOIC  
Date: Since 4 Oct.,1995

震動観測(Seismic Observation)	月計 total	最大(起日) max (date)
Observation Point: IWYK		
火山性地震回数(Number of volcanic earthquakes)	13	3 (18)
火山性微動回数(Number of volcanic tremors)	0	0
微動継続時間(Duration of volcanic tremors) (min.)	-	-

Note:IWYK (N39°52.7' E140°57.6' H763m)

遠望観測(Visual Observation)	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	-
噴煙の高さ(Height of plumes) (m)	-
噴煙の色(Color of plumes)	-
他の火山現象(Other volcanic phenomena)	-



Note: Plumes were from the Kurokurayama Summit(LocationX),

the Ojigokudani(Y-6)

Note: Uncolored:Plume color was White(W), Light white(LW).

Colored:Plume color was Grayish white(GW), Gray(G) and other.

### Iwatesan: August,2009




### (4)新潟焼山

気象庁本府による火山機動観測  
Mobile observation by the headquarter of JMA  
Date: Since 1 Dec.,2005

震動観測(Seismic Observation)	月計 total	最大(起日) max (date)
Observation Point: NYOD		
火山性地震回数(Number of volcanic earthquakes)	2	1 (4.7)
火山性微動回数(Number of volcanic tremors)	0	0
微動継続時間(Duration of volcanic tremors) (min.)	-	-

Note: NYOD (N36°57.4' E138°2.3' H1,150m)

### NiigataYakeyama: August,2009



## (5)白山

気象庁本庁による火山機動観測

Mobile observation by the headquarter of JMA  
Date: Since 1 Dec.,2005


### 震動観測(Seismic Observation)

Observation Point: HSMD

	月計 total	最大(起日) max (date)
火山性地震回数(Number of volcanic earthquakes)	12	3 (17)
火山性微動回数(Number of volcanic tremors)	0	0
微動継続時間(Duration of volcanic tremors) (min.)	-	-

Note: HSMD (N36 8.8' E136°45.9' H2,345m)

## Hakusan: August,2009



## (6)富士山

気象庁本庁による火山機動観測

Mobile observation by the headquarter of JMA  
Date: Since 18 Oct.,1987


### 震動観測(Seismic Observation)

Observation Point: FUJ2

	月計 total	最大(起日) max (date)
火山性地震回数(Number of volcanic earthquakes)	14	5 (20)
火山性微動回数(Number of volcanic tremors)	0	0
微動継続時間(Duration of volcanic tremors) (min.)	-	-

Note: FUJ2 (N35 21.6' E138°43.6' H3,772m)

## Fujisan: August,2009



## (7)桜島

地磁気観測所鹿屋出張所による桜島の日降灰量観測


Extra observation of daily amounts of ash fall from Sakurajima by the Kanoya Satellite Observatory, the Magnetic Observatory, JMA  
Date: daily (a.m. 0900)

### 遠望観測(Visual Observation)

Observation Point: KANOYA

	月計	最大(起日)
降灰量(Amount of ash fall) (g/m <sup>2</sup> )	2	2 (25)

## Sakurajima: August,2009



## (8)薩摩硫黄島

福岡火山監視・情報センター、鹿児島地方気象台による火山機動観測

Mobile observation by the Fukuoka VOIC and Kagoshima LMO  
Date: Since 10 Sep.,1997

### 震動観測(Seismic Observation)

Observation Point: STI1

	月計 total	最大(起日) max (date)
火山性地震回数(Number of volcanic earthquakes)	2512	105 (12)
火山性微動回数(Number of volcanic tremors)	0	0
微動継続時間(Duration of volcanic tremors) (min.)	-	-

Note: STI1 (N30°47.3' E130°18.1' H380m)

### 遠望観測(Visual Observation)

噴煙量(Quantity of plumes) (JMA's scale)

	最大(起日) max (date)
噴煙の高さ(Height of plumes) (m)	2 (17,28,31)

噴煙の色(Color of plumes)

W




他の火山現象(Other volcanic phenomena)

-

Note: Uncolored:Plume color was White(W), Light white(LW).

Colored:Plume color was Grayish white(GW), Gray(G) and other.

## Satsuma-Iojima: August,2009



### (9)口永良部島

福岡火山監視・情報センター、鹿児島地方気象台による火山機動観測

Mobile observation by the Fukuoka VOIC and Kagoshima LMO

Date: Since 11 Sep.,1999 (seismic), 10 Mar.,2004 (Visual)

#### 震動観測(Seismic Observation)

Observation Point: KER1

	月計 total	最大(起日) max (date)
火山性地震回数(Number of volcanic earthquakes)	13	3 (27)
火山性微動回数(Number of volcanic tremors)	0	0
微動継続時間(Duration of volcanic tremors) (min.)	-	-

Note: KER1 (N30°26.9' E130°12.9' H566m)

#### 遠望観測(Visual Observation)




	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	1 (abbr.)
噴煙の高さ(Height of plumes) (m)	300 (26)

噴煙の色(Color of plumes)	W
他の火山現象(Other volcanic phenomena)	-

Note: Uncolored:Plume color was White(W), Light white(LW).

Colored:Plume color was Grayish white(GW), Gray(G) and other.

### Kuchinoerabujima: August,2009



### (10)諭訪之瀬島

福岡火山監視・情報センター、鹿児島地方気象台による火山機動観測

Mobile observation by the Fukuoka VOIC and Kagoshima LMO

Date: Since 6 Jul.,2011

#### 震動観測(Seismic Observation)

Observation Point: SWA1

	月計 total	最大(起日) max (date)
火山性地震回数(Number of volcanic earthquakes)	807	65 (29)
火山性微動回数(Number of volcanic tremors)*	271	37 (28)
微動継続時間(Duration of volcanic tremors) (min.)	1496	256 (28)

Note: SWA1 (N29°37.7' E129°42.3' H450m)

\* Continuous volcanic tremors occurred intermittently in this month.

Number of volcanic tremors and duration are not including the continuous volcanic tremor.

#### 遠望観測(Visual Observation)

	月計 total	最大(起日) max (date)
爆発回数(Number of explosive eruptions)	25	9 (29)

	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	3 (16,17,29)
噴煙の高さ(Height of plumes) (m)	1400 (29)

噴煙の色(Color of plumes)	W,GW
他の火山現象(Other volcanic phenomena)	-

Note: Uncolored:Plume color was White(W), Light white(LW).

Colored:Plume color was Grayish white(GW), Gray(G) and other.

### Sewanosejima: August,2009

