火山観測 Summary of Observations on Volcanoes 常時観測 平成23年(2011年)7月

Continuous Observation in July,2011

(1)アトサヌプリ


震動観測(Seismic Observation)	月計	最大(起日)
Observation Point: AAT2	total	max (date)
火山性地震回数(Number of volcanic earthquakes)	5	2 (22)
火山性微動回数(Number of volcanic tremors)	-	-
微動継続時間(Duration of volcanic tremors) (min.)	-	-

Note: AAT2 (N43'37.11' E144'27.01' H156m)

Atosanupuri: July,2011

300 200 100

> 1 5



m _ _ _ _ _ _Maximum_Plume_Height_ _ _ Uncolored

15

20

25

□Uncolored

20 25 30

10

遠望観測(Visual Observation)	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	1 (abbr.)
噴煙の高さ(Height of plumes) (m)	100 (abbr.)

噴煙の色(Color of plumes)	W
他の火山現象(Other volcanic phenomena)	-

Note: Plumes were from Upper part of F1 Fumaroles(Location U),

Middle part of F1 Fumaroles(M) Lower part of F1 Fumaroles(L) and/or F2 Fumaroles(F)

Note: Uncolored:Plume color was White(W).

Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other


(2)雌阿寒岳

(2)吨門冬山		
震動観測(Seismic Observation)	月計	最大(起日)
Observation Point: MEAB	total	max (date)
火山性地震回数(Number of volcanic earthquakes)	51	6 (30)
火山性微動回数(Number of volcanic tremors)	1	1 (30)
微動継続時間(Duration of volcanic tremors) (min.)	1	1 (30)

Note: MEAB (N43'22.78' E143'58.65' H680m)



5



Maximum Plume Height

10 15

遠望観測(Visual Observation)	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	1 (abbr.)
噴煙の高さ(Height of plumes) (m)	100 (12)
噴煙の色(Color of plumes)	W

噴煙の色(Color of plumes)	W	
他の火山現象(Other volcanic phenomena)	-	
Note: Plumes were from the Ponmachineshiri Summit Crater(LocationT)		

the Nakamachineshiri Crater(U), the Akanuma Crater(M) and/or

Ponmachineshiri NW Fumaroles(N).

Note: Uncolored:Plume color was White(W).

Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other.

(3)大雪山

震動観測(Seismic Observation)	月計	最大(起日)
Observation Point: TIAE	total	max (date)
火山性地震回数(Number of volcanic earthquakes)	15	3 (29)
火山性微動回数(Number of volcanic tremors)	-	-
微動継続時間(Duration of volcanic tremors) (min.)	-	-

Note: TIAE (N43'39.66' E142'49.62' H1607m)

遠望観測(Visual Observation)

起日) (date)	10 /day _ Number of Vol
, ,	0]


100

400 -

400 200

0 +

1



300 _m_ _ _ _ Maximum Plume Height _ _ _ Uncolored

15

15

Maximum Plume Height

/day_Number of Volcanic Earthquakes at the point TOKH Total 30

20

20


25

25

30

10

Tokachidake: July,2011



噴煙の色(Color of plumes) 他の火山現象(Other volcanic phenomena)	

Note: Uncolored:Plume color was White(W).

Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other.

最大(起日) max (date)

ᄱᅩᄣᄃ

(4) 膀缶		
震動観測(Seismic Observation)	月計	最大(起日)
Observation Point: TOKH	total	max (date)
火山性地震回数(Number of volcanic earthquakes)	30	5 (4,7,19)
火山性微動回数(Number of volcanic tremors)	-	-
微動継続時間(Duration of volcanic tremors) (min.)	-	-

Note: TOKH (N43'25.96' E142'40.15' H1.355m)

遠望観測(Visual Observation)	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	1 (abbr.)
噴煙の高さ(Height of plumes) (m)	200 (21)
噴煙の色(Color of plumes)	W
他の火山現象(Other volcanic phenomena)	-

Note: Plumes were from the Taisho Crater(Location X),

200 1 5 10 15 20 25 30

10

the 62 crater Area(P,Q,Y), the Furikozawa Fumaroles (F) and/or the Kyufun Crater (Z).

Note: Uncolored:Plume color was White(W).

(5)楢前山

(o)1441 m		
震動観測(Seismic Observation)	月計	最大(起日)
Observation Point: TARC	total	max (date)
火山性地震回数(Number of volcanic earthquakes)	113	14 (1)
火山性微動回数(Number of volcanic tremors)	-	-
微動継続時間(Duration of volcanic tremors) (min.)	-	-
微動継続時間(Duration of volcanic tremors) (min.)	-	-

Note: TARC (N42 42.23 E141 22.64 H638m)


遠望観測(Visual Observation)	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	1 (abbr.)
噴煙の高さ(Height of plumes) (m)	200 (26)

「現在の同じ(Teight of plumes) (III)	200 (20)	
		Ī
噴煙の色(Color of plumes)	W	
他の少山理象(Other volcanic phenomena)	_	Ī

Note: Plumes were from the Summit Area(Location A, B and/or E).

Note: Uncolored:Plume color was White(W). Colored:Plume color was Light white(LW),

Grayish white(GW), Gray(G) and other.



10 /day_Number of Volcanic Earthquakes at the point KUJG _ Total 0

15 20

25

30

Uncolored

10

1 5 10 15 20

30 _/day_Number of Volcanic Earthquakes at the point TARC _ Total 113

Tarumaesan: July,2011

(6)倶多楽

震動観測(Seismic Observation)	月計	最大(起日)
Observation Point: KUJG	total	max (date)
火山性地震回数(Number of volcanic earthquakes)	٠	ı
火山性微動回数(Number of volcanic tremors)	-	-
微動継続時間(Duration of volcanic tremors) (min.)	-	-
N=+=-KLLLO (NI40'00 FOLE444'07 COLLIDO7==)		

Note:KUJG (N42'29.50' E141'07.68' H327m)

遠望観測(Visual Observation)	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	1 (abbr.)
噴煙の高さ(Height of plumes) (m)	40 (24)
<u> </u>	

・ 真座の同と(Height Of plumes) (III)	40 (24)
	*
噴煙の色(Color of plumes)	W
他の火山現象(Other volcanic phenomena)	-

Note: Plumes were from Hiyoriyama Fumarole(Location H)

Note: Uncolored:Plume color was White(W).

Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other.

(7)有珠山

震動観測(Seismic Observation)	月計	最大(起日)
Observation Point: USUA	total	max (date)
火山性地震回数(Number of volcanic earthquakes)	29	4 (23)
火山性微動回数(Number of volcanic tremors)	-	-
微動継続時間(Duration of volcanic tremors) (min.)	-	•

Note: USUA (N42'31.70' E140'50.17' H246m)

遠望観測(Visual Observation)	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	1 (abbr.)
噴煙の高さ(Height of plumes) (m)	50 (7,18)

噴煙の色(Color of plumes)	W
他の火山現象(Other volcanic phenomena)	-

Note: Plumes were from the Summit Area of Usuzan(Location P),

Mt.showa-shinazan(Z), Nishi-yama vent group(N)


and Konpira-yama vent group(K). Note: Uncolored:Plume color was White(W).


Colored:Plume color was Light white(LW),


Grayish white(GW), Gray(G) and other.


Usuzan: July,2011

Kuttara: July,2011











Note: Uncolored:Plume color was White(W).





Note: Uncolored:Plume color was White(W).

(21)日光白根山			Nikko-Shiranesan: July,2011	
震動観測(Seismic Observation)	月計	最大(起日)	10 /day Number of Volcanic Earthquakes at the point NSYG Total	8
Observation Point: NSYG	total	max (date)	10 /day Number of Voicanic Latinquakes at the point No.15 19th	
火山性地震回数(Number of volcanic earthquakes)	8	3 (4)	1 6 	
火山性微動回数(Number of volcanic tremors)	-	-	<u> </u>	
微動継続時間(Duration of volcanic tremors) (min.)	-	-		
Note: NSYG (N36'48.22' E139'24.46' H1,642m)			1 5 10 15 20 25 30	
遠望観測(Visual Observation)	最大(起	已日) max (date)	7	
噴煙量(Quantity of plumes) (JMA's scale)	-		m Maximum Plume Height □Uncolored	
噴煙の高さ(Height of plumes) (m)	-		400 +	
			_ 200	
噴煙の色(Color of plumes)	-		□ 	
他の火山現象(Other volcanic phenomena)	-	•		
Note: Plumes were from Summit Area of Nikko-Shir	ranesan(L	ocation A)	1 5 10 15 20 25 30	

Colored:Plume color was Light white(LW), Gr	ayısn wnı	te(GW), Gray(G) and	d other.
(22)草津白根山			Kusatsu-Shiranesan: July,2011
震動観測(Seismic Observation)	月計	最大(起日)	day Number of Volcanic Earthquakes at the point KSHA Total 36
Observation Point: KSHA	total	max (date)	10 T
火山性地震回数(Number of volcanic earthquakes)	36	5 (18,28,31)	
火山性微動回数(Number of volcanic tremors)	1	1 (18)	1 4 +
微動継続時間(Duration of volcanic tremors) (min.)	1	1 (18)	2 1
Note: KSHA (N36'38.88' E138'32.73' H1,933m)			1 5 10 15 20 25 30
			1 0 10 10 20 20 00
遠望観測(Visual Observation)	最大(走	显目) max (date)	Maximum Plume Height
噴煙量(Quantity of plumes) (JMA's scale)	1	(abbr.)	m 150 Uncolored
噴煙の高さ(Height of plumes) (m)	30	(2,3)	100 Colored
			1 77 4
噴煙の色(Color of plumes)	W		50 +
他の火山現象(Other volcanic phenomena)	-		
Note: Plumes were from the Yugama Crater and Fu	maroles a	t northern side	1 5 10 15 20 25 30
of Yugama Crater			

Note: Uncolored:Plume color was White(W).

Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other.

(23)浅間山

震動観測(Seismic Observation)	月計	最大(起日)
Observation Point: ASMB	total	max (date)
火山性地震回数(Number of volcanic earthquakes)	445	37 (7)
火山性微動回数(Number of volcanic tremors)	2	1 (26,30)
微動継続時間(Duration of volcanic tremors) (min.)	4	2 (30)

版到歷歌時間(Duration of Voicanic tremors) (IIIII.)	4 2 (30)
Note: ASMB (N36'23.37' E138'31.13' H1,864m)	•
遠望観測(Visual Observation)	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	2 (abbr.)
噴煙の高さ(Height of plumes) (m)	500 (11)
噴煙の色(Color of plumes)	W

他の火山現象(Other volcanic phenomena) Note: Plumes were from the Kamayama Crater(Location A). Note: Uncolored:Plume color was White(W).

Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other.


Asamayama: July,2011

5

10


15


20



25

30





(34)神津島 Kozushima: July,2011 震動観測(Seismic Observation) 月計 最大(起日) 10 /day Number of Volcanic Earthquakes at the point KOTJ Total 0 Observation Point: KOTJ total max (date) 火山性地震回数(Number of volcanic earthquakes 火山性微動回数(Number of volcanic tremors) 微動継続時間(Duration of volcanic tremors) (min. Note: KOTJ (N34'13.24' E139'08.91' H372m' 5 10 15 20 25 30 遠望観測(Visual Observation) 最大(起日) max (date) 噴煙量(Quantity of plumes) (JMA's scale) m Maximum Plume Height □Uncolored 噴煙の高さ(Height of plumes) (m) 400 200 噴煙の色(Color of plumes) 他の火山現象(Other volcanic phenomena) 10 15 20 25 30 Note: Plumes were from Summit Area of Tenjosan(Location A) Note: Uncolored:Plume color was White(W) Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other. (35)三宅島 Miyakejima: July,2011 震動観測(Seismic Observation) 月計 最大(起日) Number of Volcanic Earthquakes at the point MKJA Total 36 Observation Point: MKJA total max (date) 火山性地震回数(Number of volcanic earthquakes 36 4 (20) 火山性微動回数(Number of volcanic tremors) 2 0 微動継続時間(Duration of volcanic tremors) (min. Note: MKJA (N34 06.00' E139 31.92' H473m) 1 5 10 25 15 20 30 Maximum Plume Height ■ Colored 遠望観測(Visual Observation) 最大(起日) max (date) 200 噴煙量(Quantity of plumes) (JMA's scale) □Uncolored 2 (abbr.) 600 噴煙の高さ(Height of plumes) (m) 400 噴煙の色(Color of plumes) W 200 1, Д.,. 他の火山現象(Other volcanic phenomena) Note: Plumes were from the Summit Crater 5 10 15 25 30 20 Note: Uncolored:Plume color was White(W). Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other. (36)八丈島 Hachijojima: July,2011 震動観測(Seismic Observation) 月計 最大(起日) /day Number of Volcanic Earthquakes at the point HACHJ3 Total 0 Observation Point: HACHJ3 total max (date) 火山性地震回数(Number of volcanic earthquakes 8 火山性微動回数(Number of volcanic tremors) 4 微動継続時間(Duration of volcanic tremors) (min. Note: HACHJ3 (N33 06.3 E139 47.1 H?m) 30 遠望観測(Visual Observation) 最大(起日) max (date) 噴煙量(Quantity of plumes) (JMA's scale) m 400 噴煙の高さ(Height of plumes) (m) 200 噴煙の色(Color of plumes) 他の火山現象(Other volcanic phenomena) Note: Plumes were from Nishiyama Crater(Location A) 1 5 10 15 20 25 30 Note: Uncolored:Plume color was White(W). Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other. Aogashima: July,2011 震動観測(Seismic Observation) 月計 最大(紀日) /day Number of Volcanic Earthquakes at the point AOMT __Total 0 Observation Point: AOMT total max (date) 8 - 6 - 4 火山性地震回数(Number of volcanic earthquakes) 火山性微動回数(Number of volcanic tremors) 微動継続時間(Duration of volcanic tremors) (min Note: AOMT (N32 28.02 E139 45.64 H273m) 5 10 15 20 25 30 1 遠望観測(Visual Observation) 最大(起日) max (date) Maximum Plume Height 噴煙量(Quantity of plumes) (JMA's scale) □Uncolored 400

200

1 5

20

25

30

15

10

Note: Plumes were from Western flank of Maruyama(Location A)
Note: Uncolored:Plume color was White(W).

噴煙の高さ(Height of plumes) (m)

噴煙の色(Color of plumes)

他の火山現象(Other volcanic phenomena)

(38)硫黄島 loto: July,2011 最大(起日) max (date) 遠望観測(Visual Observation) Maximum Plume Height ■ Colored 噴煙量(Quantity of plumes) (JMA's scale) 1 (abbr.) □Uncolored 噴煙の高さ(Height of plumes) (m) 100 (30) 100 噴煙の色(Color of plumes) W 他の火山現象(Other volcanic phenomena) Note: Uncolored:Plume color was White(W). 5 10 15 20 25 Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and othe (39)鶴見岳·伽藍岳 Tsurumidake and Garandake: July,2011 震動観測(Seismic Observation) 月計 最大(紀日) 10 __/day Number of Volcanic Earthquakes at the point TGBP _Total 0 Observation Point: TGBP total max (date) 火山性地震回数(Number of volcanic earthquakes) 火山性微動回数(Number of volcanic tremors) 微動継続時間(Duration of volcanic tremors) (min. Note: TGBP (N33'19.53' E131'27.07' H460m) 10 15 20 25 30 1 遠望観測(Visual Observation) 最大(起日) max (date) 噴煙量(Quantity of plumes) (JMA's scale) m □Uncolored 噴煙の高さ(Height of plumes) (m) 400 200 噴煙の色(Color of plumes) 他の火山現象(Other volcanic phenomena) 10 20 5 15 25 30 1 Note: Plumes were from RegionA and/or RegionB. Note: Uncolored:Plume color was White(W). Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other. (40)九重山 Kujusan: July,2011 10 J/day_ Number of Volcanic Earthquakes at the point KJA2 _Total 12 震動観測(Seismic Observation) 最大(起日) Observation Point: KJA2 total max (date) 4 (15) 火山性地震回数(Number of volcanic earthquakes 12 火山性微動回数(Number of volcanic tremors) 微動継続時間(Duration of volcanic tremors) (min. ----- Note: KJA2 (N33'06.20' E131'13.78' H1.282m 1 5 10 15 20 30 遠望観測(Visual Observation) 最大(起日) max (date) Maximum Plume Height m Uncolored 噴煙量(Quantity of plumes) (JMA's scale) 1 (abbr.) 400 噴煙の高さ(Height of plumes) (m) 300 (10) 200 噴煙の色(Color of plumes) Д. 0 他の火山現象(Other volcanic phenomena) 5 10 15 20 25 30 Note: Plumes were from the east and/or north-east flank of Mt. Hossho (Location A,B,C or D). Note: Uncolored:Plume color was White(W). Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other. (41)阿蘇山 震動観測(Seismic Observation) 月計 最大(起日) /day Number of Volcanic Earthquakes at the point ASOA Total 28 Observation Point: ASOA total max (date) 火山性地震回数(Number of volcanic earthquakes) 28 4 (15) 8 孤立型火山性微動回数 2 (24) 9 6 (Number of isolated volcanic tre Note: ASOA (N32'53.10' E131'04.65' H1.163m' 10 15 20 25 /day Number of Isolated Volcanic Tremor at the point ASOA Total 9 8 遠望観測(Visual Observation) 最大(起日) max (date) 6 噴煙量(Quantity of plumes) (JMA's scale) 1 (abbr.) 噴煙の高さ(Height of plumes) (m) 400 (14,29) 0 1 5 10 15 20 噴煙の色(Color of plumes) 他の火山現象(Other volcanic phenomena) Maximum Plume Height Note: Plumes were from the Crater No.1 of Mt. Nakadake m □Uncolored Note: Uncolored:Plume color was White(W) Colored:Plume color was Light white(LW), Grayish white(GW), 600 Gray(G) and other. 400 現地観測(Field Observation) 最高(起日) max (date) 200 最低(起日) min (date) 0 火口内の湯だまりの表面温度 (Surface 57 (26)

5

5

1

Water

49 (5)

189 (13)

147 (26)

temperature on the water pool in the crater) (火口壁の表面温度 (Surface temperature

Observation Point:the Crater No.1 of Mt. Nakadake

on the crater wall) (

10

10

15

■ water pool

15

Temperature: water pool and crater wall of the crater No.1 of Mt. Nakadake

20

0 - 0

20

■ crater wall


25

25

30

30

Crater



(44)桜島

(· · / 1 × 1 = 0		
震動観測(Seismic Observation)	月計	最大(起日)
Observation Point: SKRB	total	max (date)
火山性地震回数(Number of volcanic earthquakes)	363	25 (5)
火山性微動回数(Number of volcanic tremors)	273	42 (5)
微動継続時間(Duration of volcanic tremors) (min)	1494	392 (5)

Note: SKRB (N31'35.62' E130'38.35' H455m)

遠望観測(Visual Observation)	月計	最大(起日)
	total	max (date)
爆発回数(Number of explosive eruptions)	48	6 (21)
隆灰量(Amount of ash fall) (g/m²)	28	18 (17)

A,B火口(A,B crater)	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	-
喧煙の高さ(Height of plumes) (m)	_

昭和火口(Showa crater)	最大(起日) max (date)	
噴煙量(Quantity of plumes) (JMA's scale)	3 (abbr.)	
噴煙の高さ(Height of plumes) (m)	2200 (25)	

噴煙の色(Color of plumes)	W,LW,GW
他の火山現象(Other volcanic phenomena)	GI,As,Bm,Af


Note: Plumes were from Mt. Minamidake A Crater(A), B Crater(B) and Showa Crater(S)


Note: Uncolored:Plume color was White(W).


Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other.


Visual observation of explosion is described on another sheet.














(45)薩摩硫苗島

震動観測(Seismic Observation)	月計	最大(起日)
Observation Point: STI1	total	max (date)
火山性地震回数(Number of volcanic earthquakes)	202	14 (25)
火山性微動回数(Number of volcanic tremors)	8	2 (16,23,31)
微動継続時間(Duration of volcanic tremors) (min.)	41	1 1 (16)

Note: STI1 (N30'47.26' E130'18.12' H380m)

遠望観測(Visual Observation)	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	1 (abbr.)
噴煙の高さ(Height of plumes) (m)	500 (28)


噴煙の色(Color of plumes)	W
他の少山現象(Other volcanic phenomena)	_


Note: Uncolored:Plume color was White(W)*.


Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other.

Gray(G) and other.
*Uncolored plumes mean only White(W) color since 1st April, 2010.

Satsuma-lojima: July,2011







(46)口永良部島

震動観測(Seismic Observation)	月計	最大(起日)
Observation Point: KER1	total	max (date)
火山性地震回数(Number of volcanic earthquakes)	46	33 (25)
火山性微動回数(Number of volcanic tremors)	16	10 (25)
微動継続時間(Duration of volcanic tremors) (min.)	16	11 (25)

Note: KER1 (N30'26.94' E130'12.86' H570m)


遠望観測(Visual Observation)	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	1 (abbr.)
暗煙の高さ(Height of plumes) (m)	400 (14 23 29)

噴煙の色(Color of plumes)	W
他の火山現象(Other volcanic phenomena)	-


Note: Uncolored:Plume color was White(W)*.

Colored:Plume color was Light white(LW), Grayish white(GW), Gray(G) and other.

*Uncolored plumes mean only White(W) color since 1st April, 2010.



/day Number of Volcanic Earthquakes at the point KER1 Total 46



(47)諏訪之瀬島

(47)啉奶~/积亩		
震動観測(Seismic Observation)	月計	最大(起日)
Observation Point: SWA1	total	max (date)
火山性地震回数(Number of volcanic earthquakes)	154	16 (14)
火山性微動回数(Number of volcanic tremors)	11	5 (22)
微動継続時間(Duration of volcanic tremors) (min.)	80	45 (22)

Note: SWA1 (N29'37.73' E129'42.27' H450m)

* Continuous volcanic tremors occurred intermittently in this month.

Number of volcanic tremors and duration are not including the continuous volcanic tremor.

遠望観測(Visual Observation)	月計	最大(起日)
	total	max (date)
爆発回数(Number of explosive eruptions)	-	-


	最大(起日) max (date)
噴煙量(Quantity of plumes) (JMA's scale)	1 (abbr.)
噴煙の高さ(Height of plumes) (m)	400 (29)

噴煙の色(Color of plumes)	W
他の火山現象(Other volcanic phenomena)	GI

Note: Uncolored:Plume color was White(W)*

Colored:Plume color was Light white(LW), Grayish white(GW),
Gray(G) and other.

*Uncolored plumes mean only White(W) color since 1st April, 2010.



Kuchierabujima: July,2011

40 + - - - - - - -

