

NEAR-GOOS Regional Real Time Data Base (RRTDB) Directory Structure

(1) Grid Point Value (GPV)

Grid Point Value (GPV) data are stored in the NEAR-GOOS RRTDB at <https://www.data.jma.go.jp/goos/data/pub/JMA-product/>.

For more information, refer to the Readme files at <https://www.data.jma.go.jp/goos/data/pub/JMA-product/>.

| Product | Details | Directory |
|--|--|-------------------------------|
| Sea Surface Temperatures (MGDSST) | Daily Sea Surface Temperatures in the Global Ocean | mgd_sst_glb_D/[year] |
| Sea Surface Temperatures (HIMSST) | Daily Sea Surface Temperatures in the Western North Pacific | him_sst_pac_D/[year] |
| | 10-day Mean Sea Surface Temperatures in the Western North Pacific | him_sst_pac_T/[year] |
| Sea Surface Temperatures (COBE-SST2) | Monthly Mean Sea Surface Temperatures in the Global Ocean | cobe2_sst_glb_M/[year] |
| Subsurface Temperatures and Surface Currents (NPR-4DVAR) | Daily Subsurface Temperatures in the Seas Adjacent to Japan | npr_subt_jpn_D/[year]/[month] |
| | 10-day mean Subsurface Temperatures in the Seas Adjacent to Japan | npr_subt_jpn_T/[year] |
| | Monthly mean Subsurface Temperatures in the Seas Adjacent to Japan | npr_subt_jpn_M/[year] |
| | Daily Surface Currents in the Seas Adjacent to Japan | npr_subc_jpn_D/[year]/[month] |
| | 10-day Mean Surface Currents in the Seas Adjacent to Japan | npr_subc_jpn_T/[year] |

| | | |
|--|--|---------------------------------------|
| Subsurface Temperatures and Surface Currents (MOVE/MRI.COM-WNP) | Daily Subsurface Temperatures in the Seas Adjacent to Japan | <i>move_subt_jpn_D/[year]/[month]</i> |
| | 10-day mean Subsurface Temperatures in the Seas Adjacent to Japan | <i>move_subt_jpn_T/[year]</i> |
| | Monthly mean Subsurface Temperatures in the Seas Adjacent to Japan | <i>move_subt_jpn_M/[year]</i> |
| | Daily Surface Currents in the Seas Adjacent to Japan | <i>move_subc_jpn_D/[year]/[month]</i> |
| | 10-day Mean Surface Currents in the Seas Adjacent to Japan | <i>move_subc_jpn_T/[year]</i> |
| Sea Surface Height Anomalies (Objective Analysis) | Monthly Mean Sea Surface Height Anomalies in the Pacific | <i>alt_ssh_pac_M/[year]</i> |
| Sea Ice | Sea Ice Concentration | <i>man_ice_okh_D/[year]</i> |

Image

Imagery data are stored in the NEAR-GOOS RRTDB at <https://www.data.jma.go.jp/goos/data/pub/JMA-product/IMAGE/>.

For information on image clicking and selection, refer to the JMA Product page at <https://www.data.jma.go.jp/goos/data/rtrtdb/jma-pro.html>.

| Product | Details | Directory |
|--|--|--------------------------------------|
| Sea Surface Temperatures (MGDSST) | Daily Sea Surface Temperatures in the Global Ocean | <i>mgd_sst_glb_D/[year]</i> |
| Sea Surface Temperatures (HIMSST) | Daily Sea Surface Temperatures in the Western North Pacific | <i>him_sst_pac_D/[year]</i> |
| | 10-day Mean Sea Surface Temperatures in the Western North Pacific | <i>him_sst_pac_T/[year]</i> |
| Sea Surface Temperatures (COBE-SST2) | Monthly Mean Sea Surface Temperatures in the Global Ocean | <i>cobe2_sst_glb_M/[year]</i> |
| Subsurface Temperatures and Surface Currents (NPR-4DVAR) | Daily Subsurface Temperatures in the Seas Adjacent to Japan | <i>npr_subt_jpn_D/[year]/[month]</i> |
| | 10-day mean Subsurface Temperatures in the Seas Adjacent to Japan | <i>npr_subt_jpn_T/[year]</i> |
| | Monthly Mean Subsurface Temperatures in the Seas Adjacent to Japan | <i>npr_subt_jpn_M/[year]</i> |
| | Daily Surface Currents in the Seas Adjacent to Japan | <i>npr_subc_jpn_D/[year]/[month]</i> |
| | 10-day Mean Surface Currents in the Seas Adjacent to Japan | <i>npr_subc_jpn_T/[year]</i> |

| | | |
|--|--|---------------------------------------|
| Subsurface Temperatures and Surface Currents (MOVE/MRI.COM-WNP) | Daily Subsurface Temperatures in the Seas Adjacent to Japan | <i>move_subt_jpn_D/[year]/[month]</i> |
| | 10-day mean Subsurface Temperatures in the Seas Adjacent to Japan | <i>move_subt_jpn_T/[year]</i> |
| | Monthly Mean Subsurface Temperatures in the Seas Adjacent to Japan | <i>move_subt_jpn_M/[year]</i> |
| | Daily Surface Currents in the Seas Adjacent to Japan | <i>move_subc_jpn_D/[year]/[month]</i> |
| | 10-day Mean Surface Currents in the Seas Adjacent to Japan | <i>move_subc_jpn_T/[year]</i> |
| Sea Surface Height Anomalies (Objective Analysis) | Monthly mean Sea Surface Height Anomalies in the Pacific | <i>alt_ssh_pac_M/[year]</i> |
| Sea Ice | Sea Ice Concentration | <i>man_ice_okh_D/[year]</i> |

(2) In-situ data

Data are stored in the NEAR-GOOS RRTDB at <https://www.data.jma.go.jp/goos/data/pub/>.

For more information, refer to the in-situ data page at <https://www.data.jma.go.jp/goos/data/rrtdb/in-situ.html>.

| Product | Details | Directory |
|-------------|---|----------------|
| GTS Reports | FM13 SHIP Reports of Surface Observation from a Sea Station for NEAR-GOOS Region Only | ship |
| | FM13 SHIP Reports of Surface Observation from a Sea Station for Global Region | GLOBAL/ship |
| | FM18 BUOY Reports of a Buoy Observation for NEAR-GOOS Region Only | buoy |
| | FM18 BUOY Reports of a Buoy Observation for Global Region | GLOBAL/buoy |
| | FM62 TRACKOB Reports of Marine Surface Observation along a Ship's Track for NEAR-GOOS Region Only | trackob |
| | FM62 TRACKOB Reports of Marine Surface Observation along a Ship's Track for Global Region | GLOBAL/trackob |
| | FM63 BATHY Reports of Bathothermal Observation for NEAR-GOOS Region Only | bathy |
| | FM63 BATHY Reports of Bathothermal Observation for Global Region | GLOBAL/bathy |
| | FM64 TESAC Temperature, Salinity and Current Reports from a Sea Station for NEAR-GOOS Region Only | tesac |
| | FM64 TESAC Temperature, Salinity and Current Reports from a Sea Station for Global Region | GLOBAL/tesac |

| | | |
|--------------|--|--------------------|
| Decoded Data | Temperatures for NEAR-GOOS Region Only | subst |
| | Temperature and Salinity for NEAR-GOOS Region Only | Decode/TS |
| | Temperature and Salinity for NEAR-GOOS Region and Global Region | GLOBAL/Decode/TS |
| | Wind (format version 1.00) for NEAR-GOOS Region only | wind |
| | Wind for NEAR-GOOS Region only (format version 2.00) | Decode/Wind |
| | Wind for NEAR-GOOS Region and Global Region | GLOBAL/Decode/Wind |
| GTSP | GTSP Quality Controlled Subsurface Temperature and Salinity Data | GTSP |

Note: Data are stored on the NEAR-GOOS RRTDB for 30 days before being transferred to the NEAR-GOOS Regional Delayed Mode Data Base (RDMDDB) at <https://near-goos1.jodc.go.jp/>.