

令和5年10月 北海道地方		[5時発表予報]						[17時発表予報]								
		降水の有無						降水の有無								
		今日			明日			今夜			明日			明後日		
		修正前	修正後	差分	修正前	修正後	差分	修正前	修正後	差分	修正前	修正後	差分	修正前	修正後	差分
		(5～24時)			(0～24時)			(17～24時)			(0～24時)			(0～24時)		
稚内 宗谷地方	降水の有無の適中率	85	85	±0	85	86	+1	83	83	±0	85	86	+1	83	83	±0
	捕捉率	91	91	±0	86	86	±0	70	70	±0	90	90	±0	84	84	±0
	一致率	75	75	±0	81	82	+1	61	61	±0	79	80	+1	78	79	+1
	A	34	34	±0	37	37	±0	16	16	±0	38	39	+1	35	36	+1
	B（見逃し率）	3	3	±0	6	6	±0	7	7	±0	4	4	±0	7	7	±0
	C（空振り率）	11	11	±0	9	8	-1	10	10	±0	10	10	±0	10	10	±0
	D	51	51	±0	49	49	±0	68	68	±0	47	47	±0	48	48	±0
	「降水あり」予報の適中率	75	75	±0	81	82	+1	61	61	±0	79	80	+1	78	79	+1
	「降水なし」予報の適中率	94	94	±0	89	89	±0	91	91	±0	92	92	±0	87	87	±0
旭川 上川地方	降水の有無の適中率	90	90	±0	93	93	±0	87	87	±0	91	91	±0	91	91	±0
	捕捉率	85	85	±0	91	91	±0	86	86	±0	85	85	±0	87	87	±0
	一致率	91	91	±0	94	94	±0	70	70	±0	95	95	±0	94	94	±0
	A	35	35	±0	43	43	±0	23	23	±0	40	40	±0	39	39	±0
	B（見逃し率）	6	6	±0	4	4	±0	4	4	±0	7	7	±0	6	6	±0
	C（空振り率）	3	3	±0	3	3	±0	10	10	±0	2	2	±0	3	3	±0
	D	55	55	±0	50	50	±0	64	64	±0	51	51	±0	52	52	±0
	「降水あり」予報の適中率	91	91	±0	94	94	±0	70	70	±0	95	95	±0	94	94	±0
	「降水なし」予報の適中率	89	89	±0	92	92	±0	95	95	±0	88	88	±0	90	90	±0
留萌 留萌地方	降水の有無の適中率	95	95	±0	93	93	±0	90	90	±0	96	96	±0	87	87	±0
	捕捉率	96	96	±0	98	98	±0	92	92	±0	94	94	±0	83	83	±0
	一致率	92	92	±0	86	86	±0	73	73	±0	96	96	±0	84	84	±0
	A	36	36	±0	39	39	±0	21	21	±0	37	37	±0	33	33	±0
	B（見逃し率）	1	1	±0	1	1	±0	2	2	±0	2	2	±0	6	6	±0
	C（空振り率）	3	3	±0	6	6	±0	8	8	±0	2	2	±0	6	6	±0
	D	60	60	±0	54	54	±0	69	69	±0	59	59	±0	55	55	±0
	「降水あり」予報の適中率	92	92	±0	86	86	±0	73	73	±0	96	96	±0	84	84	±0
	「降水なし」予報の適中率	98	98	±0	99	99	±0	97	97	±0	96	96	±0	89	89	±0
札幌 石狩地方	降水の有無の適中率	90	90	±0	88	88	±0	87	87	±0	88	88	±0	87	87	±0
	捕捉率	98	98	±0	96	96	±0	68	68	±0	96	96	±0	86	86	±0
	一致率	78	78	±0	78	78	±0	58	58	±0	78	78	±0	79	79	±0
	A	33	33	±0	35	35	±0	11	11	±0	35	35	±0	31	31	±0
	B（見逃し率）	1	1	±0	2	2	±0	5	5	±0	2	2	±0	5	5	±0
	C（空振り率）	9	9	±0	10	10	±0	8	8	±0	10	10	±0	8	8	±0
	D	58	58	±0	53	53	±0	75	75	±0	53	53	±0	56	56	±0
	「降水あり」予報の適中率	78	78	±0	78	78	±0	58	58	±0	78	78	±0	79	79	±0
	「降水なし」予報の適中率	99	99	±0	97	97	±0	93	93	±0	97	97	±0	92	92	±0
岩見沢 空知地方	降水の有無の適中率	97	97	±0	89	89	±0	94	94	±0	92	92	±0	88	88	±0
	捕捉率	97	97	±0	90	90	±0	85	85	±0	90	90	±0	85	85	±0
	一致率	96	96	±0	86	86	±0	91	91	±0	92	92	±0	86	86	±0
	A	37	37	±0	39	39	±0	21	21	±0	39	39	±0	36	36	±0
	B（見逃し率）	1	1	±0	4	4	±0	4	4	±0	4	4	±0	6	6	±0
	C（空振り率）	2	2	±0	6	6	±0	2	2	±0	3	3	±0	6	6	±0
	D	60	60	±0	51	51	±0	74	74	±0	54	54	±0	52	52	±0
	「降水あり」予報の適中率	96	96	±0	86	86	±0	91	91	±0	92	92	±0	86	86	±0
	「降水なし」予報の適中率	98	98	±0	92	92	±0	95	95	±0	92	92	±0	89	89	±0
倶知安 後志地方	降水の有無の適中率	94	94	±0	94	94	±0	96	96	±0	94	94	±0	91	91	±0
	捕捉率	96	96	±0	91	91	±0	94	94	±0	91	91	±0	81	81	±0
	一致率	88	88	±0	94	94	±0	89	89	±0	94	94	±0	97	97	±0
	A	37	37	±0	40	40	±0	23	23	±0	40	40	±0	34	34	±0
	B（見逃し率）	2	2	±0	4	4	±0	2	2	±0	4	4	±0	8	8	±0
	C（空振り率）	5	5	±0	2	2	±0	3	3	±0	2	2	±0	1	1	±0
	D	57	57	±0	54	54	±0	73	73	±0	54	54	±0	56	56	±0
	「降水あり」予報の適中率	88	88	±0	94	94	±0	89	89	±0	94	94	±0	97	97	±0
	「降水なし」予報の適中率	97	97	±0	93	93	±0	98	98	±0	93	93	±0	87	87	±0
網走 網走地方	降水の有無の適中率	85	85	±0	85	85	±0	89	88	-1	87	87	±0	82	82	±0
	捕捉率	70	70	±0	77	77	±0	88	86	-2	83	83	±0	70	70	±0
	一致率	76	76	±0	79	79	±0	58	58	±0	78	78	±0	78	78	±0
	A	20	20	±0	26	26	±0	13	13	±0	28	28	±0	25	25	±0
	B（見逃し率）	9	9	±0	8	8	±0	2	2	±0	6	6	±0	11	11	±0
	C（空振り率）	6	6	±0	7	7	±0	9	9	±0	8	8	±0	7	7	±0
	D	66	66	±0	60	60	±0	76	75	-1	59	59	±0	57	57	±0
	「降水あり」予報の適中率	76	76	±0	79	79	±0	58	58	±0	78	78	±0	78	78	±0
	「降水なし」予報の適中率	88	88	±0	88	88	±0	98	97	-1	91	91	±0	84	84	±0

北 見 北見地方	降水の有無の適中率	88	88	±0	88	88	±0	90	90	±0	92	92	±0	82	82	±0
	捕捉率	84	84	±0	83	83	±0	95	95	±0	90	90	±0	75	75	±0
	一致率	68	68	±0	76	76	±0	60	60	±0	82	82	±0	66	66	±0
	A	17	17	±0	22	22	±0	14	14	±0	24	24	±0	21	21	±0
	B（見逃し率）	3	3	±0	5	5	±0	1	1	±0	3	3	±0	7	7	±0
	C（空振り率）	8	8	±0	7	7	±0	9	9	±0	5	5	±0	11	11	±0
	D	71	71	±0	67	67	±0	77	77	±0	68	68	±0	61	61	±0
	「降水あり」予報の適中率	68	68	±0	76	76	±0	60	60	±0	82	82	±0	66	66	±0
	「降水なし」予報の適中率	96	96	±0	94	94	±0	99	99	±0	96	96	±0	90	90	±0
紋 別 紋別地方	降水の有無の適中率	76	76	±0	75	75	±0	80	80	±0	75	75	±0	83	83	±0
	捕捉率	65	65	±0	61	60	-1	75	75	±0	65	65	±0	71	71	±0
	一致率	57	57	±0	67	67	±0	44	44	±0	65	65	±0	79	79	±0
	A	18	18	±0	22	22	±0	13	13	±0	23	23	±0	26	26	±0
	B（見逃し率）	10	10	±0	14	14	±0	4	4	±0	12	13	+1	10	10	±0
	C（空振り率）	14	14	±0	11	11	±0	16	16	±0	12	12	±0	7	7	±0
	D	58	58	±0	54	54	±0	67	67	±0	52	52	±0	58	57	-1
	「降水あり」予報の適中率	57	57	±0	67	67	±0	44	44	±0	65	65	±0	79	79	±0
	「降水なし」予報の適中率	86	85	-1	79	79	±0	94	94	±0	81	80	-1	85	85	±0
根 室 根室地方	降水の有無の適中率	80	80	±0	82	82	±0	92	92	±0	81	81	±0	85	85	±0
	捕捉率	56	56	±0	59	59	±0	43	43	±0	51	51	±0	63	63	±0
	一致率	64	64	±0	67	67	±0	85]	85]	±0	67	67	±0	77	77	±0
	A	15	15	±0	15	15	±0	6	6	±0	13	13	±0	17	17	±0
	B（見逃し率）	12	12	±0	10	10	±0	7	7	±0	13	13	±0	10	10	±0
	C（空振り率）	8	8	±0	7	7	±0	1	1	±0	6	6	±0	5	5	±0
	D	66	66	±0	67	67	±0	86	86	±0	68	68	±0	67	67	±0
	「降水あり」予報の適中率	64	64	±0	67	67	±0	85]	85]	±0	67	67	±0	77	77	±0
	「降水なし」予報の適中率	85	85	±0	87	87	±0	92	92	±0	84	84	±0	87	87	±0
釧 路 釧路地方	降水の有無の適中率	87	87	±0	85	85	±0	95	95	±0	85	85	±0	87	87	±0
	捕捉率	75	75	±0	68	68	±0	76	76	±0	60	60	±0	70	70	±0
	一致率	64	64	±0	65	65	±0	77]	77]	±0	67	67	±0	72	72	±0
	A	15	15	±0	15	15	±0	8	8	±0	13	13	±0	16	16	±0
	B（見逃し率）	5	5	±0	7	7	±0	2	2	±0	9	9	±0	7	7	±0
	C（空振り率）	8	8	±0	8	8	±0	2	2	±0	6	6	±0	6	6	±0
	D	73	73	±0	71	71	±0	88	88	±0	72	72	±0	71	71	±0
	「降水あり」予報の適中率	64	64	±0	65	65	±0	77]	77]	±0	67	67	±0	72	72	±0
	「降水なし」予報の適中率	94	94	±0	91	91	±0	97	97	±0	89	89	±0	91	91	±0
帯 広 十勝地方	降水の有無の適中率	87	86	-1	86	85	-1	92	92	±0	87	86	-1	86	85	-1
	捕捉率	72	70	-2	65	64	-1	91	91	±0	67	66	-1	65	64	-1
	一致率	68	68	±0	78	78	±0	58	58	±0	80	80	±0	79	79	±0
	A	15	15	±0	18	18	±0	9	9	±0	18	18	±0	18	18	±0
	B（見逃し率）	6	7	+1	9	10	+1	1	1	±0	9	9	±0	10	10	±0
	C（空振り率）	7	7	±0	5	5	±0	7	7	±0	5	5	±0	5	5	±0
	D	71	71	±0	68	68	±0	83	83	±0	69	68	-1	68	67	-1
	「降水あり」予報の適中率	68	68	±0	78	78	±0	58	58	±0	80	80	±0	79	79	±0
	「降水なし」予報の適中率	92	92	±0	88	87	-1	99	99	±0	89	88	-1	88	87	-1
室 蘭 胆振地方	降水の有無の適中率	85	85	±0	77	77	±0	88	88	±0	81	81	±0	83	83	±0
	捕捉率	75	75	±0	50	50	±0	65	65	±0	64	64	±0	64	64	±0
	一致率	72	72	±0	76	76	±0	57	57	±0	75	75	±0	80	80	±0
	A	21	21	±0	17	17	±0	9	9	±0	22	22	±0	21	21	±0
	B（見逃し率）	7	7	±0	17	17	±0	5	5	±0	12	12	±0	12	12	±0
	C（空振り率）	8	8	±0	6	6	±0	7	7	±0	7	7	±0	5	5	±0
	D	64	64	±0	60	60	±0	79	79	±0	59	59	±0	63	63	±0
	「降水あり」予報の適中率	72	72	±0	76	76	±0	57	57	±0	75	75	±0	80	80	±0
	「降水なし」予報の適中率	90	90	±0	78	78	±0	94	94	±0	83	83	±0	84	84	±0
浦 河 日高地方	降水の有無の適中率	84	84	±0	80	80	±0	88	88	±0	81	81	±0	80	80	±0
	捕捉率	75	75	±0	58	58	±0	71	71	±0	62	62	±0	61	61	±0
	一致率	78	78	±0	90	90	±0	67	67	±0	86	86	±0	85	85	±0
	A	25	25	±0	23	23	±0	13	13	±0	25	25	±0	25	25	±0
	B（見逃し率）	8	8	±0	17	17	±0	5	5	±0	15	15	±0	16	16	±0
	C（空振り率）	7	7	±0	2	2	±0	6	6	±0	4	4	±0	4	4	±0
	D	59	59	±0	57	57	±0	75	75	±0	56	56	±0	55	55	±0
	「降水あり」予報の適中率	78	78	±0	90	90	±0	67	67	±0	86	86	±0	85	85	±0
	「降水なし」予報の適中率	88	88	±0	77	77	±0	94	94	±0	78	78	±0	78	78	±0
西 館	降水の有無の適中率	86	86	±0	82	82	±0	82	82	±0	82	82	±0	82	82	±0
	捕捉率	69	69	±0	69	69	±0	55	55	±0	69	69	±0	74	74	±0
	一致率	84	84	±0	79	79	±0	44	44	±0	80	80	±0	75	75	±0
	A	22	22	±0	26	26	±0	8	8	±0	26	26	±0	27	27	±0
	B（見逃し率）	10	10	±0	12	12	±0	7	7	±0	11	11	±0	9	9	±0

渡島地方	C（空振り率）	4	4	±0	7	7	±0	11	11	±0	6	6	±0	9	9	±0
	D	65	65	±0	56	56	±0	74	74	±0	56	56	±0	55	55	±0
	「降水あり」予報の適中率	84	84	±0	79	79	±0	44	44	±0	80	80	±0	75	75	±0
	「降水なし」予報の適中率	87	87	±0	83	83	±0	91	91	±0	83	83	±0	85	85	±0
江 差 檜山地方	降水の有無の適中率	89	90	+1	86	86	±0	84	84	±0	91	92	+1	83	83	±0
	捕捉率	86	86	±0	76	76	±0	51	51	±0	84	83	-1	79	79	±0
	一致率	80	83	+3	82	84	+2	54	54	±0	90	93	+3	71	73	+2
	A	26	27	+1	27	27	±0	9	9	±0	29	30	+1	25	26	+1
	B（見逃し率）	4	5	+1	8	9	+1	8	8	±0	6	6	±0	7	7	±0
	C（空振り率）	6	6	±0	6	5	-1	7	7	±0	3	2	-1	10	9	-1
	D	63	63	±0	60	59	-1	76	75	-1	62	62	±0	58	57	-1
	「降水あり」予報の適中率	80	83	+3	82	84	+2	54	54	±0	90	93	+3	71	73	+2
	「降水なし」予報の適中率	94	93	-1	88	87	-1	90	90	±0	92	91	-1	89	89	±0