

令和5年 4月 関東甲信地方		[5時発表予報]						[17時発表予報]								
		降水の有無						降水の有無								
		今日			明日			今夜			明日			明後日		
		修正前	修正後	差分	修正前	修正後	差分	修正前	修正後	差分	修正前	修正後	差分	修正前	修正後	差分
		(5～24時)			(0～24時)			(17～24時)			(0～24時)			(0～24時)		
水戸 茨城県北 部	降水の有無の適中率	98	98	±0	97	97	±0	90	90	±0	97	97	±0	93	93	±0
	捕捉率	95	95	±0	90	90	±0	87	87	±0	90	90	±0	90	90	±0
	一致率	99	99	±0	99	99	±0	61	61	±0	99	99	±0	88	88	±0
	A	23	23	±0	26	26	±0	12	12	±0	26	26	±0	26	26	±0
	B（見逃し率）	1	1	±0	3	3	±0	2	2	±0	3	3	±0	3	3	±0
	C（空振り率）	0	0	±0	0	0	±0	8	8	±0	0	0	±0	4	4	±0
	D	76	76	±0	70	70	±0	78	78	±0	70	70	±0	67	67	±0
	「降水あり」予報の適中率	99	99	±0	99	99	±0	61	61	±0	99	99	±0	88	88	±0
	「降水なし」予報の適中率	98	98	±0	96	96	±0	98	98	±0	96	96	±0	96	96	±0
土浦 茨城県南 部	降水の有無の適中率	93	93	±0	94	94	±0	86	86	±0	94	94	±0	93	93	±0
	捕捉率	80	80	±0	89	89	±0	72	72	±0	89	89	±0	95	95	±0
	一致率	88	88	±0	89	89	±0	50	50	±0	89	89	±0	82	82	±0
	A	18	18	±0	24	24	±0	10	10	±0	24	24	±0	25	25	±0
	B（見逃し率）	4	4	±0	3	3	±0	4	4	±0	3	3	±0	1	1	±0
	C（空振り率）	3	3	±0	3	3	±0	10	10	±0	3	3	±0	5	5	±0
	D	76	76	±0	71	71	±0	76	76	±0	71	71	±0	69	69	±0
	「降水あり」予報の適中率	88	88	±0	89	89	±0	50	50	±0	89	89	±0	82	82	±0
	「降水なし」予報の適中率	94	94	±0	96	96	±0	95	95	±0	96	96	±0	98	98	±0
宇都宮 栃木県南 部	降水の有無の適中率	95	95	±0	94	94	±0	97	97	±0	94	94	±0	90	90	±0
	捕捉率	95	95	±0	88	88	±0	92	92	±0	88	88	±0	88	88	±0
	一致率	84	84	±0	89	89	±0	83]	83]	±0	89	89	±0	79	79	±0
	A	20	20	±0	24	24	±0	11	11	±0	24	24	±0	24	24	±0
	B（見逃し率）	1	1	±0	3	3	±0	1	1	±0	3	3	±0	3	3	±0
	C（空振り率）	4	4	±0	3	3	±0	2	2	±0	3	3	±0	6	6	±0
	D	76	76	±0	70	70	±0	86	86	±0	70	70	±0	67	67	±0
	「降水あり」予報の適中率	84	84	±0	89	89	±0	83]	83]	±0	89	89	±0	79	79	±0
	「降水なし」予報の適中率	99	99	±0	95	95	±0	99	99	±0	95	95	±0	95	95	±0
大田原 栃木県北 部	降水の有無の適中率	92	92	±0	88	88	±0	93	93	±0	88	88	±0	88	88	±0
	捕捉率	86	86	±0	83	83	±0	83	83	±0	77	77	±0	83	83	±0
	一致率	77	77	±0	74	74	±0	63]	63]	±0	77	77	±0	74	74	±0
	A	18	18	±0	22	22	±0	8	8	±0	20	20	±0	22	22	±0
	B（見逃し率）	3	3	±0	5	5	±0	2	2	±0	6	6	±0	5	5	±0
	C（空振り率）	5	5	±0	8	8	±0	5	5	±0	6	6	±0	8	8	±0
	D	74	74	±0	65	65	±0	85	85	±0	67	67	±0	65	65	±0
	「降水あり」予報の適中率	77	77	±0	74	74	±0	63]	63]	±0	77	77	±0	74	74	±0
	「降水なし」予報の適中率	96	96	±0	93	93	±0	98	98	±0	91	91	±0	93	93	±0
前橋 群馬県南 部	降水の有無の適中率	97	97	±0	89	89	±0	94	94	±0	92	92	±0	87	87	±0
	捕捉率	95	95	±0	79	79	±0	67	67	±0	79	79	±0	82	82	±0
	一致率	88	88	±0	70	70	±0	73]	73]	±0	82	82	±0	64	64	±0
	A	18	18	±0	16	16	±0	7	7	±0	16	16	±0	17	17	±0
	B（見逃し率）	1	1	±0	4	4	±0	4	4	±0	4	4	±0	4	4	±0
	C（空振り率）	2	2	±0	7	7	±0	3	3	±0	4	4	±0	10	10	±0
	D	79	79	±0	72	72	±0	86	86	±0	76	76	±0	70	70	±0
	「降水あり」予報の適中率	88	88	±0	70	70	±0	73]	73]	±0	82	82	±0	64	64	±0
	「降水なし」予報の適中率	99	99	±0	94	94	±0	96	96	±0	95	95	±0	95	95	±0
みなかみ 群馬県北 部	降水の有無の適中率	95	93	-2	87	84	-3	99	98	-1	90	88	-2	82	80	-2
	捕捉率	85	78	-7	67	62	-5	96	90	-6	78	72	-6	69	64	-5
	一致率	96	96	±0	86	86	±0	96]	96]	±0	88	88	±0	71	71	±0
	A	22	22	±0	20	20	±0	13	13	±0	23	23	±0	21	21	±0
	B（見逃し率）	4	6	+2	10	12	+2	0	1	+1	7	9	+2	10	12	+2
	C（空振り率）	1	1	±0	3	3	±0	0	0	±0	3	3	±0	9	9	±0
	D	73	71	-2	67	64	-3	86	85	-1	67	64	-3	61	58	-3
	「降水あり」予報の適中率	96	96	±0	86	86	±0	96]	96]	±0	88	88	±0	71	71	±0
	「降水なし」予報の適中率	95	92	-3	87	84	-3	99	98	-1	91	88	-3	86	83	-3
さいたま 埼玉県南 部	降水の有無の適中率	88	88	±0	90	90	±0	83	83	±0	87	87	±0	90	90	±0
	捕捉率	88	88	±0	100	100	±0	80	80	±0	80	80	±0	100	100	±0
	一致率	54	54	±0	63	63	±0	17	17	±0	57	57	±0	63	63	±0
	A	13	13	±0	17	17	±0	3	3	±0	13	13	±0	17	17	±0
	B（見逃し率）	2	2	±0	0	0	±0	1	1	±0	3	3	±0	0	0	±0
	C（空振り率）	11	11	±0	10	10	±0	17	17	±0	10	10	±0	10	10	±0
	D	75	75	±0	73	73	±0	79	79	±0	73	73	±0	73	73	±0
	「降水あり」予報の適中率	54	54	±0	63	63	±0	17	17	±0	57	57	±0	63	63	±0
	「降水なし」予報の適中率	98	98	±0	100	100	±0	99	99	±0	96	96	±0	100	100	±0

熊 谷 埼玉県北 部	降水の有無の適中率	82	82	±0	88	88	±0	87	87	±0	84	84	±0	88	88	±0
	捕捉率	83	83	±0	96	96	±0	100	100	±0	75	75	±0	96	96	±0
	一致率	42	42	±0	56	56	±0	23	23	±0	50	50	±0	56	56	±0
	A	11	11	±0	15	15	±0	4	4	±0	12	12	±0	15	15	±0
	B（見逃し率）	2	2	±0	1	1	±0	0	0	±0	4	4	±0	1	1	±0
	C（空振り率）	16	16	±0	12	12	±0	13	13	±0	12	12	±0	12	12	±0
	D	71	71	±0	73	73	±0	83	83	±0	73	73	±0	73	73	±0
	「降水あり」予報の適中率	42	42	±0	56	56	±0	23	23	±0	50	50	±0	56	56	±0
	「降水なし」予報の適中率	97	97	±0	99	99	±0	100	100	±0	95	95	±0	99	99	±0
秩 父 埼玉県秩 父地方	降水の有無の適中率	91	91	±0	88	88	±0	92	92	±0	92	92	±0	88	88	±0
	捕捉率	100	100	±0	95	95	±0	100	100	±0	95	95	±0	95	95	±0
	一致率	61	61	±0	59	59	±0	38]	38]	±0	68	68	±0	59	59	±0
	A	14	14	±0	16	16	±0	5	5	±0	16	16	±0	16	16	±0
	B（見逃し率）	0	0	±0	1	1	±0	0	0	±0	1	1	±0	1	1	±0
	C（空振り率）	9	9	±0	11	11	±0	8	8	±0	8	8	±0	11	11	±0
	D	77	77	±0	73	73	±0	87	87	±0	76	76	±0	73	73	±0
	「降水あり」予報の適中率	61	61	±0	59	59	±0	38]	38]	±0	68	68	±0	59	59	±0
	「降水なし」予報の適中率	100	100	±0	99	99	±0	100	100	±0	99	99	±0	99	99	±0
東 京 東京都東 京地方	降水の有無の適中率	88	88	±0	91	91	±0	83	83	±0	88	88	±0	92	92	±0
	捕捉率	80	80	±0	83	83	±0	82	82	±0	68	68	±0	87	87	±0
	一致率	63	63	±0	79	79	±0	33	33	±0	75	75	±0	79	79	±0
	A	15	15	±0	18	18	±0	8	8	±0	15	15	±0	18	18	±0
	B（見逃し率）	4	4	±0	4	4	±0	2	2	±0	7	7	±0	3	3	±0
	C（空振り率）	9	9	±0	5	5	±0	16	16	±0	5	5	±0	5	5	±0
	D	73	73	±0	73	73	±0	75	75	±0	73	73	±0	74	74	±0
	「降水あり」予報の適中率	63	63	±0	79	79	±0	33	33	±0	75	75	±0	79	79	±0
	「降水なし」予報の適中率	95	95	±0	95	95	±0	98	98	±0	91	91	±0	97	97	±0
大 島 東京都伊 豆諸島北 部	降水の有無の適中率	91	91	±0	90	90	±0	85	85	±0	90	90	±0	90	90	±0
	捕捉率	84	84	±0	75	75	±0	77	77	±0	75	75	±0	86	86	±0
	一致率	77	77	±0	86	86	±0	33	33	±0	86	86	±0	75	75	±0
	A	18	18	±0	20	20	±0	7	7	±0	20	20	±0	20	20	±0
	B（見逃し率）	3	3	±0	7	7	±0	2	2	±0	7	7	±0	3	3	±0
	C（空振り率）	5	5	±0	3	3	±0	13	13	±0	3	3	±0	7	7	±0
	D	73	73	±0	70	70	±0	78	78	±0	70	70	±0	70	70	±0
	「降水あり」予報の適中率	77	77	±0	86	86	±0	33	33	±0	86	86	±0	75	75	±0
	「降水なし」予報の適中率	96	96	±0	91	91	±0	98	98	±0	91	91	±0	95	95	±0
八丈島 東京都伊 豆諸島南 部	降水の有無の適中率	80	80	±0	85	85	±0	87	87	±0	85	85	±0	86	86	±0
	捕捉率	73	73	±0	78	78	±0	69	69	±0	74	74	±0	71	71	±0
	一致率	64	64	±0	82	82	±0	60	60	±0	86	86	±0	89	89	±0
	A	21	21	±0	30	30	±0	12	12	±0	29	29	±0	27	27	±0
	B（見逃し率）	8	8	±0	9	9	±0	5	5	±0	10	10	±0	11	11	±0
	C（空振り率）	12	12	±0	7	7	±0	8	8	±0	5	5	±0	3	3	±0
	D	59	59	±0	55	55	±0	75	75	±0	57	57	±0	59	59	±0
	「降水あり」予報の適中率	64	64	±0	82	82	±0	60	60	±0	86	86	±0	89	89	±0
	「降水なし」予報の適中率	88	88	±0	86	86	±0	93	93	±0	85	85	±0	85	85	±0
父 島 東京都小 笠原諸島	降水の有無の適中率	75	75	±0	82	82	±0	73	73	±0	82	82	±0	82	82	±0
	捕捉率	87	87	±0	78	78	±0	50	50	±0	83	83	±0	78	78	±0
	一致率	50	50	±0	75	75	±0	25	25	±0	73	73	±0	75	75	±0
	A	22	22	±0	30	30	±0	7	7	±0	32	32	±0	30	30	±0
	B（見逃し率）	3	3	±0	8	8	±0	7	7	±0	7	7	±0	8	8	±0
	C（空振り率）	22	22	±0	10	10	±0	20	20	±0	12	12	±0	10	10	±0
	D	53	53	±0	52	52	±0	67	67	±0	50	50	±0	52	52	±0
	「降水あり」予報の適中率	50	50	±0	75	75	±0	25	25	±0	73	73	±0	75	75	±0
	「降水なし」予報の適中率	94	94	±0	86	86	±0	91	91	±0	88	88	±0	86	86	±0
千 葉 千葉県北 西部	降水の有無の適中率	95	95	±0	92	92	±0	97	97	±0	92	92	±0	92	92	±0
	捕捉率	86	86	±0	85	85	±0	93	93	±0	85	85	±0	87	87	±0
	一致率	89	89	±0	83	83	±0	87	87	±0	83	83	±0	83	83	±0
	A	18	18	±0	22	22	±0	14	14	±0	22	22	±0	22	22	±0
	B（見逃し率）	3	3	±0	4	4	±0	1	1	±0	4	4	±0	3	3	±0
	C（空振り率）	2	2	±0	4	4	±0	2	2	±0	4	4	±0	4	4	±0
	D	77	77	±0	69	69	±0	82	82	±0	69	69	±0	70	70	±0
	「降水あり」予報の適中率	89	89	±0	83	83	±0	87	87	±0	83	83	±0	83	83	±0
	「降水なし」予報の適中率	97	97	±0	95	95	±0	99	99	±0	95	95	±0	95	95	±0
銚 子	降水の有無の適中率	91	91	±0	90	90	±0	95	95	±0	90	90	±0	93	93	±0
	捕捉率	76	76	±0	82	82	±0	95	95	±0	82	82	±0	91	91	±0
	一致率	83	83	±0	80	80	±0	76	76	±0	80	80	±0	80	80	±0
	A	17	17	±0	21	21	±0	13	13	±0	21	21	±0	21	21	±0
	B（見逃し率）	5	5	±0	5	5	±0	1	1	±0	5	5	±0	2	2	±0

千葉県北 東部	C（空振り率）	3	3	±0	5	5	±0	4	4	±0	5	5	±0	5	5	±0
	D	75	75	±0	69	69	±0	83	83	±0	69	69	±0	71	71	±0
	「降水あり」予報の適中率	83	83	±0	80	80	±0	76	76	±0	80	80	±0	80	80	±0
	「降水なし」予報の適中率	93	93	±0	94	94	±0	99	99	±0	94	94	±0	97	97	±0
館山 千葉県南 部	降水の有無の適中率	90	90	±0	90	90	±0	93	93	±0	90	90	±0	93	93	±0
	捕捉率	73	73	±0	79	79	±0	100	100	±0	79	79	±0	90	90	±0
	一致率	79	79	±0	82	82	±0	57	57	±0	82	82	±0	82	82	±0
	A	16	16	±0	22	22	±0	10	10	±0	22	22	±0	22	22	±0
	B（見逃し率）	6	6	±0	6	6	±0	0	0	±0	6	6	±0	2	2	±0
	C（空振り率）	4	4	±0	5	5	±0	7	7	±0	5	5	±0	5	5	±0
	D	74	74	±0	68	68	±0	83	83	±0	68	68	±0	71	71	±0
	「降水あり」予報の適中率	79	79	±0	82	82	±0	57	57	±0	82	82	±0	82	82	±0
	「降水なし」予報の適中率	93	93	±0	92	92	±0	100	100	±0	92	92	±0	97	97	±0
横浜 神奈川県 東部	降水の有無の適中率	91	91	±0	92	92	±0	88	88	±0	89	89	±0	93	93	±0
	捕捉率	96	96	±0	87	87	±0	94	94	±0	87	87	±0	92	92	±0
	一致率	64	64	±0	79	79	±0	42	42	±0	69	69	±0	79	79	±0
	A	15	15	±0	18	18	±0	8	8	±0	18	18	±0	18	18	±0
	B（見逃し率）	1	1	±0	3	3	±0	1	1	±0	3	3	±0	2	2	±0
	C（空振り率）	8	8	±0	5	5	±0	12	12	±0	8	8	±0	5	5	±0
	D	76	76	±0	74	74	±0	79	79	±0	71	71	±0	75	75	±0
	「降水あり」予報の適中率	64	64	±0	79	79	±0	42	42	±0	69	69	±0	79	79	±0
	「降水なし」予報の適中率	99	99	±0	96	96	±0	99	99	±0	96	96	±0	98	98	±0
小田原 神奈川県 西部	降水の有無の適中率	87	87	±0	89	89	±0	85	85	±0	87	87	±0	92	92	±0
	捕捉率	77	77	±0	77	77	±0	72	72	±0	80	80	±0	87	87	±0
	一致率	66	66	±0	77	77	±0	43	43	±0	70	70	±0	77	77	±0
	A	15	15	±0	18	18	±0	9	9	±0	19	19	±0	18	18	±0
	B（見逃し率）	5	5	±0	5	5	±0	3	3	±0	5	5	±0	3	3	±0
	C（空振り率）	8	8	±0	5	5	±0	11	11	±0	8	8	±0	5	5	±0
	D	72	72	±0	71	71	±0	77	77	±0	69	69	±0	74	74	±0
	「降水あり」予報の適中率	66	66	±0	77	77	±0	43	43	±0	70	70	±0	77	77	±0
	「降水なし」予報の適中率	94	94	±0	93	93	±0	96	96	±0	94	94	±0	97	97	±0
長野 長野県北 部	降水の有無の適中率	90	90	±0	85	85	±0	94	93	-1	83	82	-1	83	82	-1
	捕捉率	86	87	+1	69	68	-1	86	81	-5	66	64	-2	61	60	-1
	一致率	83	84	+1	92	93	+1	76	76	±0	88	88	±0	95	95	±0
	A	28	28	±0	28	28	±0	13	13	±0	26	26	±0	25	25	±0
	B（見逃し率）	4	4	±0	12	13	+1	2	3	+1	14	15	+1	16	17	+1
	C（空振り率）	6	5	-1	2	2	±0	4	4	±0	4	4	±0	1	1	±0
	D	62	62	±0	58	57	-1	81	80	-1	56	55	-1	57	56	-1
	「降水あり」予報の適中率	83	84	+1	92	93	+1	76	76	±0	88	88	±0	95	95	±0
	「降水なし」予報の適中率	94	94	±0	82	81	-1	98	96	-2	80	79	-1	78	77	-1
松本 長野県中 部	降水の有無の適中率	92	92	±0	89	89	±0	97	97	±0	89	89	±0	89	89	±0
	捕捉率	91	91	±0	77	76	-1	95	94	-1	83	82	-1	78	76	-2
	一致率	80	80	±0	83	83	±0	88	88	±0	80	80	±0	83	83	±0
	A	24	24	±0	22	22	±0	15	15	±0	24	24	±0	22	22	±0
	B（見逃し率）	2	2	±0	6	7	+1	1	1	±0	5	5	±0	6	7	+1
	C（空振り率）	6	6	±0	4	4	±0	2	2	±0	6	6	±0	4	4	±0
	D	68	68	±0	67	66	-1	83	82	-1	65	65	±0	67	67	±0
	「降水あり」予報の適中率	80	80	±0	83	83	±0	88	88	±0	80	80	±0	83	83	±0
	「降水なし」予報の適中率	97	97	±0	91	90	-1	99	99	±0	93	92	-1	91	91	±0
飯田 長野県南 部	降水の有無の適中率	97	97	±0	95	94	-1	99	98	-1	95	94	-1	91	91	±0
	捕捉率	94	94	±0	88	87	-1	97	96	-1	88	87	-1	79	78	-1
	一致率	97	97	±0	97	97	±0	96	96	±0	97	97	±0	97	97	±0
	A	29	29	±0	32	32	±0	19	19	±0	32	32	±0	29	29	±0
	B（見逃し率）	2	2	±0	5	5	±0	1	1	±0	5	5	±0	8	8	±0
	C（空振り率）	1	1	±0	1	1	±0	1	1	±0	1	1	±0	1	1	±0
	D	68	68	±0	62	62	±0	79	79	±0	62	62	±0	62	62	±0
	「降水あり」予報の適中率	97	97	±0	97	97	±0	96	96	±0	97	97	±0	97	97	±0
	「降水なし」予報の適中率	97	97	±0	93	93	±0	99	99	±0	93	93	±0	89	89	±0
甲府 山梨県 中・西部	降水の有無の適中率	96	96	±0	92	92	±0	93	93	±0	96	96	±0	93	93	±0
	捕捉率	94	94	±0	95	95	±0	93	93	±0	95	95	±0	96	96	±0
	一致率	83	83	±0	75	75	±0	60	60	±0	86	86	±0	75	75	±0
	A	17	17	±0	20	20	±0	10	10	±0	20	20	±0	20	20	±0
	B（見逃し率）	1	1	±0	1	1	±0	1	1	±0	1	1	±0	1	1	±0
	C（空振り率）	3	3	±0	7	7	±0	7	7	±0	3	3	±0	7	7	±0
	D	79	79	±0	72	72	±0	83	83	±0	76	76	±0	73	73	±0
	「降水あり」予報の適中率	83	83	±0	75	75	±0	60	60	±0	86	86	±0	75	75	±0

	「降水なし」予報の適中率	99	99	±0	98	98	±0	99	99	±0	99	99	±0	99	99	±0
河口湖 山梨県東 部・富士 五湖	降水の有無の適中率	93	93	±0	89	89	±0	89	89	±0	93	93	±0	90	90	±0
	捕捉率	94	94	±0	95	95	±0	89	89	±0	95	95	±0	100	100	±0
	一致率	67	67	±0	63	63	±0	40	40	±0	71	71	±0	63	63	±0
	A	13	13	±0	17	17	±0	7	7	±0	17	17	±0	17	17	±0
	B（見逃し率）	1	1	±0	1	1	±0	1	1	±0	1	1	±0	0	0	±0
	C（空振り率）	7	7	±0	10	10	±0	10	10	±0	7	7	±0	10	10	±0
	D	79	79	±0	73	73	±0	83	83	±0	76	76	±0	73	73	±0
	「降水あり」予報の適中率	67	67	±0	63	63	±0	40	40	±0	71	71	±0	63	63	±0
	「降水なし」予報の適中率	99	99	±0	99	99	±0	99	99	±0	99	99	±0	100	100	±0