

令和5年10月 関東甲信地方		[5時発表予報]						[17時発表予報]								
		降水の有無						降水の有無								
		今日			明日			今夜			明日			明後日		
		修正前	修正後	差分	修正前	修正後	差分	修正前	修正後	差分	修正前	修正後	差分	修正前	修正後	差分
		(5-24時)			(0-24時)			(17-24時)			(0-24時)			(0-24時)		
水戸 茨城県北 部	降水の有無の適中率	90	90	±0	90	90	±0	91	91	±0	90	90	±0	90	90	±0
	捕捉率	72	72	±0	67	67	±0	73	73	±0	67	67	±0	67	67	±0
	一致率	76	76	±0	76	76	±0	50]	50]	±0	76	76	±0	76	76	±0
	A	15	15	±0	12	12	±0	7	7	±0	12	12	±0	12	12	±0
	B (見逃し率)	6	6	±0	6	6	±0	2	2	±0	6	6	±0	6	6	±0
	C (空振り率)	5	5	±0	4	4	±0	6	6	±0	4	4	±0	4	4	±0
	D	75	75	±0	78	78	±0	85	85	±0	78	78	±0	78	78	±0
	「降水あり」予報の適中率	76	76	±0	76	76	±0	50]	50]	±0	76	76	±0	76	76	±0
	「降水なし」予報の適中率	93	93	±0	93	93	±0	97	97	±0	93	93	±0	93	93	±0
土浦 茨城県南 部	降水の有無の適中率	92	92	±0	92	92	±0	91	91	±0	92	92	±0	85	85	±0
	捕捉率	74	74	±0	61	61	±0	51	51	±0	61	61	±0	46	46	±0
	一致率	92	92	±0	100]	100]	±0	56]	56]	±0	100]	100]	±0	75]	75]	±0
	A	18	18	±0	13	13	±0	5	5	±0	13	13	±0	10	10	±0
	B (見逃し率)	6	6	±0	8	8	±0	5	5	±0	8	8	±0	12	12	±0
	C (空振り率)	2	2	±0	0	0	±0	4	4	±0	0	0	±0	3	3	±0
	D	75	75	±0	79	79	±0	85	85	±0	79	79	±0	76	76	±0
	「降水あり」予報の適中率	92	92	±0	100]	100]	±0	56]	56]	±0	100]	100]	±0	75]	75]	±0
	「降水なし」予報の適中率	92	92	±0	90	90	±0	94	94	±0	90	90	±0	87	87	±0
宇都宮 栃木県南 部	降水の有無の適中率	91	91	±0	95	95	±0	88	88	±0	88	88	±0	92	92	±0
	捕捉率	75	75	±0	71	71	±0	83	83	±0	54	54	±0	54	54	±0
	一致率	82	82	±0	100]	100]	±0	13]	13]	±0	75]	75]	±0	100]	100]	±0
	A	16	16	±0	13	13	±0	2	2	±0	10	10	±0	10	10	±0
	B (見逃し率)	5	5	±0	5	5	±0	0	0	±0	8	8	±0	8	8	±0
	C (空振り率)	4	4	±0	0	0	±0	11	11	±0	3	3	±0	0	0	±0
	D	76	76	±0	82	82	±0	87	87	±0	79	79	±0	82	82	±0
	「降水あり」予報の適中率	82	82	±0	100]	100]	±0	13]	13]	±0	75]	75]	±0	100]	100]	±0
	「降水なし」予報の適中率	94	94	±0	94	94	±0	100	100	±0	90	90	±0	91	91	±0
大田原 栃木県北 部	降水の有無の適中率	88	88	±0	85	85	±0	89	89	±0	90	90	±0	85	85	±0
	捕捉率	73	73	±0	52	52	±0	33	33	±0	65	65	±0	52	52	±0
	一致率	71	71	±0	63	63	±0	13]	13]	±0	78	78	±0	63	63	±0
	A	16	16	±0	10	10	±0	1	1	±0	13	13	±0	10	10	±0
	B (見逃し率)	6	6	±0	9	9	±0	2	2	±0	7	7	±0	9	9	±0
	C (空振り率)	6	6	±0	6	6	±0	8	8	±0	4	4	±0	6	6	±0
	D	71	71	±0	75	75	±0	88	88	±0	77	77	±0	75	75	±0
	「降水あり」予報の適中率	71	71	±0	63	63	±0	13]	13]	±0	78	78	±0	63	63	±0
	「降水なし」予報の適中率	92	92	±0	89	89	±0	97	97	±0	92	92	±0	89	89	±0
前橋 群馬県南 部	降水の有無の適中率	92	92	±0	96	96	±0	95	95	±0	93	93	±0	90	90	±0
	捕捉率	71	71	±0	77	77	±0	0	0	±0	58	58	±0	38	38	±0
	一致率	80	80	±0	100]	100]	±0	0]	0]	±0	100]	100]	±0	100]	100]	±0
	A	13	13	±0	13	13	±0	0	0	±0	10	10	±0	7	7	±0
	B (見逃し率)	5	5	±0	4	4	±0	2	2	±0	7	7	±0	10	10	±0
	C (空振り率)	3	3	±0	0	0	±0	3	3	±0	0	0	±0	0	0	±0
	D	79	79	±0	83	83	±0	95	95	±0	83	83	±0	83	83	±0
	「降水あり」予報の適中率	80	80	±0	100]	100]	±0	0]	0]	±0	100]	100]	±0	100]	100]	±0
	「降水なし」予報の適中率	94	94	±0	96	96	±0	98	98	±0	92	92	±0	89	89	±0
みなかみ 群馬県北 部	降水の有無の適中率	84	84	±0	81	80	-1	86	86	±0	81	81	±0	77	77	±0
	捕捉率	57	57	±0	44	44	±0	21	21	±0	39	39	±0	33	32	-1
	一致率	81	81	±0	77	77	±0	43]	43]	±0	86]	86]	±0	71]	71]	±0
	A	16	16	±0	12	12	±0	3	3	±0	11	11	±0	9	9	±0
	B (見逃し率)	12	12	±0	16	16	±0	10	10	±0	17	18	+1	19	19	±0
	C (空振り率)	4	4	±0	4	4	±0	4	4	±0	2	2	±0	4	4	±0
	D	69	69	±0	68	68	±0	83	83	±0	70	70	±0	68	68	±0
	「降水あり」予報の適中率	81	81	±0	77	77	±0	43]	43]	±0	86]	86]	±0	71]	71]	±0
	「降水なし」予報の適中率	85	85	±0	81	81	±0	89	89	±0	80	80	±0	78	78	±0
さいたま 埼玉県南 部	降水の有無の適中率	92	92	±0	98	98	±0	94	94	±0	98	98	±0	95	95	±0
	捕捉率	89	89	±0	89	89	±0	100	100	±0	100	100	±0	67	67	±0
	一致率	67	67	±0	100]	100]	±0	50]	50]	±0	90	90	±0	100]	100]	±0
	A	13	13	±0	13	13	±0	7	7	±0	15	15	±0	10	10	±0
	B (見逃し率)	2	2	±0	2	2	±0	0	0	±0	0	0	±0	5	5	±0
	C (空振り率)	6	6	±0	0	0	±0	6	6	±0	2	2	±0	0	0	±0
	D	79	79	±0	86	86	±0	87	87	±0	84	84	±0	86	86	±0
	「降水あり」予報の適中率	67	67	±0	100]	100]	±0	50]	50]	±0	90	90	±0	100]	100]	±0
	「降水なし」予報の適中率	98	98	±0	98	98	±0	100	100	±0	100	100	±0	95	95	±0

熊谷 埼玉県北部	降水の有無の適中率	91	91	±0	96	96	±0	88	88	±0	96	96	±0	93	93	±0
	捕捉率	86	86	±0	77	77	±0	16	16	±0	77	77	±0	58	58	±0
	一致率	73	73	±0	100]	100]	±0	7]	7]	±0	100]	100]	±0	100]	100]	±0
	A	17	17	±0	13	13	±0	1	1	±0	13	13	±0	10	10	±0
	B (見逃し率)	3	3	±0	4	4	±0	3	3	±0	4	4	±0	7	7	±0
	C (空振り率)	6	6	±0	0	0	±0	9	9	±0	0	0	±0	0	0	±0
	D	75	75	±0	83	83	±0	87	87	±0	83	83	±0	83	83	±0
	「降水あり」予報の適中率	73	73	±0	100]	100]	±0	7]	7]	±0	100]	100]	±0	100]	100]	±0
	「降水なし」予報の適中率	96	96	±0	96	96	±0	96	96	±0	96	96	±0	92	92	±0
秩父 埼玉県秩父地方	降水の有無の適中率	95	95	±0	98	98	±0	90	90	±0	98	98	±0	95	95	±0
	捕捉率	91	91	±0	89	89	±0	33	33	±0	89	89	±0	67	67	±0
	一致率	83	83	±0	100]	100]	±0	8]	8]	±0	100]	100]	±0	100]	100]	±0
	A	16	16	±0	13	13	±0	1	1	±0	13	13	±0	10	10	±0
	B (見逃し率)	2	2	±0	2	2	±0	2	2	±0	2	2	±0	5	5	±0
	C (空振り率)	3	3	±0	0	0	±0	9	9	±0	0	0	±0	0	0	±0
	D	79	79	±0	86	86	±0	89	89	±0	86	86	±0	86	86	±0
	「降水あり」予報の適中率	83	83	±0	100]	100]	±0	8]	8]	±0	100]	100]	±0	100]	100]	±0
	「降水なし」予報の適中率	98	98	±0	98	98	±0	98	98	±0	98	98	±0	95	95	±0
東京 東京都東京地方	降水の有無の適中率	91	91	±0	95	95	±0	93	93	±0	94	94	±0	95	95	±0
	捕捉率	81	81	±0	70	70	±0	79	79	±0	77	77	±0	70	70	±0
	一致率	72	72	±0	100]	100]	±0	65]	65]	±0	88	88	±0	100]	100]	±0
	A	14	14	±0	13	13	±0	8	8	±0	14	14	±0	13	13	±0
	B (見逃し率)	3	3	±0	5	5	±0	2	2	±0	4	4	±0	5	5	±0
	C (空振り率)	5	5	±0	0	0	±0	5	5	±0	2	2	±0	0	0	±0
	D	77	77	±0	82	82	±0	85	85	±0	80	80	±0	82	82	±0
	「降水あり」予報の適中率	72	72	±0	100]	100]	±0	65]	65]	±0	88	88	±0	100]	100]	±0
	「降水なし」予報の適中率	96	96	±0	94	94	±0	97	97	±0	95	95	±0	94	94	±0
大島 東京都伊豆諸島北部	降水の有無の適中率	93	93	±0	92	92	±0	90	90	±0	92	92	±0	92	92	±0
	捕捉率	77	77	±0	70	70	±0	78	78	±0	70	70	±0	70	70	±0
	一致率	97	97	±0	100	100	±0	56	56	±0	100	100	±0	100	100	±0
	A	22	22	±0	19	19	±0	9	9	±0	19	19	±0	19	19	±0
	B (見逃し率)	6	6	±0	8	8	±0	3	3	±0	8	8	±0	8	8	±0
	C (空振り率)	1	1	±0	0	0	±0	7	7	±0	0	0	±0	0	0	±0
	D	71	71	±0	72	72	±0	81	81	±0	72	72	±0	72	72	±0
	「降水あり」予報の適中率	97	97	±0	100	100	±0	56	56	±0	100	100	±0	100	100	±0
	「降水なし」予報の適中率	92	92	±0	90	90	±0	97	97	±0	90	90	±0	90	90	±0
八丈島 東京都伊豆諸島南部	降水の有無の適中率	87	87	±0	82	82	±0	89	89	±0	81	81	±0	83	83	±0
	捕捉率	67	67	±0	52	52	±0	72	72	±0	56	56	±0	48	48	±0
	一致率	86	86	±0	90	90	±0	52	52	±0	83	83	±0	100	100	±0
	A	19	19	±0	17	17	±0	8	8	±0	19	19	±0	16	16	±0
	B (見逃し率)	10	10	±0	16	16	±0	3	3	±0	15	15	±0	17	17	±0
	C (空振り率)	3	3	±0	2	2	±0	8	8	±0	4	4	±0	0	0	±0
	D	68	68	±0	65	65	±0	81	81	±0	63	63	±0	67	67	±0
	「降水あり」予報の適中率	86	86	±0	90	90	±0	52	52	±0	83	83	±0	100	100	±0
	「降水なし」予報の適中率	88	88	±0	80	80	±0	96	96	±0	81	81	±0	79	79	±0
父島 東京都小笠原諸島	降水の有無の適中率	79	79	±0	73	73	±0	87	87	±0	79	79	±0	73	73	±0
	捕捉率	61	61	±0	60	60	±0	64	64	±0	68	68	±0	61	61	±0
	一致率	78	78	±0	68	68	±0	75	75	±0	77	77	±0	64	64	±0
	A	23	23	±0	24	24	±0	15	15	±0	27	27	±0	23	23	±0
	B (見逃し率)	15	15	±0	16	16	±0	8	8	±0	13	13	±0	15	15	±0
	C (空振り率)	6	6	±0	11	11	±0	5	5	±0	8	8	±0	13	13	±0
	D	57	57	±0	48	48	±0	73	73	±0	52	52	±0	50	50	±0
	「降水あり」予報の適中率	78	78	±0	68	68	±0	75	75	±0	77	77	±0	64	64	±0
	「降水なし」予報の適中率	80	80	±0	75	75	±0	90	90	±0	80	80	±0	78	78	±0
千葉 千葉県西北部	降水の有無の適中率	91	91	±0	95	95	±0	90	90	±0	92	92	±0	96	96	±0
	捕捉率	77	77	±0	71	71	±0	50	50	±0	74	74	±0	75	75	±0
	一致率	75	75	±0	100]	100]	±0	61]	61]	±0	83	83	±0	100]	100]	±0
	A	15	15	±0	13	13	±0	6	6	±0	13	13	±0	13	13	±0
	B (見逃し率)	4	4	±0	5	5	±0	6	6	±0	5	5	±0	4	4	±0
	C (空振り率)	5	5	±0	0	0	±0	4	4	±0	3	3	±0	0	0	±0
	D	76	76	±0	82	82	±0	84	84	±0	79	79	±0	83	83	±0
	「降水あり」予報の適中率	75	75	±0	100]	100]	±0	61]	61]	±0	83	83	±0	100]	100]	±0
	「降水なし」予報の適中率	95	95	±0	94	94	±0	93	93	±0	94	94	±0	95	95	±0
銚子	降水の有無の適中率	90	90	±0	93	93	±0	92	92	±0	93	93	±0	94	94	±0
	捕捉率	73	73	±0	71	71	±0	54	54	±0	71	71	±0	73	73	±0
	一致率	80	80	±0	96	96	±0	87]	87]	±0	96	96	±0	96	96	±0
	A	16	16	±0	16	16	±0	8	8	±0	16	16	±0	16	16	±0
	B (見逃し率)	6	6	±0	6	6	±0	7	7	±0	6	6	±0	6	6	±0

千葉県北 東部	C (空振り率)	4	4	±0	1	1	±0	1	1	±0	1	1	±0	1	1	±0
	D	75	75	±0	77	77	±0	83	83	±0	77	77	±0	78	78	±0
	「降水あり」予報の適中率	80	80	±0	96	96	±0	87]	87]	±0	96	96	±0	96	96	±0
	「降水なし」予報の適中率	93	93	±0	92	92	±0	92	92	±0	92	92	±0	93	93	±0
館山 千葉県南 部	降水の有無の適中率	92	92	±0	97	97	±0	95	95	±0	97	97	±0	97	97	±0
	捕捉率	84	84	±0	83	83	±0	71	71	±0	83	83	±0	83	83	±0
	一致率	78	78	±0	100	100	±0	81]	81]	±0	100	100	±0	100	100	±0
	A	18	18	±0	16	16	±0	8	8	±0	16	16	±0	16	16	±0
	B (見逃し率)	3	3	±0	3	3	±0	3	3	±0	3	3	±0	3	3	±0
	C (空振り率)	5	5	±0	0	0	±0	2	2	±0	0	0	±0	0	0	±0
	D	74	74	±0	81	81	±0	87	87	±0	81	81	±0	81	81	±0
	「降水あり」予報の適中率	78	78	±0	100	100	±0	81]	81]	±0	100	100	±0	100	100	±0
	「降水なし」予報の適中率	96	96	±0	96	96	±0	96	96	±0	96	96	±0	96	96	±0
	横浜 神奈川県 東部	降水の有無の適中率	94	94	±0	94	94	±0	95	95	±0	94	94	±0	94	94
捕捉率		90	90	±0	81	81	±0	76	76	±0	81	81	±0	81	81	±0
一致率		78	78	±0	83	83	±0	72]	72]	±0	83	83	±0	83	83	±0
A		15	15	±0	13	13	±0	7	7	±0	13	13	±0	13	13	±0
B (見逃し率)		2	2	±0	3	3	±0	2	2	±0	3	3	±0	3	3	±0
C (空振り率)		4	4	±0	3	3	±0	3	3	±0	3	3	±0	3	3	±0
D		79	79	±0	81	81	±0	88	88	±0	81	81	±0	81	81	±0
「降水あり」予報の適中率		78	78	±0	83	83	±0	72]	72]	±0	83	83	±0	83	83	±0
「降水なし」予報の適中率		98	98	±0	96	96	±0	98	98	±0	96	96	±0	96	96	±0
小田原 神奈川県 西部		降水の有無の適中率	93	93	±0	91	91	±0	94	94	±0	91	91	±0	91	91
	捕捉率	85	85	±0	66	66	±0	73	73	±0	66	66	±0	66	66	±0
	一致率	83	83	±0	92	92	±0	80]	80]	±0	92	92	±0	92	92	±0
	A	19	19	±0	15	15	±0	10	10	±0	15	15	±0	15	15	±0
	B (見逃し率)	3	3	±0	8	8	±0	4	4	±0	8	8	±0	8	8	±0
	C (空振り率)	4	4	±0	1	1	±0	3	3	±0	1	1	±0	1	1	±0
	D	74	74	±0	76	76	±0	83	83	±0	76	76	±0	76	76	±0
	「降水あり」予報の適中率	83	83	±0	92	92	±0	80]	80]	±0	92	92	±0	92	92	±0
	「降水なし」予報の適中率	96	96	±0	91	91	±0	96	96	±0	91	91	±0	91	91	±0
	長野 長野県北 部	降水の有無の適中率	85	85	±0	80	80	±0	89	89	±0	83	83	±0	83	83
捕捉率		69	69	±0	32	32	±0	28	28	±0	60	60	±0	42	42	±0
一致率		74	74	±0	93]	93]	±0	45]	45]	±0	75	75	±0	90]	90]	±0
A		19	19	±0	9	9	±0	3	3	±0	17	17	±0	12	12	±0
B (見逃し率)		9	9	±0	19	19	±0	8	8	±0	11	11	±0	16	16	±0
C (空振り率)		7	7	±0	1	1	±0	4	4	±0	6	6	±0	1	1	±0
D		65	65	±0	71	71	±0	86	86	±0	66	66	±0	71	71	±0
「降水あり」予報の適中率		74	74	±0	93]	93]	±0	45]	45]	±0	75	75	±0	90]	90]	±0
「降水なし」予報の適中率		88	88	±0	79	79	±0	92	92	±0	86	86	±0	82	82	±0
松本 長野県中 部		降水の有無の適中率	93	93	±0	92	92	±0	95	95	±0	92	92	±0	89	89
	捕捉率	78	78	±0	78	78	±0	58	57	-1	69	69	±0	63	63	±0
	一致率	90	90	±0	83	83	±0	69]	69]	±0	88	88	±0	80	80	±0
	A	17	17	±0	16	16	±0	5	5	±0	14	14	±0	13	13	±0
	B (見逃し率)	5	5	±0	4	4	±0	3	3	±0	6	6	±0	8	8	±0
	C (空振り率)	2	2	±0	3	3	±0	2	2	±0	2	2	±0	3	3	±0
	D	76	76	±0	76	76	±0	90	90	±0	77	77	±0	76	76	±0
	「降水あり」予報の適中率	90	90	±0	83	83	±0	69]	69]	±0	88	88	±0	80	80	±0
	「降水なし」予報の適中率	94	94	±0	94	94	±0	97	96	-1	92	92	±0	91	91	±0
	飯田 長野県南 部	降水の有無の適中率	93	93	±0	92	92	±0	94	93	-1	95	95	±0	89	89
捕捉率		85	85	±0	72	72	±0	71	69	-2	84	84	±0	60	60	±0
一致率		90	90	±0	99	99	±0	88]	88]	±0	99	99	±0	99	99	±0
A		23	23	±0	19	19	±0	11	11	±0	22	22	±0	16	16	±0
B (見逃し率)		4	4	±0	8	8	±0	5	5	±0	4	4	±0	11	11	±0
C (空振り率)		2	2	±0	0	0	±0	2	2	±0	0	0	±0	0	0	±0
D		70	70	±0	73	73	±0	82	82	±0	73	73	±0	73	73	±0
「降水あり」予報の適中率		90	90	±0	99	99	±0	88]	88]	±0	99	99	±0	99	99	±0
「降水なし」予報の適中率		94	94	±0	91	91	±0	95	94	-1	94	94	±0	87	87	±0
甲府 山梨県 中・西部		降水の有無の適中率	94	94	±0	97	97	±0	94	94	±0	95	95	±0	97	97
	捕捉率	96	96	±0	85	85	±0	85	85	±0	96	96	±0	85	85	±0
	一致率	75	75	±0	100	100	±0	61]	61]	±0	81	81	±0	100	100	±0
	A	17	17	±0	16	16	±0	8	8	±0	18	18	±0	16	16	±0
	B (見逃し率)	1	1	±0	3	3	±0	1	1	±0	1	1	±0	3	3	±0
	C (空振り率)	6	6	±0	0	0	±0	5	5	±0	4	4	±0	0	0	±0
	D	77	77	±0	81	81	±0	86	86	±0	77	77	±0	81	81	±0
	「降水あり」予報の適中率	75	75	±0	100	100	±0	61]	61]	±0	81	81	±0	100	100	±0

	「降水なし」予報の適中率	99	99	±0	97	97	±0	98	98	±0	99	99	±0	97	97	±0
河口湖 山梨県東 部・富士 五湖	降水の有無の適中率	92	92	±0	94	94	±0	94	94	±0	96	96	±0	94	94	±0
	捕捉率	91	91	±0	74	74	±0	64	64	±0	93	93	±0	74	74	±0
	一致率	71	71	±0	100	100	±0	75]	75]	±0	89	89	±0	100	100	±0
	A	16	16	±0	16	16	±0	7	7	±0	20	20	±0	16	16	±0
	B (見逃し率)	2	2	±0	6	6	±0	4	4	±0	2	2	±0	6	6	±0
	C (空振り率)	6	6	±0	0	0	±0	2	2	±0	2	2	±0	0	0	±0
	D	76	76	±0	78	78	±0	86	86	±0	76	76	±0	78	78	±0
	「降水あり」予報の適中率	71	71	±0	100	100	±0	75]	75]	±0	89	89	±0	100	100	±0
	「降水なし」予報の適中率	98	98	±0	93	93	±0	96	96	±0	98	98	±0	93	93	±0