

令和5年11月 関東甲信地方			[5時発表予報]						[17時発表予報]								
			降水の有無						降水の有無								
			今日			明日			今夜			明日			明後日		
			修正前	修正後	差分	修正前	修正後	差分	修正前	修正後	差分	修正前	修正後	差分	修正前	修正後	差分
			(5～24時)			(0～24時)			(17～24時)			(0～24時)			(0～24時)		
水戸 茨城県北 部	降水の有無の適中率		92	92	±0	91	91	±0	98	98	±0	91	91	±0	91	91	±0
	捕捉率		74	74	±0	60	60	±0	89	89	±0	60	60	±0	60	60	±0
	一致率		84	84	±0	98]	98]	±0	77]	77]	±0	98]	98]	±0	98]	98]	±0
	A		14	14	±0	13	13	±0	5	5	±0	13	13	±0	13	13	±0
	B（見逃し率）		5	5	±0	9	9	±0	1	1	±0	9	9	±0	9	9	±0
	C（空振り率）		3	3	±0	0	0	±0	2	2	±0	0	0	±0	0	0	±0
	D		79	79	±0	78	78	±0	93	93	±0	78	78	±0	78	78	±0
	「降水あり」予報の適中率		84	84	±0	98]	98]	±0	77]	77]	±0	98]	98]	±0	98]	98]	±0
	「降水なし」予報の適中率		94	94	±0	90	90	±0	99	99	±0	90	90	±0	90	90	±0
土浦 茨城県南 部	降水の有無の適中率		94	94	±0	92	92	±0	99	99	±0	92	92	±0	92	92	±0
	捕捉率		79	79	±0	66	66	±0	91	91	±0	66	66	±0	66	66	±0
	一致率		79]	79]	±0	79]	79]	±0	83]	83]	±0	79]	79]	±0	79]	79]	±0
	A		11	11	±0	11	11	±0	3	3	±0	11	11	±0	11	11	±0
	B（見逃し率）		3	3	±0	6	6	±0	0	0	±0	6	6	±0	6	6	±0
	C（空振り率）		3	3	±0	3	3	±0	1	1	±0	3	3	±0	3	3	±0
	D		84	84	±0	81	81	±0	96	96	±0	81	81	±0	81	81	±0
	「降水あり」予報の適中率		79]	79]	±0	79]	79]	±0	83]	83]	±0	79]	79]	±0	79]	79]	±0
	「降水なし」予報の適中率		97	97	±0	94	94	±0	100	100	±0	94	94	±0	94	94	±0
宇都宮 栃木県南 部	降水の有無の適中率		96	96	±0	96	96	±0	95	95	±0	96	96	±0	96	96	±0
	捕捉率		74	74	±0	72	72	±0	13	13	±0	72	72	±0	72	72	±0
	一致率		93]	93]	±0	93]	93]	±0	10]	10]	±0	93]	93]	±0	93]	93]	±0
	A		9	9	±0	9	9	±0	0	0	±0	9	9	±0	9	9	±0
	B（見逃し率）		3	3	±0	4	4	±0	2	2	±0	4	4	±0	4	4	±0
	C（空振り率）		1	1	±0	1	1	±0	3	3	±0	1	1	±0	1	1	±0
	D		87	87	±0	86	86	±0	94	94	±0	86	86	±0	86	86	±0
	「降水あり」予報の適中率		93]	93]	±0	93]	93]	±0	10]	10]	±0	93]	93]	±0	93]	93]	±0
	「降水なし」予報の適中率		96	96	±0	96	96	±0	98	98	±0	96	96	±0	96	96	±0
大田原 栃木県北 部	降水の有無の適中率		88	88	±0	89	87	-2	90	90	±0	86	84	-2	89	87	-2
	捕捉率		67	63	-4	48	43	-5	11	10	-1	57	51	-6	57	51	-6
	一致率		60	60	±0	83]	83]	±0	6]	6]	±0	60	60	±0	75]	75]	±0
	A		10	10	±0	8	8	±0	0	0	±0	10	10	±0	10	10	±0
	B（見逃し率）		5	6	+1	9	11	+2	3	4	+1	8	10	+2	8	10	+2
	C（空振り率）		7	7	±0	2	2	±0	6	6	±0	7	7	±0	3	3	±0
	D		78	78	±0	81	79	-2	90	90	±0	76	74	-2	79	77	-2
	「降水あり」予報の適中率		60	60	±0	83]	83]	±0	6]	6]	±0	60	60	±0	75]	75]	±0
	「降水なし」予報の適中率		94	93	-1	90	88	-2	96	96	±0	91	89	-2	91	89	-2
前橋 群馬県南 部	降水の有無の適中率		94	94	±0	97	97	±0	97	97	±0	94	94	±0	97	97	±0
	捕捉率		96	96	±0	96	96	±0	0	0	±0	96	96	±0	96	96	±0
	一致率		55]	55]	±0	73]	73]	±0	0]	0]	±0	55]	55]	±0	73]	73]	±0
	A		7	7	±0	7	7	±0	0	0	±0	7	7	±0	7	7	±0
	B（見逃し率）		0	0	±0	0	0	±0	0	0	±0	0	0	±0	0	0	±0
	C（空振り率）		6	6	±0	3	3	±0	3	3	±0	6	6	±0	3	3	±0
	D		86	86	±0	90	90	±0	97	97	±0	86	86	±0	90	90	±0
	「降水あり」予報の適中率		55]	55]	±0	73]	73]	±0	0]	0]	±0	55]	55]	±0	73]	73]	±0
	「降水なし」予報の適中率		100	100	±0	100	100	±0	100	100	±0	100	100	±0	100	100	±0
みなかみ 群馬県北 部	降水の有無の適中率		84	82	-2	87	84	-3	88	85	-3	84	80	-4	78	76	-2
	捕捉率		60	54	-6	51	45	-6	17	13	-4	51	45	-6	73	69	-4
	一致率		67	67	±0	93]	93]	±0	21]	21]	±0	74	74	±0	53	53	±0
	A		13	13	±0	12	12	±0	1	1	±0	12	12	±0	18	18	±0
	B（見逃し率）		9	11	+2	12	15	+3	7	10	+3	12	15	+3	7	8	+1
	C（空振り率）		7	7	±0	1	1	±0	5	5	±0	4	4	±0	16	16	±0
	D		71	69	-2	75	71	-4	86	83	-3	71	68	-3	60	59	-1
	「降水あり」予報の適中率		67	67	±0	93]	93]	±0	21]	21]	±0	74	74	±0	53	53	±0
	「降水なし」予報の適中率		89	86	-3	86	82	-4	92	89	-3	86	82	-4	90	88	-2
さいたま 埼玉県南 部	降水の有無の適中率		94	94	±0	98	98	±0	100	100	±0	94	94	±0	98	98	±0
	捕捉率		85	85	±0	85	85	±0	0	0	±0	85	85	±0	85	85	±0
	一致率		69]	69]	±0	92]	92]	±0	-	-	0	69]	69]	±0	92]	92]	±0
	A		9	9	±0	9	9	±0	0	0	±0	9	9	±0	9	9	±0
	B（見逃し率）		2	2	±0	2	2	±0	0	0	±0	2	2	±0	2	2	±0
	C（空振り率）		4	4	±0	1	1	±0	0	0	±0	4	4	±0	1	1	±0
	D		85	85	±0	88	88	±0	100	100	±0	85	85	±0	88	88	±0
	「降水あり」予報の適中率		69]	69]	±0	92]	92]	±0	-	-	0	69]	69]	±0	92]	92]	±0
	「降水なし」予報の適中率		98	98	±0	98	98	±0	100	100	±0	98	98	±0	98	98	±0

熊 谷 埼玉県北 部	降水の有無の適中率	94	94	±0	97	97	±0	100	100	±0	94	94	±0	97	97	±0
	捕捉率	100	100	±0	100	100	±0	0	0	±0	100	100	±0	100	100	±0
	一致率	54]	54]	±0	72]	72]	±0	-	-	0	54]	54]	±0	72]	72]	±0
	A	7	7	±0	7	7	±0	0	0	±0	7	7	±0	7	7	±0
	B（見逃し率）	0	0	±0	0	0	±0	0	0	±0	0	0	±0	0	0	±0
	C（空振り率）	6	6	±0	3	3	±0	0	0	±0	6	6	±0	3	3	±0
	D	87	87	±0	90	90	±0	100	100	±0	87	87	±0	90	90	±0
	「降水あり」予報の適中率	54]	54]	±0	72]	72]	±0	-	-	0	54]	54]	±0	72]	72]	±0
	「降水なし」予報の適中率	100	100	±0	100	100	±0	100	100	±0	100	100	±0	100	100	±0
秩 父 埼玉県秩 父地方	降水の有無の適中率	93	93	±0	97	97	±0	100	100	±0	93	93	±0	97	97	±0
	捕捉率	100	100	±0	100	100	±0	0	0	±0	100	100	±0	100	100	±0
	一致率	50]	50]	±0	67]	67]	±0	-	-	0	50]	50]	±0	67]	67]	±0
	A	7	7	±0	7	7	±0	0	0	±0	7	7	±0	7	7	±0
	B（見逃し率）	0	0	±0	0	0	±0	0	0	±0	0	0	±0	0	0	±0
	C（空振り率）	7	7	±0	3	3	±0	0	0	±0	7	7	±0	3	3	±0
	D	87	87	±0	90	90	±0	100	100	±0	87	87	±0	90	90	±0
	「降水あり」予報の適中率	50]	50]	±0	67]	67]	±0	-	-	0	50]	50]	±0	67]	67]	±0
	「降水なし」予報の適中率	100	100	±0	100	100	±0	100	100	±0	100	100	±0	100	100	±0
東 京 東京都東 京地方	降水の有無の適中率	92	92	±0	96	96	±0	97	97	±0	91	91	±0	96	96	±0
	捕捉率	97	97	±0	76	76	±0	100	100	±0	82	82	±0	76	76	±0
	一致率	56	56	±0	87]	87]	±0	20]	20]	±0	56	56	±0	87]	87]	±0
	A	9	9	±0	9	9	±0	1	1	±0	9	9	±0	9	9	±0
	B（見逃し率）	0	0	±0	3	3	±0	0	0	±0	2	2	±0	3	3	±0
	C（空振り率）	7	7	±0	1	1	±0	3	3	±0	7	7	±0	1	1	±0
	D	83	83	±0	87	87	±0	97	97	±0	81	81	±0	87	87	±0
	「降水あり」予報の適中率	56	56	±0	87]	87]	±0	20]	20]	±0	56	56	±0	87]	87]	±0
	「降水なし」予報の適中率	100	100	±0	97	97	±0	100	100	±0	98	98	±0	97	97	±0
大 島 東京都伊 豆諸島北 部	降水の有無の適中率	85	85	±0	80	80	±0	91	91	±0	83	83	±0	83	83	±0
	捕捉率	79	79	±0	61	61	±0	56	56	±0	73	73	±0	61	61	±0
	一致率	69	69	±0	68	68	±0	33]	33]	±0	71	71	±0	77	77	±0
	A	21	21	±0	18	18	±0	3	3	±0	21	21	±0	18	18	±0
	B（見逃し率）	5	5	±0	11	11	±0	3	3	±0	8	8	±0	11	11	±0
	C（空振り率）	9	9	±0	9	9	±0	7	7	±0	9	9	±0	5	5	±0
	D	65	65	±0	62	62	±0	87	87	±0	62	62	±0	65	65	±0
	「降水あり」予報の適中率	69	69	±0	68	68	±0	33]	33]	±0	71	71	±0	77	77	±0
	「降水なし」予報の適中率	92	92	±0	85	85	±0	97	97	±0	89	89	±0	85	85	±0
八丈島 東京都伊 豆諸島南 部	降水の有無の適中率	79	79	±0	83	83	±0	80	80	±0	83	83	±0	80	80	±0
	捕捉率	61	61	±0	66	66	±0	40	40	±0	66	66	±0	73	73	±0
	一致率	84	84	±0	93	93	±0	40	40	±0	93	93	±0	78	78	±0
	A	25	25	±0	28	28	±0	7	7	±0	28	28	±0	31	31	±0
	B（見逃し率）	16	16	±0	15	15	±0	10	10	±0	15	15	±0	11	11	±0
	C（空振り率）	5	5	±0	2	2	±0	10	10	±0	2	2	±0	9	9	±0
	D	54	54	±0	55	55	±0	73	73	±0	55	55	±0	49	49	±0
	「降水あり」予報の適中率	84	84	±0	93	93	±0	40	40	±0	93	93	±0	78	78	±0
	「降水なし」予報の適中率	77	77	±0	79	79	±0	88	88	±0	79	79	±0	81	81	±0
父 島 東京都小 笠原諸島	降水の有無の適中率	85	85	±0	85	85	±0	85	85	±0	85	85	±0	78	78	±0
	捕捉率	67	67	±0	59	59	±0	67	67	±0	59	59	±0	47	47	±0
	一致率	71	71	±0	83	83	±0	50	50	±0	83	83	±0	67	67	±0
	A	17	17	±0	17	17	±0	10	10	±0	17	17	±0	13	13	±0
	B（見逃し率）	8	8	±0	12	12	±0	5	5	±0	12	12	±0	15	15	±0
	C（空振り率）	7	7	±0	3	3	±0	10	10	±0	3	3	±0	7	7	±0
	D	68	68	±0	68	68	±0	75	75	±0	68	68	±0	65	65	±0
	「降水あり」予報の適中率	71	71	±0	83	83	±0	50	50	±0	83	83	±0	67	67	±0
	「降水なし」予報の適中率	89	89	±0	85	85	±0	94	94	±0	85	85	±0	81	81	±0
千 葉 千葉県北 西部	降水の有無の適中率	93	93	±0	88	88	±0	96	96	±0	86	86	±0	88	88	±0
	捕捉率	69	69	±0	63	63	±0	86	86	±0	66	66	±0	63	63	±0
	一致率	83]	83]	±0	73	73	±0	50]	50]	±0	64	64	±0	73	73	±0
	A	11	11	±0	12	12	±0	3	3	±0	13	13	±0	12	12	±0
	B（見逃し率）	5	5	±0	7	7	±0	1	1	±0	7	7	±0	7	7	±0
	C（空振り率）	2	2	±0	4	4	±0	3	3	±0	7	7	±0	4	4	±0
	D	82	82	±0	76	76	±0	93	93	±0	73	73	±0	76	76	±0
	「降水あり」予報の適中率	83]	83]	±0	73	73	±0	50]	50]	±0	64	64	±0	73	73	±0
	「降水なし」予報の適中率	94	94	±0	91	91	±0	99	99	±0	92	92	±0	91	91	±0
銚 子	降水の有無の適中率	90	90	±0	87	87	±0	93	93	±0	89	89	±0	87	87	±0
	捕捉率	69	69	±0	58	58	±0	50	50	±0	71	71	±0	58	58	±0
	一致率	72	72	±0	72	72	±0	50]	50]	±0	73	73	±0	72	72	±0
	A	12	12	±0	12	12	±0	3	3	±0	15	15	±0	12	12	±0
	B（見逃し率）	5	5	±0	9	9	±0	3	3	±0	6	6	±0	9	9	±0

千葉県北 東部	C（空振り率）	5	5	±0	5	5	±0	3	3	±0	5	5	±0	5	5	±0
	D	78	78	±0	75	75	±0	90	90	±0	74	74	±0	75	75	±0
	「降水あり」予報の適中率	72	72	±0	72	72	±0	50]	50]	±0	73	73	±0	72	72	±0
	「降水なし」予報の適中率	94	94	±0	90	90	±0	96	96	±0	93	93	±0	90	90	±0
館山 千葉県南 部	降水の有無の適中率	87	87	±0	85	86	+1	92	92	±0	84	84	±0	89	89	±0
	捕捉率	72	71	-1	60	61	+1	36	36	±0	70	70	±0	72	73	+1
	一致率	73	71	-2	81	81	±0	29]	29]	±0	71	70	-1	84	84	±0
	A	17	17	±0	16	16	±0	2	2	±0	19	19	±0	20	20	±0
	B（見逃し率）	7	7	±0	11	10	-1	3	3	±0	8	8	±0	8	7	-1
	C（空振り率）	6	7	+1	4	4	±0	5	5	±0	8	8	±0	4	4	±0
	D	70	70	±0	69	70	+1	90	90	±0	65	65	±0	69	70	+1
	「降水あり」予報の適中率	73	71	-2	81	81	±0	29]	29]	±0	71	70	-1	84	84	±0
	「降水なし」予報の適中率	91	91	±0	86	87	+1	96	96	±0	89	89	±0	90	91	+1
横浜 神奈川県東部	降水の有無の適中率	91	91	±0	96	96	±0	93	93	±0	92	92	±0	96	96	±0
	捕捉率	92	92	±0	77	77	±0	0	0	±0	77	77	±0	77	77	±0
	一致率	61	61	±0	96]	96]	±0	0]	0]	±0	77	77	±0	96]	96]	±0
	A	12	12	±0	13	13	±0	0	0	±0	13	13	±0	13	13	±0
	B（見逃し率）	1	1	±0	4	4	±0	0	0	±0	4	4	±0	4	4	±0
	C（空振り率）	8	8	±0	1	1	±0	7	7	±0	4	4	±0	1	1	±0
	D	79	79	±0	83	83	±0	93	93	±0	79	79	±0	83	83	±0
	「降水あり」予報の適中率	61	61	±0	96]	96]	±0	0]	0]	±0	77	77	±0	96]	96]	±0
	「降水なし」予報の適中率	99	99	±0	96	96	±0	100	100	±0	95	95	±0	96	96	±0
小田原 神奈川県西部	降水の有無の適中率	92	92	±0	95	95	±0	93	93	±0	92	92	±0	95	95	±0
	捕捉率	88	88	±0	84	84	±0	100	100	±0	84	84	±0	84	84	±0
	一致率	60	60	±0	80]	80]	±0	27]	27]	±0	64	64	±0	80]	80]	±0
	A	10	10	±0	11	11	±0	3	3	±0	11	11	±0	11	11	±0
	B（見逃し率）	1	1	±0	2	2	±0	0	0	±0	2	2	±0	2	2	±0
	C（空振り率）	7	7	±0	3	3	±0	7	7	±0	6	6	±0	3	3	±0
	D	82	82	±0	85	85	±0	90	90	±0	81	81	±0	85	85	±0
	「降水あり」予報の適中率	60	60	±0	80]	80]	±0	27]	27]	±0	64	64	±0	80]	80]	±0
	「降水なし」予報の適中率	98	98	±0	98	98	±0	100	100	±0	98	98	±0	98	98	±0
長野 長野県北 部	降水の有無の適中率	92	92	±0	85	85	±0	89	88	-1	88	87	-1	80	79	-1
	捕捉率	87	86	-1	77	76	-1	76	75	-1	85	83	-2	71	69	-2
	一致率	89	89	±0	84	85	+1	63	63	±0	84	84	±0	79	79	±0
	A	30	30	±0	31	31	±0	13	13	±0	34	34	±0	29	29	±0
	B（見逃し率）	4	5	+1	9	10	+1	4	4	±0	6	7	+1	12	13	+1
	C（空振り率）	4	4	±0	6	5	-1	7	7	±0	6	6	±0	8	8	±0
	D	62	62	±0	54	54	±0	76	76	±0	54	53	-1	51	50	-1
	「降水あり」予報の適中率	89	89	±0	84	85	+1	63	63	±0	84	84	±0	79	79	±0
	「降水なし」予報の適中率	94	93	-1	86	85	-1	95	95	±0	90	89	-1	81	79	-2
松本 長野県中 部	降水の有無の適中率	86	85	-1	88	87	-1	93	92	-1	88	86	-2	88	86	-2
	捕捉率	56	53	-3	69	66	-3	68	63	-5	52	48	-4	52	48	-4
	一致率	66	66	±0	72	72	±0	59]	59]	±0	82]	82]	±0	82]	82]	±0
	A	11	11	±0	14	14	±0	6	6	±0	11	11	±0	11	11	±0
	B（見逃し率）	9	10	+1	6	8	+2	3	4	+1	10	12	+2	10	12	+2
	C（空振り率）	6	6	±0	6	6	±0	4	4	±0	2	2	±0	2	2	±0
	D	75	74	-1	74	72	-2	87	87	±0	77	75	-2	77	75	-2
	「降水あり」予報の適中率	66	66	±0	72	72	±0	59]	59]	±0	82]	82]	±0	82]	82]	±0
	「降水なし」予報の適中率	90	88	-2	92	91	-1	97	96	-1	88	87	-1	88	86	-2
飯田 長野県南 部	降水の有無の適中率	90	89	-1	88	87	-1	87	87	±0	88	86	-2	90	88	-2
	捕捉率	77	75	-2	65	62	-3	64	63	-1	85	80	-5	62	58	-4
	一致率	82	82	±0	85	85	±0	49	54	+5	74	74	±0	98	98	±0
	A	19	19	±0	17	17	±0	8	9	+1	22	22	±0	16	16	±0
	B（見逃し率）	6	6	±0	9	10	+1	5	5	±0	4	6	+2	10	12	+2
	C（空振り率）	4	4	±0	3	3	±0	8	8	±0	8	8	±0	0	0	±0
	D	71	70	-1	71	70	-1	79	78	-1	66	64	-2	74	72	-2
	「降水あり」予報の適中率	82	82	±0	85	85	±0	49	54	+5	74	74	±0	98	98	±0
	「降水なし」予報の適中率	93	92	-1	89	87	-2	94	94	±0	94	92	-2	88	86	-2
甲府 山梨県 中・西部	降水の有無の適中率	94	93	-1	97	97	±0	91	91	±0	94	93	-1	97	97	±0
	捕捉率	100	97	-3	100	97	-3	100	75	-25	100	97	-3	100	97	-3
	一致率	62	62	±0	78]	78]	±0	11]	11]	±0	62	62	±0	78]	78]	±0
	A	10	10	±0	10	10	±0	1	1	±0	10	10	±0	10	10	±0
	B（見逃し率）	0	0	±0	0	0	±0	0	0	±0	0	0	±0	0	0	±0
	C（空振り率）	6	6	±0	3	3	±0	9	9	±0	6	6	±0	3	3	±0
	D	83	83	±0	87	86	-1	90	90	±0	83	83	±0	87	86	-1
「降水あり」予報の適中率	62	62	±0	78]	78]	±0	11]	11]	±0	62	62	±0	78]	78]	±0	

	「降水なし」予報の適中率	100	100	±0	100	100	±0	100	100	±0	100	100	±0	100	100	±0
河口湖 山梨県東 部・富士 五湖	降水の有無の適中率	95	95	±0	95	95	±0	93	93	±0	95	95	±0	95	95	±0
	捕捉率	100	100	±0	86	86	±0	100	100	±0	100	100	±0	86	86	±0
	一致率	70	70	±0	75]	75]	±0	33]	33]	±0	70	70	±0	75]	75]	±0
	A	12	12	±0	10	10	±0	3	3	±0	12	12	±0	10	10	±0
	B（見逃し率）	0	0	±0	2	2	±0	0	0	±0	0	0	±0	2	2	±0
	C（空振り率）	5	5	±0	3	3	±0	7	7	±0	5	5	±0	3	3	±0
	D	83	83	±0	85	85	±0	90	90	±0	83	83	±0	85	85	±0
	「降水あり」予報の適中率	70	70	±0	75]	75]	±0	33]	33]	±0	70	70	±0	75]	75]	±0
	「降水なし」予報の適中率	100	100	±0	98	98	±0	100	100	±0	100	100	±0	98	98	±0