

令和5年12月 関東甲信地方		[5時発表予報]						[17時発表予報]								
		降水の有無						降水の有無								
		今日			明日			今夜			明日			明後日		
		修正前	修正後	差分	修正前	修正後	差分	修正前	修正後	差分	修正前	修正後	差分	修正前	修正後	差分
		(5-24時)			(0-24時)			(17-24時)			(0-24時)			(0-24時)		
水戸 茨城県北 部	降水の有無の適中率	89	89	±0	93	93	±0	97	97	±0	93	93	±0	93	93	±0
	捕捉率	77	77	±0	89	89	±0	93	93	±0	89	89	±0	89	89	±0
	一致率	62	62	±0	73	73	±0	64]	64]	±0	73	73	±0	73	73	±0
	A	12	12	±0	14	14	±0	4	4	±0	14	14	±0	14	14	±0
	B（見逃し率）	4	4	±0	2	2	±0	0	0	±0	2	2	±0	2	2	±0
	C（空振り率）	7	7	±0	5	5	±0	2	2	±0	5	5	±0	5	5	±0
	D	77	77	±0	79	79	±0	93	93	±0	79	79	±0	79	79	±0
	「降水あり」予報の適中率	62	62	±0	73	73	±0	64]	64]	±0	73	73	±0	73	73	±0
	「降水なし」予報の適中率	96	96	±0	98	98	±0	100	100	±0	98	98	±0	98	98	±0
土浦 茨城県南 部	降水の有無の適中率	90	90	±0	91	91	±0	94	94	±0	91	91	±0	91	91	±0
	捕捉率	85	85	±0	88	88	±0	58	58	±0	88	88	±0	88	88	±0
	一致率	57	57	±0	60	60	±0	29]	29]	±0	60	60	±0	60	60	±0
	A	11	11	±0	12	12	±0	2	2	±0	12	12	±0	12	12	±0
	B（見逃し率）	2	2	±0	2	2	±0	1	1	±0	2	2	±0	2	2	±0
	C（空振り率）	8	8	±0	8	8	±0	5	5	±0	8	8	±0	8	8	±0
	D	79	79	±0	79	79	±0	92	92	±0	79	79	±0	79	79	±0
	「降水あり」予報の適中率	57	57	±0	60	60	±0	29]	29]	±0	60	60	±0	60	60	±0
	「降水なし」予報の適中率	98	98	±0	98	98	±0	99	99	±0	98	98	±0	98	98	±0
宇都宮 栃木県南 部	降水の有無の適中率	91	91	±0	93	93	±0	99	99	±0	93	93	±0	91	91	±0
	捕捉率	100	100	±0	100	100	±0	100	100	±0	100	100	±0	81	81	±0
	一致率	55	55	±0	62	62	±0	60]	60]	±0	62	62	±0	60	60	±0
	A	11	11	±0	12	12	±0	2	2	±0	12	12	±0	10	10	±0
	B（見逃し率）	0	0	±0	0	0	±0	0	0	±0	0	0	±0	2	2	±0
	C（空振り率）	9	9	±0	7	7	±0	1	1	±0	7	7	±0	6	6	±0
	D	81	81	±0	81	81	±0	97	97	±0	81	81	±0	82	82	±0
	「降水あり」予報の適中率	55	55	±0	62	62	±0	60]	60]	±0	62	62	±0	60	60	±0
	「降水なし」予報の適中率	100	100	±0	100	100	±0	100	100	±0	100	100	±0	97	97	±0
大田原 栃木県北 部	降水の有無の適中率	88	87	-1	90	89	-1	99	97	-2	90	89	-1	89	88	-1
	捕捉率	73	69	-4	74	70	-4	73	50	-23	74	70	-4	64	60	-4
	一致率	60	60	±0	73	73	±0	100]	100]	±0	73	73	±0	75	75	±0
	A	12	12	±0	14	14	±0	3	3	±0	14	14	±0	12	12	±0
	B（見逃し率）	4	5	+1	5	6	+1	1	3	+2	5	6	+1	7	8	+1
	C（空振り率）	8	8	±0	5	5	±0	0	0	±0	5	5	±0	4	4	±0
	D	76	75	-1	76	75	-1	96	94	-2	76	75	-1	77	76	-1
	「降水あり」予報の適中率	60	60	±0	73	73	±0	100]	100]	±0	73	73	±0	75	75	±0
	「降水なし」予報の適中率	95	94	-1	94	93	-1	99	97	-2	94	93	-1	92	90	-2
前橋 群馬県南 部	降水の有無の適中率	93	93	±0	93	93	±0	95	95	±0	93	93	±0	93	93	±0
	捕捉率	100	100	±0	97	97	±0	13	13	±0	97	97	±0	97	97	±0
	一致率	56	56	±0	60	60	±0	10]	10]	±0	60	60	±0	60	60	±0
	A	9	9	±0	10	10	±0	0	0	±0	10	10	±0	10	10	±0
	B（見逃し率）	0	0	±0	0	0	±0	2	2	±0	0	0	±0	0	0	±0
	C（空振り率）	7	7	±0	6	6	±0	3	3	±0	6	6	±0	6	6	±0
	D	84	84	±0	84	84	±0	95	95	±0	84	84	±0	84	84	±0
	「降水あり」予報の適中率	56	56	±0	60	60	±0	10]	10]	±0	60	60	±0	60	60	±0
	「降水なし」予報の適中率	100	100	±0	100	100	±0	98	98	±0	100	100	±0	100	100	±0
みなかみ 群馬県北 部	降水の有無の適中率	85	82	-3	85	83	-2	95	93	-2	85	83	-2	82	79	-3
	捕捉率	53	45	-8	59	54	-5	56	48	-8	59	54	-5	65	58	-7
	一致率	60	60	±0	76	81	+5	100]	100]	±0	76	81	+5	63	63	±0
	A	10	10	±0	15	16	+1	7	7	±0	15	16	+1	16	16	±0
	B（見逃し率）	9	12	+3	10	13	+3	5	7	+2	10	13	+3	9	12	+3
	C（空振り率）	6	6	±0	5	4	-1	0	0	±0	5	4	-1	10	10	±0
	D	75	72	-3	71	67	-4	89	87	-2	71	67	-4	65	63	-2
	「降水あり」予報の適中率	60	60	±0	76	81	+5	100]	100]	±0	76	81	+5	63	63	±0
	「降水なし」予報の適中率	90	86	-4	87	83	-4	95	93	-2	87	83	-4	88	84	-4
さいたま 埼玉県南 部	降水の有無の適中率	87	87	±0	89	89	±0	94	94	±0	89	89	±0	92	92	±0
	捕捉率	83	83	±0	63	63	±0	0	0	±0	88	88	±0	63	63	±0
	一致率	25	25	±0	31]	31]	±0	0]	0]	±0	35	35	±0	42]	42]	±0
	A	4	4	±0	4	4	±0	0	0	±0	6	6	±0	4	4	±0
	B（見逃し率）	1	1	±0	2	2	±0	0	0	±0	1	1	±0	2	2	±0
	C（空振り率）	12	12	±0	9	9	±0	6	6	±0	10	10	±0	6	6	±0
	D	83	83	±0	85	85	±0	94	94	±0	83	83	±0	88	88	±0
	「降水あり」予報の適中率	25	25	±0	31]	31]	±0	0]	0]	±0	35	35	±0	42]	42]	±0
	「降水なし」予報の適中率	99	99	±0	97	97	±0	100	100	±0	99	99	±0	97	97	±0

熊 谷 埼玉県北 部	降水の有無の適中率	83	83	±0	87	87	±0	97	97	±0	87	87	±0	90	90	±0
	捕捉率	38	38	±0	47	47	±0	0	0	±0	67	67	±0	47	47	±0
	一致率	10	10	±0	29]	29]	±0	0]	0]	±0	33	33	±0	39]	39]	±0
	A	2	2	±0	4	4	±0	0	0	±0	5	5	±0	4	4	±0
	B（見逃し率）	3	3	±0	4	4	±0	0	0	±0	3	3	±0	4	4	±0
	C（空振り率）	15	15	±0	9	9	±0	3	3	±0	11	11	±0	6	6	±0
	D	81	81	±0	83	83	±0	97	97	±0	81	81	±0	86	86	±0
	「降水あり」予報の適中率	10	10	±0	29]	29]	±0	0]	0]	±0	33	33	±0	39]	39]	±0
	「降水なし」予報の適中率	97	97	±0	95	95	±0	100	100	±0	97	97	±0	95	95	±0
秩 父 埼玉県秩 父地方	降水の有無の適中率	84	84	±0	88	88	±0	98	98	±0	88	88	±0	91	91	±0
	捕捉率	50	50	±0	56	56	±0	100	100	±0	56	56	±0	56	56	±0
	一致率	20	20	±0	31]	31]	±0	25]	25]	±0	31]	31]	±0	42]	42]	±0
	A	3	3	±0	4	4	±0	1	1	±0	4	4	±0	4	4	±0
	B（見逃し率）	3	3	±0	3	3	±0	0	0	±0	3	3	±0	3	3	±0
	C（空振り率）	13	13	±0	9	9	±0	2	2	±0	9	9	±0	6	6	±0
	D	81	81	±0	84	84	±0	97	97	±0	84	84	±0	87	87	±0
	「降水あり」予報の適中率	20	20	±0	31]	31]	±0	25]	25]	±0	31]	31]	±0	42]	42]	±0
	「降水なし」予報の適中率	96	96	±0	96	96	±0	100	100	±0	96	96	±0	96	96	±0
東 京 東京都東 京地方	降水の有無の適中率	89	89	±0	90	90	±0	95	95	±0	90	90	±0	92	92	±0
	捕捉率	95	95	±0	91	91	±0	100	100	±0	95	95	±0	82	82	±0
	一致率	36	36	±0	40	40	±0	25]	25]	±0	42	42	±0	45]	45]	±0
	A	6	6	±0	7	7	±0	2	2	±0	7	7	±0	6	6	±0
	B（見逃し率）	0	0	±0	1	1	±0	0	0	±0	0	0	±0	1	1	±0
	C（空振り率）	10	10	±0	10	10	±0	5	5	±0	9	9	±0	7	7	±0
	D	84	84	±0	83	83	±0	94	94	±0	84	84	±0	86	86	±0
	「降水あり」予報の適中率	36	36	±0	40	40	±0	25]	25]	±0	42	42	±0	45]	45]	±0
	「降水なし」予報の適中率	100	100	±0	99	99	±0	100	100	±0	100	100	±0	99	99	±0
大 島 東京都伊 豆諸島北 部	降水の有無の適中率	89	89	±0	94	94	±0	94	94	±0	94	94	±0	89	89	±0
	捕捉率	97	97	±0	86	86	±0	89	89	±0	93	93	±0	85	85	±0
	一致率	64	64	±0	90	90	±0	68	68	±0	87	87	±0	80	80	±0
	A	19	19	±0	23	23	±0	11	11	±0	25	25	±0	26	26	±0
	B（見逃し率）	1	1	±0	4	4	±0	1	1	±0	2	2	±0	5	5	±0
	C（空振り率）	10	10	±0	3	3	±0	5	5	±0	4	4	±0	6	6	±0
	D	70	70	±0	70	70	±0	83	83	±0	69	69	±0	63	63	±0
	「降水あり」予報の適中率	64	64	±0	90	90	±0	68	68	±0	87	87	±0	80	80	±0
	「降水なし」予報の適中率	99	99	±0	95	95	±0	98	98	±0	97	97	±0	93	93	±0
八丈島 東京都伊 豆諸島南 部	降水の有無の適中率	86	86	±0	86	86	±0	89	89	±0	86	86	±0	86	86	±0
	捕捉率	82	82	±0	76	76	±0	70	70	±0	76	76	±0	78	78	±0
	一致率	72	72	±0	84	84	±0	56	56	±0	84	84	±0	85	85	±0
	A	23	23	±0	27	27	±0	9	9	±0	27	27	±0	30	30	±0
	B（見逃し率）	5	5	±0	8	8	±0	4	4	±0	8	8	±0	8	8	±0
	C（空振り率）	9	9	±0	5	5	±0	7	7	±0	5	5	±0	5	5	±0
	D	63	63	±0	59	59	±0	80	80	±0	59	59	±0	56	56	±0
	「降水あり」予報の適中率	72	72	±0	84	84	±0	56	56	±0	84	84	±0	85	85	±0
	「降水なし」予報の適中率	92	92	±0	88	88	±0	95	95	±0	88	88	±0	87	87	±0
父 島 東京都小 笠原諸島	降水の有無の適中率	90	90	±0	82	82	±0	89	89	±0	82	82	±0	79	79	±0
	捕捉率	78	78	±0	71	71	±0	73	73	±0	71	71	±0	71	71	±0
	一致率	88	88	±0	75	75	±0	67	67	±0	75	75	±0	68	68	±0
	A	23	23	±0	24	24	±0	13	13	±0	24	24	±0	24	24	±0
	B（見逃し率）	6	6	±0	10	10	±0	5	5	±0	10	10	±0	10	10	±0
	C（空振り率）	3	3	±0	8	8	±0	6	6	±0	8	8	±0	11	11	±0
	D	68	68	±0	58	58	±0	76	76	±0	58	58	±0	55	55	±0
	「降水あり」予報の適中率	88	88	±0	75	75	±0	67	67	±0	75	75	±0	68	68	±0
	「降水なし」予報の適中率	91	91	±0	86	86	±0	94	94	±0	86	86	±0	85	85	±0
千 葉 千葉県北 西部	降水の有無の適中率	90	90	±0	91	91	±0	96	96	±0	91	91	±0	88	88	±0
	捕捉率	100	100	±0	100	100	±0	100	100	±0	100	100	±0	70	70	±0
	一致率	50	50	±0	56	56	±0	42]	42]	±0	56	56	±0	47	47	±0
	A	10	10	±0	11	11	±0	3	3	±0	11	11	±0	8	8	±0
	B（見逃し率）	0	0	±0	0	0	±0	0	0	±0	0	0	±0	3	3	±0
	C（空振り率）	10	10	±0	9	9	±0	4	4	±0	9	9	±0	9	9	±0
	D	81	81	±0	81	81	±0	94	94	±0	81	81	±0	81	81	±0
	「降水あり」予報の適中率	50	50	±0	56	56	±0	42]	42]	±0	56	56	±0	47	47	±0
	「降水なし」予報の適中率	100	100	±0	100	100	±0	100	100	±0	100	100	±0	96	96	±0
銚 子	降水の有無の適中率	89	89	±0	91	90	-1	98	98	±0	91	90	-1	92	91	-1
	捕捉率	100	93	-7	100	94	-6	100	100	±0	100	94	-6	88	83	-5
	一致率	45	45	±0	52	52	±0	75]	75]	±0	52	52	±0	58	58	±0
	A	9	9	±0	10	10	±0	5	5	±0	10	10	±0	9	9	±0
	B（見逃し率）	0	1	+1	0	1	+1	0	0	±0	0	1	+1	1	2	+1

千葉県北 東部	C（空振り率）	11	11	±0	9	9	±0	2	2	±0	9	9	±0	7	7	±0
	D	81	80	-1	81	80	-1	94	94	±0	81	80	-1	83	82	-1
	「降水あり」予報の適中率	45	45	±0	52	52	±0	75]	75]	±0	52	52	±0	58	58	±0
	「降水なし」予報の適中率	100	99	-1	100	99	-1	100	100	±0	100	99	-1	98	98	±0
館山 千葉県南 部	降水の有無の適中率	92	92	±0	92	92	±0	96	96	±0	92	92	±0	87	87	±0
	捕捉率	100	100	±0	96	96	±0	69	69	±0	96	96	±0	61	61	±0
	一致率	57	57	±0	62	62	±0	64]	64]	±0	62	62	±0	54	54	±0
	A	11	11	±0	12	12	±0	4	4	±0	12	12	±0	9	9	±0
	B（見逃し率）	0	0	±0	0	0	±0	2	2	±0	0	0	±0	6	6	±0
	C（空振り率）	8	8	±0	7	7	±0	2	2	±0	7	7	±0	7	7	±0
	D	81	81	±0	80	80	±0	92	92	±0	80	80	±0	78	78	±0
	「降水あり」予報の適中率	57	57	±0	62	62	±0	64]	64]	±0	62	62	±0	54	54	±0
	「降水なし」予報の適中率	100	100	±0	99	99	±0	98	98	±0	99	99	±0	93	93	±0
横浜 神奈川県 東部	降水の有無の適中率	91	91	±0	91	91	±0	97	97	±0	91	91	±0	91	91	±0
	捕捉率	100	100	±0	100	100	±0	100	100	±0	100	100	±0	82	82	±0
	一致率	53	53	±0	53	53	±0	67]	67]	±0	53	53	±0	60	60	±0
	A	10	10	±0	10	10	±0	7	7	±0	10	10	±0	10	10	±0
	B（見逃し率）	0	0	±0	0	0	±0	0	0	±0	0	0	±0	2	2	±0
	C（空振り率）	9	9	±0	9	9	±0	3	3	±0	9	9	±0	6	6	±0
	D	81	81	±0	81	81	±0	90	90	±0	81	81	±0	82	82	±0
	「降水あり」予報の適中率	53	53	±0	53	53	±0	67]	67]	±0	53	53	±0	60	60	±0
	「降水なし」予報の適中率	100	100	±0	100	100	±0	100	100	±0	100	100	±0	97	97	±0
小田原 神奈川県 西部	降水の有無の適中率	94	94	±0	93	93	±0	99	99	±0	96	96	±0	90	90	±0
	捕捉率	90	90	±0	82	82	±0	83	83	±0	82	82	±0	69	69	±0
	一致率	72	72	±0	72	72	±0	100]	100]	±0	90]	90]	±0	72	72	±0
	A	12	12	±0	12	12	±0	7	7	±0	12	12	±0	12	12	±0
	B（見逃し率）	1	1	±0	3	3	±0	1	1	±0	3	3	±0	5	5	±0
	C（空振り率）	5	5	±0	5	5	±0	0	0	±0	1	1	±0	5	5	±0
	D	83	83	±0	81	81	±0	92	92	±0	85	85	±0	79	79	±0
	「降水あり」予報の適中率	72	72	±0	72	72	±0	100]	100]	±0	90]	90]	±0	72	72	±0
	「降水なし」予報の適中率	98	98	±0	97	97	±0	99	99	±0	97	97	±0	94	94	±0
長野 長野県北 部	降水の有無の適中率	80	78	-2	78	75	-3	82	82	±0	80	77	-3	80	79	-1
	捕捉率	69	64	-5	63	59	-4	69	65	-4	70	65	-5	76	72	-4
	一致率	66	74	+8	73	78	+5	56	61	+5	74	78	+4	70	74	+4
	A	21	24	+3	24	25	+1	15	16	+1	26	28	+2	27	29	+2
	B（見逃し率）	9	13	+4	14	17	+3	6	8	+2	11	15	+4	9	11	+2
	C（空振り率）	11	8	-3	9	7	-2	11	10	-1	9	8	-1	12	10	-2
	D	58	55	-3	54	50	-4	68	66	-2	54	50	-4	53	50	-3
	「降水あり」予報の適中率	66	74	+8	73	78	+5	56	61	+5	74	78	+4	70	74	+4
	「降水なし」予報の適中率	86	80	-6	80	74	-6	91	89	-2	83	77	-6	86	82	-4
松本 長野県中 部	降水の有無の適中率	92	91	-1	92	90	-2	92	92	±0	92	90	-2	90	88	-2
	捕捉率	66	60	-6	66	57	-9	82	75	-7	66	57	-9	68	60	-8
	一致率	82]	82]	±0	86]	86]	±0	51]	57]	+6	86]	86]	±0	71	72	+1
	A	11	11	±0	11	11	±0	7	7	±0	11	11	±0	12	12	±0
	B（見逃し率）	5	7	+2	6	8	+2	1	3	+2	6	8	+2	5	8	+3
	C（空振り率）	2	2	±0	2	2	±0	6	6	±0	2	2	±0	5	4	-1
	D	82	80	-2	81	79	-2	86	85	-1	81	79	-2	79	76	-3
	「降水あり」予報の適中率	82]	82]	±0	86]	86]	±0	51]	57]	+6	86]	86]	±0	71	72	+1
	「降水なし」予報の適中率	94	92	-2	93	90	-3	98	97	-1	93	90	-3	94	91	-3
飯田 長野県南 部	降水の有無の適中率	89	90	+1	88	88	±0	91	91	±0	90	91	+1	85	85	±0
	捕捉率	87	85	-2	68	66	-2	98	97	-1	88	87	-1	67	67	±0
	一致率	67	72	+5	72	75	+3	54	56	+2	70	74	+4	66	71	+5
	A	17	19	+2	14	15	+1	10	11	+1	18	19	+1	15	16	+1
	B（見逃し率）	3	3	±0	7	7	±0	0	0	±0	2	3	+1	7	8	+1
	C（空振り率）	9	7	-2	6	5	-1	9	9	±0	8	7	-1	8	7	-1
	D	72	71	-1	74	73	-1	81	80	-1	72	71	-1	70	69	-1
	「降水あり」予報の適中率	67	72	+5	72	75	+3	54	56	+2	70	74	+4	66	71	+5
	「降水なし」予報の適中率	96	96	±0	92	91	-1	100	100	±0	97	96	-1	91	90	-1
甲府 山梨県 中・西部	降水の有無の適中率	95	95	±0	96	96	±0	97	97	±0	96	95	-1	96	95	-1
	捕捉率	100	100	±0	88	85	-3	67	57	-10	100	97	-3	85	83	-2
	一致率	71	71	±0	81]	81]	±0	44]	44]	±0	73	73	±0	81]	81]	±0
	A	12	12	±0	10	10	±0	1	1	±0	12	12	±0	10	10	±0
	B（見逃し率）	0	0	±0	1	2	+1	1	1	±0	0	0	±0	2	2	±0
	C（空振り率）	5	5	±0	3	3	±0	2	2	±0	4	4	±0	3	3	±0
	D	84	84	±0	86	85	-1	96	96	±0	84	84	±0	85	85	±0
	「降水あり」予報の適中率	71	71	±0	81]	81]	±0	44]	44]	±0	73	73	±0	81]	81]	±0

	「降水なし」予報の適中率	100	100	±0	98	98	±0	99	99	±0	100	100	±0	98	98	±0
河口湖 山梨県東部・富士五湖	降水の有無の適中率	94	94	±0	95	95	±0	98	98	±0	95	95	±0	93	93	±0
	捕捉率	100	100	±0	92	92	±0	100	100	±0	92	92	±0	92	92	±0
	一致率	60	60	±0	69]	69]	±0	75]	75]	±0	69]	69]	±0	60	60	±0
	A	10	10	±0	9	9	±0	5	5	±0	9	9	±0	10	10	±0
	B（見逃し率）	0	0	±0	1	1	±0	0	0	±0	1	1	±0	1	1	±0
	C（空振り率）	6	6	±0	4	4	±0	2	2	±0	4	4	±0	6	6	±0
	D	84	84	±0	86	86	±0	94	94	±0	86	86	±0	83	83	±0
	「降水あり」予報の適中率	60	60	±0	69]	69]	±0	75]	75]	±0	69]	69]	±0	60	60	±0
	「降水なし」予報の適中率	100	100	±0	99	99	±0	100	100	±0	99	99	±0	99	99	±0