

			[5時発表予報]						[17時発表予報]								
			降水の有無						降水の有無								
			今日			明日			今夜			明日			明後日		
			修正前	修正後	差分	修正前	修正後	差分	修正前	修正後	差分	修正前	修正後	差分	修正前	修正後	差分
			(5-24時)			(0-24時)			(17-24時)			(0-24時)			(0-24時)		
水戸 茨城県北 部	降水の有無の適中率		88	87	-1	91	90	-1	87	87	±0	88	87	-1	90	89	-1
	捕捉率		54	51	-3	54	49	-5	33	31	-2	54	51	-3	37	33	-4
	一致率		50]	50]	±0	67]	67]	±0	33]	33]	±0	50]	50]	±0	68]	68]	±0
	A		7	7	±0	7	7	±0	3	3	±0	7	7	±0	4	4	±0
	B（見逃し率）		6	6	±0	6	7	+1	6	7	+1	6	6	±0	8	9	+1
	C（空振り率）		6	6	±0	3	3	±0	6	6	±0	6	6	±0	2	2	±0
	D		82	81	-1	85	84	-1	84	83	-1	82	81	-1	86	85	-1
	「降水あり」予報の適中率		50]	50]	±0	67]	67]	±0	33]	33]	±0	50]	50]	±0	68]	68]	±0
土浦 茨城県南 部	降水の有無の適中率		92	92	±0	92	92	±0	91	91	±0	92	92	±0	91	91	±0
	捕捉率		78	78	±0	63	57	-6	59	59	±0	78	76	-2	56	51	-5
	一致率		52]	52]	±0	56]	56]	±0	28]	28]	±0	52]	52]	±0	50]	50]	±0
	A		7	7	±0	5	5	±0	3	3	±0	7	7	±0	5	5	±0
	B（見逃し率）		2	2	±0	3	4	+1	2	2	±0	2	2	±0	4	5	+1
	C（空振り率）		6	6	±0	4	4	±0	7	7	±0	6	6	±0	5	5	±0
	D		85	85	±0	87	86	-1	88	88	±0	85	85	±0	87	86	-1
	「降水あり」予報の適中率		52]	52]	±0	56]	56]	±0	28]	28]	±0	52]	52]	±0	50]	50]	±0
宇都宮 栃木県南 部	降水の有無の適中率		97	97	±0	94	94	±0	98	98	±0	95	95	±0	94	94	±0
	捕捉率		82	82	±0	50	50	±0	86	86	±0	70	70	±0	50	50	±0
	一致率		93]	93]	±0	100]	100]	±0	90]	90]	±0	93]	93]	±0	100]	100]	±0
	A		9	9	±0	7	7	±0	6	6	±0	9	9	±0	7	7	±0
	B（見逃し率）		2	2	±0	6	6	±0	1	1	±0	4	4	±0	6	6	±0
	C（空振り率）		1	1	±0	0	0	±0	1	1	±0	1	1	±0	0	0	±0
	D		88	88	±0	87	87	±0	93	93	±0	87	87	±0	87	87	±0
	「降水あり」予報の適中率		93]	93]	±0	100]	100]	±0	90]	90]	±0	93]	93]	±0	100]	100]	±0
大田原 栃木県北 部	降水の有無の適中率		85	85	±0	85	84	-1	91	92	+1	85	85	±0	81	81	±0
	捕捉率		77	76	-1	52	50	-2	81	81	±0	71	67	-4	60	57	-3
	一致率		58	64	+6	63	68	+5	55	65	+10	61	64	+3	52	55	+3
	A		15	17	+2	10	11	+1	9	11	+2	14	15	+1	12	13	+1
	B（見逃し率）		4	5	+1	9	11	+2	2	2	±0	6	7	+1	8	9	+1
	C（空振り率）		11	9	-2	6	5	-1	7	6	-1	9	8	-1	11	10	-1
	D		70	69	-1	75	73	-2	82	82	±0	72	70	-2	70	68	-2
	「降水あり」予報の適中率		58	64	+6	63	68	+5	55	65	+10	61	64	+3	52	55	+3
前橋 群馬県南 部	降水の有無の適中率		97	96	-1	94	93	-1	98	98	±0	94	93	-1	94	93	-1
	捕捉率		83	78	-5	51	47	-4	100	94	-6	64	58	-6	51	47	-4
	一致率		83]	83]	±0	100]	100]	±0	75]	75]	±0	83]	83]	±0	100]	100]	±0
	A		8	8	±0	7	7	±0	5	5	±0	8	8	±0	7	7	±0
	B（見逃し率）		2	2	±0	6	7	+1	0	0	±0	5	6	+1	6	7	+1
	C（空振り率）		2	2	±0	0	0	±0	2	2	±0	2	2	±0	0	0	±0
	D		89	88	-1	87	86	-1	94	93	-1	86	85	-1	87	86	-1
	「降水あり」予報の適中率		83]	83]	±0	100]	100]	±0	75]	75]	±0	83]	83]	±0	100]	100]	±0
みなかみ 群馬県北 部	降水の有無の適中率		81	80	-1	78	77	-1	84	81	-3	81	80	-1	76	74	-2
	捕捉率		83	78	-5	72	68	-4	72	58	-14	82	76	-6	74	68	-6
	一致率		63	68	+5	64	68	+4	47	53	+6	65	69	+4	60	62	+2
	A		24	26	+2	23	24	+1	11	12	+1	25	27	+2	23	24	+1
	B（見逃し率）		5	7	+2	9	12	+3	4	9	+5	6	8	+2	8	12	+4
	C（空振り率）		14	12	-2	13	12	-1	12	11	-1	13	12	-1	16	15	-1
	D		56	54	-2	56	53	-3	73	69	-4	56	53	-3	53	50	-3
	「降水あり」予報の適中率		63	68	+5	64	68	+4	47	53	+6	65	69	+4	60	62	+2
さいたま 埼玉県南 部	降水の有無の適中率		93	93	±0	94	94	±0	95	95	±0	99	99	±0	94	94	±0
	捕捉率		100	100	±0	73	67	-6	100	100	±0	100	100	±0	73	67	-6
	一致率		55	55	±0	67]	67]	±0	50]	50]	±0	92]	92]	±0	67]	67]	±0
	A		9	9	±0	7	7	±0	5	5	±0	9	9	±0	7	7	±0
	B（見逃し率）		0	0	±0	2	3	+1	0	0	±0	0	0	±0	2	3	+1
	C（空振り率）		7	7	±0	3	3	±0	5	5	±0	1	1	±0	3	3	±0
	D		84	84	±0	88	87	-1	90	90	±0	90	90	±0	88	87	-1
	「降水あり」予報の適中率		55	55	±0	67]	67]	±0	50]	50]	±0	92]	92]	±0	67]	67]	±0
	「降水なし」予報の適中率		100	100	±0	97	96	-1	100	100	±0	100	100	±0	97	96	-1

熊 谷 埼玉県北 部	降水の有無の適中率	95	95	±0	98	97	-1	94	94	±0	98	98	±0	98	97	-1
	捕捉率	100	94	-6	80	71	-9	100	88	-12	100	94	-6	80	71	-9
	一致率	63]	63]	±0	100]	100]	±0	39]	39]	±0	83]	83]	±0	100]	100]	±0
	A	8	8	±0	7	7	±0	4	4	±0	8	8	±0	7	7	±0
	B（見逃し率）	0	1	+1	2	3	+1	0	1	+1	0	1	+1	2	3	+1
	C（空振り率）	5	5	±0	0	0	±0	6	6	±0	2	2	±0	0	0	±0
	D	87	87	±0	92	91	-1	90	90	±0	90	90	±0	92	91	-1
	「降水あり」予報の適中率	63]	63]	±0	100]	100]	±0	39]	39]	±0	83]	83]	±0	100]	100]	±0
	「降水なし」予報の適中率	100	99	-1	98	97	-1	100	99	-1	100	99	-1	98	97	-1
秩 父 埼玉県秩 父地方	降水の有無の適中率	94	96	+2	96	94	-2	94	94	±0	98	99	+1	96	94	-2
	捕捉率	100	100	±0	89	73	-16	100	100	±0	100	100	±0	89	73	-16
	一致率	56]	69]	+13	67]	67]	±0	33]	42]	+9	75]	92]	+17	67]	67]	±0
	A	7	9	+2	7	7	±0	3	4	+1	7	9	+2	7	7	±0
	B（見逃し率）	0	0	±0	1	2	+1	0	0	±0	0	0	±0	1	2	+1
	C（空振り率）	6	4	-2	3	3	±0	6	6	±0	2	1	-1	3	3	±0
	D	87	87	±0	90	88	-2	90	90	±0	90	90	±0	90	88	-2
	「降水あり」予報の適中率	56]	69]	+13	67]	67]	±0	33]	42]	+9	75]	92]	+17	67]	67]	±0
	「降水なし」予報の適中率	100	100	±0	99	97	-2	100	100	±0	100	100	±0	99	97	-2
東 京 東京都東 京地方	降水の有無の適中率	93	93	±0	95	93	-2	96	96	±0	91	91	±0	95	93	-2
	捕捉率	100	100	±0	74	65	-9	100	100	±0	93	93	±0	74	65	-9
	一致率	54	54	±0	67]	67]	±0	57]	57]	±0	50	50	±0	67]	67]	±0
	A	9	9	±0	7	7	±0	6	6	±0	8	8	±0	7	7	±0
	B（見逃し率）	0	0	±0	2	4	+2	0	0	±0	1	1	±0	2	4	+2
	C（空振り率）	7	7	±0	3	3	±0	4	4	±0	8	8	±0	3	3	±0
	D	84	84	±0	88	87	-1	90	90	±0	83	83	±0	88	87	-1
	「降水あり」予報の適中率	54	54	±0	67]	67]	±0	57]	57]	±0	50	50	±0	67]	67]	±0
	「降水なし」予報の適中率	100	100	±0	98	96	-2	100	100	±0	99	99	±0	98	96	-2
大 島 東京都伊 豆諸島北 部	降水の有無の適中率	81	81	±0	86	86	±0	90	90	±0	86	86	±0	86	86	±0
	捕捉率	68	68	±0	73	73	±0	61	61	±0	73	73	±0	61	61	±0
	一致率	53	53	±0	75	75	±0	55]	55]	±0	75	75	±0	73	73	±0
	A	14	14	±0	19	19	±0	7	7	±0	19	19	±0	14	14	±0
	B（見逃し率）	6	6	±0	7	7	±0	5	5	±0	7	7	±0	9	9	±0
	C（空振り率）	12	12	±0	6	6	±0	6	6	±0	6	6	±0	5	5	±0
	D	68	68	±0	67	67	±0	83	83	±0	67	67	±0	72	72	±0
	「降水あり」予報の適中率	53	53	±0	75	75	±0	55]	55]	±0	75	75	±0	73	73	±0
	「降水なし」予報の適中率	91	91	±0	90	90	±0	95	95	±0	90	90	±0	89	89	±0
八丈島 東京都伊 豆諸島南 部	降水の有無の適中率	77	77	±0	77	77	±0	83	83	±0	75	75	±0	80	80	±0
	捕捉率	74	74	±0	68	68	±0	48	48	±0	70	70	±0	68	68	±0
	一致率	65	65	±0	78	78	±0	56	56	±0	74	74	±0	84	84	±0
	A	25	25	±0	30	30	±0	9	9	±0	31	31	±0	30	30	±0
	B（見逃し率）	9	9	±0	14	14	±0	10	10	±0	14	14	±0	14	14	±0
	C（空振り率）	14	14	±0	8	8	±0	7	7	±0	11	11	±0	6	6	±0
	D	52	52	±0	47	47	±0	74	74	±0	45	45	±0	50	50	±0
	「降水あり」予報の適中率	65	65	±0	78	78	±0	56	56	±0	74	74	±0	84	84	±0
	「降水なし」予報の適中率	85	85	±0	77	77	±0	88	88	±0	77	77	±0	78	78	±0
父 島 東京都小 笠原諸島	降水の有無の適中率	89	89	±0	89	89	±0	98	98	±0	92	92	±0	92	92	±0
	捕捉率	80	80	±0	29	29	±0	67	67	±0	57	57	±0	29	29	±0
	一致率	40	40	±0	50]	50]	±0	100]	100]	±0	67]	67]	±0	100]	100]	±0
	A	7	7	±0	3	3	±0	3	3	±0	7	7	±0	3	3	±0
	B（見逃し率）	2	2	±0	8	8	±0	2	2	±0	5	5	±0	8	8	±0
	C（空振り率）	10	10	±0	3	3	±0	0	0	±0	3	3	±0	0	0	±0
	D	82	82	±0	86	86	±0	95	95	±0	86	86	±0	89	89	±0
	「降水あり」予報の適中率	40	40	±0	50]	50]	±0	100]	100]	±0	67]	67]	±0	100]	100]	±0
	「降水なし」予報の適中率	98	98	±0	91	91	±0	98	98	±0	95	95	±0	92	92	±0
千 葉 千葉県北 西部	降水の有無の適中率	94	94	±0	87	87	±0	94	94	±0	89	89	±0	88	88	±0
	捕捉率	78	78	±0	48	48	±0	69	69	±0	80	80	±0	52	52	±0
	一致率	75]	75]	±0	50]	50]	±0	61]	61]	±0	56	56	±0	54]	54]	±0
	A	10	10	±0	7	7	±0	6	6	±0	11	11	±0	7	7	±0
	B（見逃し率）	3	3	±0	7	7	±0	3	3	±0	3	3	±0	6	6	±0
	C（空振り率）	3	3	±0	6	6	±0	4	4	±0	9	9	±0	6	6	±0
	D	84	84	±0	80	80	±0	88	88	±0	78	78	±0	81	81	±0
	「降水あり」予報の適中率	75]	75]	±0	50]	50]	±0	61]	61]	±0	56	56	±0	54]	54]	±0
	「降水なし」予報の適中率	97	97	±0	92	92	±0	97	97	±0	97	97	±0	93	93	±0
銚 子	降水の有無の適中率	90	90	±0	82	81	-1	94	94	±0	89	88	-1	86	85	-1
	捕捉率	70	70	±0	45	42	-3	67	67	±0	72	68	-4	46	43	-3
	一致率	64	64	±0	52	52	±0	67]	67]	±0	70	70	±0	65]	65]	±0
	A	10	10	±0	8	8	±0	7	7	±0	14	14	±0	8	8	±0
	B（見逃し率）	5	5	±0	10	12	+2	3	3	±0	5	6	+1	10	11	+1

千葉県北 東部	C（空振り率）	6	6	±0	8	8	±0	3	3	±0	6	6	±0	5	5	±0
	D	79	79	±0	74	72	-2	87	87	±0	76	74	-2	77	76	-1
	「降水あり」予報の適中率	64	64	±0	52	52	±0	67]	67]	±0	70	70	±0	65]	65]	±0
	「降水なし」予報の適中率	95	95	±0	88	86	-2	96	96	±0	94	92	-2	89	87	-2
館山 千葉県南 部	降水の有無の適中率	90	90	±0	86	86	±0	92	92	±0	87	87	±0	86	86	±0
	捕捉率	63	63	±0	65	65	±0	63	63	±0	75	75	±0	56	56	±0
	一致率	61]	61]	±0	62	62	±0	48]	48]	±0	61	61	±0	57	57	±0
	A	8	8	±0	12	12	±0	5	5	±0	14	14	±0	9	9	±0
	B（見逃し率）	5	5	±0	6	6	±0	3	3	±0	5	5	±0	7	7	±0
	C（空振り率）	5	5	±0	7	7	±0	5	5	±0	9	9	±0	7	7	±0
	D	83	83	±0	74	74	±0	88	88	±0	73	73	±0	77	77	±0
	「降水あり」予報の適中率	61]	61]	±0	62	62	±0	48]	48]	±0	61	61	±0	57	57	±0
横浜 神奈川県東部	「降水なし」予報の適中率	95	95	±0	92	92	±0	97	97	±0	94	94	±0	91	91	±0
	降水の有無の適中率	92	92	±0	93	93	±0	94	94	±0	91	91	±0	92	92	±0
	捕捉率	94	94	±0	63	63	±0	88	88	±0	84	84	±0	81	81	±0
	一致率	57	57	±0	67]	67]	±0	39]	39]	±0	53	53	±0	54]	54]	±0
横浜 神奈川県東部	A	9	9	±0	7	7	±0	4	4	±0	9	9	±0	7	7	±0
	B（見逃し率）	1	1	±0	4	4	±0	1	1	±0	2	2	±0	2	2	±0
	C（空振り率）	7	7	±0	3	3	±0	6	6	±0	8	8	±0	6	6	±0
	D	83	83	±0	87	87	±0	90	90	±0	82	82	±0	86	86	±0
	「降水あり」予報の適中率	57	57	±0	67]	67]	±0	39]	39]	±0	53	53	±0	54]	54]	±0
	「降水なし」予報の適中率	99	99	±0	96	96	±0	99	99	±0	98	98	±0	98	98	±0
	降水の有無の適中率	94	94	±0	88	88	±0	95	95	±0	92	92	±0	90	90	±0
	捕捉率	76	76	±0	43	43	±0	58	58	±0	78	78	±0	63	63	±0
小田原 神奈川県西部	一致率	80]	80]	±0	67]	67]	±0	70]	70]	±0	72	72	±0	60]	60]	±0
	A	10	10	±0	7	7	±0	5	5	±0	12	12	±0	8	8	±0
	B（見逃し率）	3	3	±0	8	8	±0	3	3	±0	3	3	±0	5	5	±0
	C（空振り率）	3	3	±0	3	3	±0	2	2	±0	5	5	±0	5	5	±0
	D	84	84	±0	82	82	±0	90	90	±0	81	81	±0	83	83	±0
	「降水あり」予報の適中率	80]	80]	±0	67]	67]	±0	70]	70]	±0	72	72	±0	60]	60]	±0
	「降水なし」予報の適中率	96	96	±0	91	91	±0	97	97	±0	96	96	±0	95	95	±0
	降水の有無の適中率	82	83	+1	88	88	±0	89	89	±0	83	83	±0	82	82	±0
長野 長野県北 部	捕捉率	91	89	-2	92	91	-1	90	84	-6	87	85	-2	96	94	-2
	一致率	73	76	+3	82	84	+2	70	79	+9	77	79	+2	72	73	+1
	A	37	39	+2	40	41	+1	20	23	+3	37	38	+1	42	43	+1
	B（見逃し率）	4	5	+1	4	4	±0	2	5	+3	6	7	+1	2	3	+1
	C（空振り率）	14	12	-2	9	8	-1	9	6	-3	11	10	-1	16	15	-1
	D	45	44	-1	48	47	-1	69	67	-2	46	45	-1	40	39	-1
	「降水あり」予報の適中率	73	76	+3	82	84	+2	70	79	+9	77	79	+2	72	73	+1
	「降水なし」予報の適中率	93	90	-3	93	92	-1	97	94	-3	89	87	-2	96	94	-2
松本 長野県中 部	降水の有無の適中率	84	84	±0	81	80	-1	94	92	-2	83	82	-1	79	77	-2
	捕捉率	69	66	-3	65	61	-4	54	43	-11	62	59	-3	68	62	-6
	一致率	52	57	+5	55	58	+3	61]	61]	±0	60	64	+4	52	54	+2
	A	12	13	+1	14	15	+1	4	4	±0	14	15	+1	15	16	+1
	B（見逃し率）	5	7	+2	8	10	+2	3	5	+2	8	10	+2	7	10	+3
	C（空振り率）	11	10	-1	12	11	-1	3	3	±0	9	8	-1	14	13	-1
	D	72	71	-1	67	65	-2	90	88	-2	69	67	-2	64	61	-3
	「降水あり」予報の適中率	52	57	+5	55	58	+3	61]	61]	±0	60	64	+4	52	54	+2
松本 長野県中 部	「降水なし」予報の適中率	93	91	-2	90	87	-3	96	94	-2	89	87	-2	90	86	-4
	降水の有無の適中率	81	81	±0	81	80	-1	95	94	-1	84	83	-1	80	79	-1
	捕捉率	64	62	-2	66	63	-3	84	75	-9	77	72	-5	71	67	-4
	一致率	62	65	+3	72	74	+2	79]	79]	±0	75	77	+2	65	66	+1
飯田 長野県南 部	A	16	17	+1	21	21	±0	10	10	±0	24	25	+1	21	21	±0
	B（見逃し率）	9	10	+1	11	13	+2	2	3	+1	7	9	+2	9	11	+2
	C（空振り率）	10	9	-1	8	8	±0	3	3	±0	8	7	-1	11	11	±0
	D	65	64	-1	60	58	-2	85	84	-1	60	58	-2	59	57	-2
	「降水あり」予報の適中率	62	65	+3	72	74	+2	79]	79]	±0	75	77	+2	65	66	+1
	「降水なし」予報の適中率	88	86	-2	85	82	-3	98	96	-2	89	86	-3	87	84	-3
	降水の有無の適中率	98	98	±0	93	93	±0	98	98	±0	96	96	±0	93	93	±0
	捕捉率	92	92	±0	62	62	±0	93	93	±0	93	93	±0	64	64	±0
甲府 山梨県 中・西部	一致率	89]	89]	±0	67]	67]	±0	78]	78]	±0	75]	75]	±0	67]	67]	±0
	A	9	9	±0	7	7	±0	5	5	±0	10	10	±0	7	7	±0
	B（見逃し率）	1	1	±0	4	4	±0	0	0	±0	1	1	±0	4	4	±0
	C（空振り率）	1	1	±0	3	3	±0	1	1	±0	3	3	±0	3	3	±0
	D	90	90	±0	86	86	±0	93	93	±0	86	86	±0	87	87	±0
	「降水あり」予報の適中率	89]	89]	±0	67]	67]	±0	78]	78]	±0	75]	75]	±0	67]	67]	±0
	降水の有無の適中率	98	98	±0	93	93	±0	98	98	±0	96	96	±0	93	93	±0
	捕捉率	92	92	±0	62	62	±0	93	93	±0	93	93	±0	64	64	±0
甲府 山梨県 中・西部	一致率	89]	89]	±0	67]	67]	±0	78]	78]	±0	75]	75]	±0	67]	67]	±0
	A	9	9	±0	7	7	±0	5	5	±0	10	10	±0	7	7	±0
	B（見逃し率）	1	1	±0	4	4	±0	0	0	±0	1	1	±0	4	4	±0
	C（空振り率）	1	1	±0	3	3	±0	1	1	±0	3	3	±0	3	3	±0
甲府 山梨県 中・西部	D	90	90	±0	86	86	±0	93	93	±0	86	86	±0	87	87	±0
	「降水あり」予報の適中率	89]	89]	±0	67]	67]	±0	78]	78]	±0	75]	75]	±0	67]	67]	±0
	降水の有無の適中率	98	98	±0	93	93	±0	98	98	±0	96	96	±0	93	93	±0
	捕捉率	92	92	±0	62	62	±0	93	93	±0	93	93	±0	64	64	±0
甲府 山梨県 中・西部	一致率	89]	89]	±0	67]	67]	±0	78]	78]	±0	75]	75]	±0	67]	67]	±0
	A	9	9	±0	7	7	±0	5	5	±0	10	10	±0	7	7	±0
	B（見逃し率）	1	1	±0	4	4	±0	0	0	±0	1	1	±0	4	4	±0
	C（空振り率）	1	1	±0	3	3	±0	1	1	±0	3	3	±0	3	3	±0
甲府 山梨県 中・西部	D	90	90	±0	86	86	±0	93	93	±0	86	86	±0	87	87	±0
	「降水あり」予報の適中率	89]	89]	±0	67]	67]	±0	78]	78]	±0	75]	75]	±0	67]	67]	±0
	降水の有無の適中率	98	98	±0	93	93	±0	98	98	±0	96	96	±0	93	93	±0
	捕捉率	92	92	±0	62	62	±0	93	93	±0	93	93	±0	64	64	±0
甲府 山梨県 中・西部	一致率	89]	89]	±0	67]	67]	±0	78]	78]	±0	75]	75]	±0	67]	67]	±0
	A	9	9	±0	7	7	±0	5	5	±0	10	10	±0	7	7	±0
	B（見逃し率）	1	1	±0	4	4	±0	0	0	±0	1	1	±0	4	4	±0
	C（空振り率）	1	1	±0	3	3	±0	1	1	±0	3	3	±0	3	3	±0
甲府 山梨県 中・西部	D	90	90	±0	86	86	±0	93	93	±0	86	86	±0	87	87	±0
	「降水あり」予報の適中率	89]	89]	±0	67]	67]	±0	78]	78]	±0	75]	75]	±0	67]	67]	±0
	降水の有無の適中率	98	98	±0	93	93	±0	98	98	±0	96	96	±0	93	93	±0
	捕捉率	92	92	±0	62	62	±0	93	93	±0	93	93	±0	64	64	±0
甲府 山梨県 中・西部	一致率	89]	89]	±0	67]	67]	±0	78]	78]	±0	75]	75]	±0	67]	67]	±0
	A	9	9	±0	7	7	±0	5	5	±0	10	10	±0	7	7	±0
	B（見逃し率）	1	1	±0	4	4	±0	0	0	±0	1	1	±0	4	4	±0
	C（空振り率）	1	1	±0	3	3	±0	1	1	±0	3	3	±0	3	3	±0
甲府 山梨県 中・西部	D	90	90	±0	86	86	±0	93	93	±0	86	86	±0	87	87	±0
	「降水あり」予報の適中率	89]	89]	±0	67]	67]	±0	78]	78]	±0	75]	75]	±0	67]	67]	±0
	降水の有無の適中率	98	98	±0	93	93	±0	98	98	±0	96	96	±0	93	93	±0
	捕捉率	92	92	±0	62	62	±0	93	93	±0	93	93	±0	64	64	±0
甲府 山梨県 中・西部	一致率	89]	89]	±0	67]	67]	±0	78]	78]	±0	75]	75]	±0	67]	67]	±0
	A	9	9	±0	7	7	±0	5	5	±0	10	10	±0	7	7	±0
	B（見逃し率）	1	1	±0	4	4	±0	0	0	±0	1	1	±0	4	4	±0
	C（空振り率）	1	1	±0	3	3	±0	1	1	±0	3	3	±0	3	3	±0
甲府 山梨県 中・西部	D	90	90	±0	86	86	±0	93	93	±0	86	86	±0	87	87	±0
	「降水あり」予															

	「降水なし」予報の適中率	99	99	±0	96	96	±0	100	100	±0	99	99	±0	96	96	±0
河口湖 山梨県東 部・富士 五湖	降水の有無の適中率	98	98	±0	93	93	±0	99	98	-1	94	94	±0	94	94	±0
	捕捉率	85	85	±0	62	62	±0	100	88	-12	85	85	±0	67	67	±0
	一致率	92]	92]	±0	67]	67]	±0	88]	88]	±0	69]	69]	±0	67]	67]	±0
	A	9	9	±0	7	7	±0	6	6	±0	9	9	±0	7	7	±0
	B（見逃し率）	2	2	±0	4	4	±0	0	1	+1	2	2	±0	3	3	±0
	C（空振り率）	1	1	±0	3	3	±0	1	1	±0	4	4	±0	3	3	±0
	D	89	89	±0	86	86	±0	94	93	-1	86	86	±0	87	87	±0
	「降水あり」予報の適中率	92]	92]	±0	67]	67]	±0	88]	88]	±0	69]	69]	±0	67]	67]	±0
	「降水なし」予報の適中率	98	98	±0	96	96	±0	100	99	-1	98	98	±0	96	96	±0