

令和5年11月 九州北部地方			[5時発表予報]						[17時発表予報]								
			降水の有無						降水の有無								
			今日			明日			今夜			明日			明後日		
			修正前	修正後	差分	修正前	修正後	差分	修正前	修正後	差分	修正前	修正後	差分	修正前	修正後	差分
			(5-24時)			(0-24時)			(17-24時)			(0-24時)			(0-24時)		
下 関 山口県西 部	降水の有無の適中率		93	93	±0	86	86	±0	96	96	±0	88	88	±0	89	89	±0
	捕捉率		91	91	±0	69	69	±0	90	90	±0	83	83	±0	79	79	±0
	一致率		83	83	±0	83	83	±0	75]	75]	±0	80	80	±0	85	85	±0
	A		22	22	±0	22	22	±0	10	10	±0	27	27	±0	26	26	±0
	B（見逃し率）		2	2	±0	10	10	±0	1	1	±0	6	6	±0	7	7	±0
	C（空振り率）		4	4	±0	4	4	±0	3	3	±0	7	7	±0	4	4	±0
	D		71	71	±0	63	63	±0	86	86	±0	61	61	±0	63	63	±0
	「降水あり」予報の適中率		83	83	±0	83	83	±0	75]	75]	±0	80	80	±0	85	85	±0
山 口 山口県中 部	「降水なし」予報の適中率		97	97	±0	86	86	±0	99	99	±0	92	92	±0	90	90	±0
	降水の有無の適中率		94	94	±0	89	89	±0	96	96	±0	88	88	±0	92	91	-1
	捕捉率		83	83	±0	80	78	-2	90	90	±0	90	88	-2	90	88	-2
	一致率		92	92	±0	81	81	±0	75]	75]	±0	73	73	±0	81	81	±0
	A		18	18	±0	22	22	±0	10	10	±0	24	24	±0	24	24	±0
	B（見逃し率）		4	4	±0	6	6	±0	1	1	±0	3	3	±0	3	3	±0
	C（空振り率）		2	2	±0	5	5	±0	3	3	±0	9	9	±0	6	6	±0
	D		76	76	±0	68	67	-1	86	86	±0	64	63	-1	67	67	±0
柳 井 山口県東 部	「降水あり」予報の適中率		92	92	±0	81	81	±0	75]	75]	±0	73	73	±0	81	81	±0
	「降水なし」予報の適中率		95	95	±0	92	92	±0	99	99	±0	96	95	-1	96	95	-1
	降水の有無の適中率		96	96	±0	91	91	±0	93	93	±0	90	89	-1	91	91	±0
	捕捉率		81	81	±0	83	80	-3	79	79	±0	73	71	-2	90	88	-2
	一致率		97	97	±0	79	79	±0	63]	63]	±0	81	81	±0	75	75	±0
	A		16	16	±0	18	18	±0	8	8	±0	16	16	±0	20	20	±0
	B（見逃し率）		4	4	±0	4	4	±0	2	2	±0	6	7	+1	2	3	+1
	C（空振り率）		1	1	±0	5	5	±0	5	5	±0	4	4	±0	7	7	±0
萩 山口県北 部	D		79	79	±0	73	72	-1	84	84	±0	74	73	-1	71	71	±0
	「降水あり」予報の適中率		97	97	±0	79	79	±0	63]	63]	±0	81	81	±0	75	75	±0
	「降水なし」予報の適中率		95	95	±0	95	94	-1	97	97	±0	92	92	±0	97	96	-1
	降水の有無の適中率		92	92	±0	87	87	±0	91	91	±0	87	87	±0	87	87	±0
	捕捉率		93	93	±0	73	73	±0	65	65	±0	78	78	±0	73	73	±0
	一致率		82	82	±0	89	89	±0	75]	75]	±0	86	86	±0	89	89	±0
	A		27	27	±0	27	27	±0	10	10	±0	29	29	±0	27	27	±0
	B（見逃し率）		2	2	±0	10	10	±0	5	5	±0	8	8	±0	10	10	±0
福岡 福岡県福岡地方	C（空振り率）		6	6	±0	3	3	±0	3	3	±0	5	5	±0	3	3	±0
	D		65	65	±0	60	60	±0	81	81	±0	59	59	±0	60	60	±0
	「降水あり」予報の適中率		82	82	±0	89	89	±0	75]	75]	±0	86	86	±0	89	89	±0
	「降水なし」予報の適中率		97	97	±0	86	86	±0	94	94	±0	88	88	±0	86	86	±0
	降水の有無の適中率		96	96	±0	92	92	±0	93	93	±0	92	92	±0	89	89	±0
	捕捉率		97	97	±0	77	77	±0	94	94	±0	77	77	±0	77	77	±0
	一致率		81	81	±0	86	86	±0	54]	54]	±0	86	86	±0	73	73	±0
	A		16	16	±0	17	17	±0	7	7	±0	17	17	±0	17	17	±0
福岡 福岡県福岡地方	B（見逃し率）		0	0	±0	5	5	±0	0	0	±0	5	5	±0	5	5	±0
	C（空振り率）		4	4	±0	3	3	±0	6	6	±0	3	3	±0	6	6	±0
	D		80	80	±0	75	75	±0	86	86	±0	75	75	±0	71	71	±0
	「降水あり」予報の適中率		81	81	±0	86	86	±0	54]	54]	±0	86	86	±0	73	73	±0
	「降水なし」予報の適中率		99	99	±0	93	93	±0	99	99	±0	93	93	±0	93	93	±0
	降水の有無の適中率		96	96	±0	92	92	±0	93	93	±0	92	92	±0	89	89	±0
	捕捉率		97	97	±0	77	77	±0	94	94	±0	77	77	±0	77	77	±0
	一致率		81	81	±0	86	86	±0	54]	54]	±0	86	86	±0	73	73	±0

八 幡 福岡県北 九州地方	降水の有無の適中率	97	97	±0	88	88	±0	97	97	±0	89	89	±0	84	84	±0
	捕捉率	93	93	±0	64	64	±0	100	100	±0	73	73	±0	64	64	±0
	一致率	93	93	±0	88	88	±0	75]	75]	±0	86	86	±0	75	75	±0
	A	22	22	±0	18	18	±0	10	10	±0	20	20	±0	18	18	±0
	B（見逃し率）	2	2	±0	10	10	±0	0	0	±0	8	8	±0	10	10	±0
	C（空振り率）	2	2	±0	3	3	±0	3	3	±0	3	3	±0	6	6	±0
	D	75	75	±0	70	70	±0	87	87	±0	69	69	±0	67	67	±0
	「降水あり」予報の適中率	93	93	±0	88	88	±0	75]	75]	±0	86	86	±0	75	75	±0
	「降水なし」予報の適中率	98	98	±0	88	88	±0	100	100	±0	90	90	±0	87	87	±0
飯 塚 福岡県筑 豊地方	降水の有無の適中率	97	97	±0	89	89	±0	94	94	±0	89	89	±0	86	86	±0
	捕捉率	100	100	±0	67	67	±0	89	89	±0	67	67	±0	67	67	±0
	一致率	83	83	±0	89	89	±0	67]	67]	±0	89	89	±0	76	76	±0
	A	17	17	±0	18	18	±0	9	9	±0	18	18	±0	18	18	±0
	B（見逃し率）	0	0	±0	9	9	±0	1	1	±0	9	9	±0	9	9	±0
	C（空振り率）	3	3	±0	2	2	±0	4	4	±0	2	2	±0	6	6	±0
	D	80	80	±0	71	71	±0	86	86	±0	71	71	±0	68	68	±0
	「降水あり」予報の適中率	83	83	±0	89	89	±0	67]	67]	±0	89	89	±0	76	76	±0
	「降水なし」予報の適中率	100	100	±0	89	89	±0	99	99	±0	89	89	±0	88	88	±0
久留米 福岡県筑 後地方	降水の有無の適中率	97	97	±0	96	96	±0	95	95	±0	98	98	±0	92	92	±0
	捕捉率	90	90	±0	91	91	±0	100	100	±0	88	88	±0	91	91	±0
	一致率	90	90	±0	86	86	±0	63]	63]	±0	100	100	±0	74	74	±0
	A	15	15	±0	17	17	±0	8	8	±0	17	17	±0	17	17	±0
	B（見逃し率）	2	2	±0	2	2	±0	0	0	±0	2	2	±0	2	2	±0
	C（空振り率）	2	2	±0	3	3	±0	5	5	±0	0	0	±0	6	6	±0
	D	82	82	±0	78	78	±0	87	87	±0	81	81	±0	75	75	±0
	「降水あり」予報の適中率	90	90	±0	86	86	±0	63]	63]	±0	100	100	±0	74	74	±0
	「降水なし」予報の適中率	98	98	±0	98	98	±0	100	100	±0	97	97	±0	98	98	±0
大 分 大分県中 部	降水の有無の適中率	97	97	±0	95	95	±0	95	95	±0	95	95	±0	88	88	±0
	捕捉率	86	86	±0	81	81	±0	89	89	±0	81	81	±0	90	90	±0
	一致率	80]	80]	±0	85]	85]	±0	53]	53]	±0	85]	85]	±0	54	54	±0
	A	8	8	±0	11	11	±0	5	5	±0	11	11	±0	13	13	±0
	B（見逃し率）	1	1	±0	3	3	±0	1	1	±0	3	3	±0	1	1	±0
	C（空振り率）	2	2	±0	2	2	±0	5	5	±0	2	2	±0	11	11	±0
	D	89	89	±0	84	84	±0	89	89	±0	84	84	±0	75	75	±0
	「降水あり」予報の適中率	80]	80]	±0	85]	85]	±0	53]	53]	±0	85]	85]	±0	54	54	±0
	「降水なし」予報の適中率	99	99	±0	97	97	±0	99	99	±0	97	97	±0	98	98	±0
中 津 大分県北 部	降水の有無の適中率	96	96	±0	92	92	±0	94	94	±0	96	96	±0	89	89	±0
	捕捉率	96	96	±0	84	84	±0	79	79	±0	84	84	±0	84	84	±0
	一致率	80	80	±0	75	75	±0	61]	61]	±0	90	90	±0	64	64	±0
	A	13	13	±0	15	15	±0	6	6	±0	15	15	±0	15	15	±0
	B（見逃し率）	1	1	±0	3	3	±0	2	2	±0	3	3	±0	3	3	±0
	C（空振り率）	3	3	±0	5	5	±0	4	4	±0	2	2	±0	8	8	±0
	D	83	83	±0	77	77	±0	88	88	±0	81	81	±0	74	74	±0
	「降水あり」予報の適中率	80	80	±0	75	75	±0	61]	61]	±0	90	90	±0	64	64	±0
	「降水なし」予報の適中率	99	99	±0	97	97	±0	98	98	±0	97	97	±0	96	96	±0
日 田 大分県西 部	降水の有無の適中率	98	98	±0	96	95	-1	96	96	±0	98	97	-1	93	92	-1
	捕捉率	90	90	±0	91	88	-3	92	92	±0	87	83	-4	91	88	-3
	一致率	95	95	±0	88	88	±0	75]	75]	±0	100	100	±0	75	75	±0
	A	16	16	±0	18	18	±0	10	10	±0	17	17	±0	18	18	±0
	B（見逃し率）	2	2	±0	2	3	+1	1	1	±0	3	3	±0	2	3	+1
	C（空振り率）	1	1	±0	3	3	±0	3	3	±0	0	0	±0	6	6	±0
	D	82	82	±0	78	78	±0	86	86	±0	81	80	-1	75	74	-1
	「降水あり」予報の適中率	95	95	±0	88	88	±0	75]	75]	±0	100	100	±0	75	75	±0
	「降水なし」予報の適中率	98	98	±0	98	97	-1	99	99	±0	97	96	-1	98	97	-1

佐 伯 大分県南 部	降水の有無の適中率	94	94	±0	93	93	±0	97	97	±0	91	91	±0	81	81	±0
	捕捉率	73	73	±0	100	100	±0	100	100	±0	80	80	±0	53	53	±0
	一致率	67]	67]	±0	63	63	±0	50]	50]	±0	60	60	±0	33	33	±0
	A	7	7	±0	13	13	±0	3	3	±0	10	10	±0	7	7	±0
	B（見逃し率）	3	3	±0	0	0	±0	0	0	±0	3	3	±0	6	6	±0
	C（空振り率）	3	3	±0	8	8	±0	3	3	±0	7	7	±0	13	13	±0
	D	88	88	±0	80	80	±0	93	93	±0	81	81	±0	74	74	±0
	「降水あり」予報の適中率	67]	67]	±0	63	63	±0	50]	50]	±0	60	60	±0	33	33	±0
	「降水なし」予報の適中率	97	97	±0	100	100	±0	100	100	±0	97	97	±0	93	93	±0
長 崎 長崎県南 部	降水の有無の適中率	95	95	±0	90	90	±0	93	93	±0	93	93	±0	90	90	±0
	捕捉率	98	98	±0	81	80	-1	96	96	±0	81	80	-1	81	80	-1
	一致率	79	79	±0	75	75	±0	58	58	±0	87	87	±0	75	75	±0
	A	19	19	±0	17	17	±0	10	10	±0	17	17	±0	17	17	±0
	B（見逃し率）	0	0	±0	4	4	±0	0	0	±0	4	4	±0	4	4	±0
	C（空振り率）	5	5	±0	6	6	±0	7	7	±0	3	3	±0	6	6	±0
	D	76	76	±0	73	72	-1	83	83	±0	76	76	±0	73	72	-1
	「降水あり」予報の適中率	79	79	±0	75	75	±0	58	58	±0	87	87	±0	75	75	±0
	「降水なし」予報の適中率	100	100	±0	95	94	-1	100	100	±0	95	94	-1	95	94	-1
佐世保 長崎県北 部	降水の有無の適中率	99	99	±0	93	93	±0	100	100	±0	97	97	±0	93	93	±0
	捕捉率	100	100	±0	86	86	±0	100	100	±0	86	86	±0	86	86	±0
	一致率	95	95	±0	86	86	±0	100]	100]	±0	100	100	±0	86	86	±0
	A	22	22	±0	20	20	±0	13	13	±0	20	20	±0	20	20	±0
	B（見逃し率）	0	0	±0	3	3	±0	0	0	±0	3	3	±0	3	3	±0
	C（空振り率）	1	1	±0	3	3	±0	0	0	±0	0	0	±0	3	3	±0
	D	77	77	±0	73	73	±0	87	87	±0	77	77	±0	73	73	±0
	「降水あり」予報の適中率	95	95	±0	86	86	±0	100]	100]	±0	100	100	±0	86	86	±0
	「降水なし」予報の適中率	100	100	±0	96	96	±0	100	100	±0	96	96	±0	96	96	±0
厳 原 長崎県志 岐・対馬	降水の有無の適中率	91	91	±0	89	89	±0	91	91	±0	89	89	±0	87	87	±0
	捕捉率	92	92	±0	85	85	±0	82	82	±0	85	85	±0	78	78	±0
	一致率	69	69	±0	66	66	±0	45]	45]	±0	66	66	±0	60	60	±0
	A	16	16	±0	15	15	±0	6	6	±0	15	15	±0	14	14	±0
	B（見逃し率）	1	1	±0	3	3	±0	1	1	±0	3	3	±0	4	4	±0
	C（空振り率）	7	7	±0	8	8	±0	7	7	±0	8	8	±0	9	9	±0
	D	75	75	±0	74	74	±0	85	85	±0	74	74	±0	73	73	±0
	「降水あり」予報の適中率	69	69	±0	66	66	±0	45]	45]	±0	66	66	±0	60	60	±0
	「降水なし」予報の適中率	98	98	±0	97	97	±0	98	98	±0	97	97	±0	95	95	±0
福 江 長崎県五 島	降水の有無の適中率	97	97	±0	87	87	±0	100	100	±0	93	93	±0	90	90	±0
	捕捉率	95	95	±0	75	75	±0	100	100	±0	88	88	±0	75	75	±0
	一致率	90	90	±0	75	75	±0	100]	100]	±0	88	88	±0	86	86	±0
	A	21	21	±0	20	20	±0	10	10	±0	23	23	±0	20	20	±0
	B（見逃し率）	1	1	±0	7	7	±0	0	0	±0	3	3	±0	7	7	±0
	C（空振り率）	2	2	±0	7	7	±0	0	0	±0	3	3	±0	3	3	±0
	D	76	76	±0	67	67	±0	90	90	±0	70	70	±0	70	70	±0
	「降水あり」予報の適中率	90	90	±0	75	75	±0	100]	100]	±0	88	88	±0	86	86	±0
	「降水なし」予報の適中率	99	99	±0	91	91	±0	100	100	±0	95	95	±0	91	91	±0
佐 賀 佐賀県南 部	降水の有無の適中率	95	95	±0	93	93	±0	97	97	±0	95	95	±0	93	93	±0
	捕捉率	97	97	±0	94	94	±0	100	100	±0	91	91	±0	94	94	±0
	一致率	78	78	±0	74	74	±0	72]	72]	±0	83	83	±0	74	74	±0
	A	16	16	±0	17	17	±0	7	7	±0	17	17	±0	17	17	±0
	B（見逃し率）	1	1	±0	1	1	±0	0	0	±0	2	2	±0	1	1	±0
	C（空振り率）	4	4	±0	6	6	±0	3	3	±0	3	3	±0	6	6	±0
	D	79	79	±0	76	76	±0	90	90	±0	78	78	±0	76	76	±0
	「降水あり」予報の適中率	78	78	±0	74	74	±0	72]	72]	±0	83	83	±0	74	74	±0
	「降水なし」予報の適中率	99	99	±0	99	99	±0	100	100	±0	98	98	±0	99	99	±0
伊万里 佐賀県北 部	降水の有無の適中率	98	98	±0	90	90	±0	98	98	±0	93	93	±0	90	90	±0
	捕捉率	92	92	±0	79	79	±0	86	86	±0	79	79	±0	79	79	±0
	一致率	100	100	±0	79	79	±0	100]	100]	±0	92	92	±0	79	79	±0
	A	20	20	±0	18	18	±0	10	10	±0	18	18	±0	18	18	±0
	B（見逃し率）	2	2	±0	5	5	±0	2	2	±0	5	5	±0	5	5	±0
	C（空振り率）	0	0	±0	5	5	±0	0	0	±0	2	2	±0	5	5	±0
	D	78	78	±0	72	72	±0	88	88	±0	75	75	±0	72	72	±0
	「降水あり」予報の適中率	100	100	±0	79	79	±0	100]	100]	±0	92	92	±0	79	79	±0
	「降水なし」予報の適中率	98	98	±0	93	93	±0	98	98	±0	94	94	±0	93	93	±0
熊 本	降水の有無の適中率	96	96	±0	94	94	±0	94	94	±0	97	97	±0	91	91	±0
	捕捉率	85	85	±0	86	86	±0	100	100	±0	84	84	±0	86	86	±0
	一致率	90	90	±0	83	83	±0	66	66	±0	98	98	±0	71	71	±0
	A	15	15	±0	17	17	±0	11	11	±0	16	16	±0	17	17	±0
	B（見逃し率）	3	3	±0	3	3	±0	0	0	±0	3	3	±0	3	3	±0

熊本県 本地方	C（空振り率）	2	2	±0	3	3	±0	6	6	±0	0	0	±0	7	7	±0
	D	81	81	±0	77	77	±0	83	83	±0	80	80	±0	74	74	±0
	「降水あり」予報の適中率	90	90	±0	83	83	±0	66	66	±0	98	98	±0	71	71	±0
	「降水なし」予報の適中率	97	97	±0	97	97	±0	100	100	±0	96	96	±0	97	97	±0
阿蘇乙姫 熊本県 阿蘇地方	降水の有無の適中率	94	94	±0	96	96	±0	98	98	±0	94	94	±0	93	93	±0
	捕捉率	74	74	±0	85	85	±0	100	100	±0	74	74	±0	85	85	±0
	一致率	100	100	±0	96	96	±0	90	90	±0	100	100	±0	82	82	±0
	A	17	17	±0	19	19	±0	15	15	±0	17	17	±0	19	19	±0
	B（見逃し率）	6	6	±0	3	3	±0	0	0	±0	6	6	±0	3	3	±0
	C（空振り率）	0	0	±0	1	1	±0	2	2	±0	0	0	±0	4	4	±0
	D	78	78	±0	77	77	±0	83	83	±0	78	78	±0	73	73	±0
	「降水あり」予報の適中率	100	100	±0	96	96	±0	90	90	±0	100	100	±0	82	82	±0
	「降水なし」予報の適中率	93	93	±0	96	96	±0	100	100	±0	93	93	±0	96	96	±0
牛 深 熊本県天 草・芦北 地方	降水の有無の適中率	98	98	±0	97	97	±0	93	93	±0	95	95	±0	89	89	±0
	捕捉率	97	97	±0	91	91	±0	100	100	±0	78	78	±0	78	78	±0
	一致率	93	93	±0	97	97	±0	56	56	±0	100	100	±0	71	71	±0
	A	19	19	±0	19	19	±0	9	9	±0	17	17	±0	17	17	±0
	B（見逃し率）	1	1	±0	2	2	±0	0	0	±0	5	5	±0	5	5	±0
	C（空振り率）	1	1	±0	1	1	±0	7	7	±0	0	0	±0	7	7	±0
	D	79	79	±0	78	78	±0	83	83	±0	79	79	±0	72	72	±0
	「降水あり」予報の適中率	93	93	±0	97	97	±0	56	56	±0	100	100	±0	71	71	±0
	「降水なし」予報の適中率	99	99	±0	98	98	±0	100	100	±0	94	94	±0	94	94	±0
人 吉 熊本県球 磨地方	降水の有無の適中率	100	100	±0	100	100	±0	93	93	±0	96	96	±0	90	90	±0
	捕捉率	100	100	±0	98	98	±0	100	100	±0	81	81	±0	81	81	±0
	一致率	100	100	±0	100	100	±0	57	57	±0	100	100	±0	71	71	±0
	A	20	20	±0	20	20	±0	10	10	±0	17	17	±0	17	17	±0
	B（見逃し率）	0	0	±0	0	0	±0	0	0	±0	4	4	±0	4	4	±0
	C（空振り率）	0	0	±0	0	0	±0	7	7	±0	0	0	±0	7	7	±0
	D	80	80	±0	80	80	±0	83	83	±0	80	80	±0	73	73	±0
	「降水あり」予報の適中率	100	100	±0	100	100	±0	57	57	±0	100	100	±0	71	71	±0
	「降水なし」予報の適中率	100	100	±0	99	99	±0	100	100	±0	95	95	±0	95	95	±0